CANADIAN JOURNAL OF EARTH SCIENCES

JOURNAL CANADIEN DES SCIENCES DE LA TERRE

Volume 26, 1989

Author Index / Index des auteurs

Abell, P.I., McClory, J., Hendry, H.E., and Wheatley, K.L. Stratigraphic variations in carbon and oxygen isotopes in the dolostone of the Carswell Formation (Proterozoic) of northern Saskatchewan, 2318

Achab, A. see Asselin, E., 2435

Achard, R.A. see Fulton, R.J., 257

Aitken, J.D. see Baudet, D., 129

Aitken, J.D. see Poulton, T.P., 1612

Alexopoulos, J. see Grieve, R.A.F., 338

Anderson, P.G., and Hodgson, C.J. The structure and geological development of the Erickson gold mine, Cassiar District, British Columbia, with implications for the origin of mother-lode-type gold deposits, 2645

Andreopoulos-Renaud, U. see Caby, R., 1136

Andrew, A., and Godwin, C.I. Lead- and strontium-isotope geochemistry of Paleozoic Sicker Group and Jurassic Bonanza Group volcanic rocks and Island Intrusions, Vancouver Island, British Columbia, 894

Andrew, A., and Godwin, C.I. Lead- and strontium-isotope geochemistry of the Karmutsen Formation, Vancouver Island, British Columbia, 908

Andrew, A., and Godwin, C.I. Lead- and strontium-isotope geochemistry of the Tertiary Catface intrusions and related mineralization, Vancouver Island, British Columbia, 920

Andrews, J.T. see Clark, P.U., 2130

Armstrong, R.L. see Hansen, V.L., 2224

Asselin, E., Achab, A., et Bourque, P.A. Chitinozoaires du Silurien inférieur dans la région de la baie des Chaleurs en Gaspésie, Québec, Canada, 2435

Asudeh, I., Forsyth, D.A., Stephenson, R., Embry, A., Jackson, H.R., and White, D. Crustal structure of the Canadian polar margin: results of the 1985 seismic refraction survey, 853

Bardoux, M., and Irving, E. Paleomagnetism of Eocene rocks of the Kelowna and Castlegar areas, British Columbia: studies in determining paleohorizontal, 829

Barendregt, R.W. see Vreeken, W.J., 192

Barnes, C.R. see Elliott, C.G., 2062

Barr, S.M. see Reynolds, P.H., 2081

Barr, S.M. see Loncarevic, B.D., 2255

Barrie, J.V., and Bornhold, B.D. Surficial geology of Hecate Strait, British Columbia continental shelf, 1241

Bates, J.L. see Clarke, D.B., 956

Baudet, D., Aitken, J.D., and Vanguestaine, M. Palynology of uppermost Proterozoic and lowermost Cambrian formations, central Mackenzie Mountains, northwestern Canada, 129

Béland, J. see Malo, M., 1764

Bell, K. see Richardson, J.M., 2044

Bell, T., Rogerson, R.J., and Mengel, F. Reconstructed ice-flow patterns and ice limits using drift pebble lithology, outer Nachvak Fiord, northern Labrador, 577

Belles-Isles, M. Yvonaspis, nouveau genre d'Osteostraci (Vertebrata, Agnatha) du Dévonien (Emsien-Eifélien) des Grès de Gaspé (Québec, Canada), 2396

Bellion, Y. see Ritz, M., 65

Ben Dhia, H. see Lucazeau, F., 993

Bergeron, M. Distribution et comportement du bore dans la croûte océanique, 782

Bergeron, M., et Harrison, Y. Le transport chimique de l'or dans les environnements de surface: formation d'un colloïde et complexation organique, 2327

Bergeron, M. see Tremblay, A., 2407

Bernier, L.R., and MacLean, W.H. Auriferous chert, banded iron formation, and related volcanogenic hydrothermal alteration, Atik Lake, Manitoba, 2676

Bérubé, J., Rogers, G.C., Ellis, R.M., and Hasselgren, E.O. A microseismicity study of the Queen Charlotte Islands region, 2556

Bienfait, G. see Mareschal, J.C., 845

Bishop, C.T., and Coakley, J.P. Stratigraphy of the Sixteen Mile Creek lagoon, and its implications for Lake Ontario water levels: Discussion, 1074

Blenkinsop, J. see Richardson, J.M., 2044

Bonhomme, M.G. see Pillet, D., 328

Bornhold, B.D. see Barrie, J.V., 1241 Bosdachin, R. see Ranalli, G., 1647

Bourque, P.-A. see Savard, M., 791

Bourque, P.A. see Asselin, E., 2435

Bourque, I.A. See Assemi, E., 2455

Bridgwater, D. see Schiøtte, L., 1533
Bridgwater, D. see Nutman, A.P., 2159

Bridgwater, D. see Schiøtte, L., 2636

Brinkman, D.B. see Callaway, J.M., 1491

Brown, A. see Stone, D., 387

Brown, A., Soonawala, N.M., Everitt, R.A., and Kamineni, D.C. Geology and geophysics of the Underground Research Laboratory site, Lac du Bonnet Batholith, Manitoba, 404

Brown, A.C. see Tourigny, G., 157

Brown, A.C. see Tourigny, G., 1087

Brown, P.A., and Rey, N.A.C. Statistical analysis of the geological-hydrogeological conditions within part of the Eye-Dashwa Pluton, Atikokan, northwestern Ontario, 345

Brown, R.L. see Lane, L.S., 231

Brown, R.L. see Ranalli, G., 1647

Buchan, K.L., Card, K.D., and Chandler, F.W. Multiple ages of Nipissing Diabase intrusion: paleomagnetic evidence from the Englehart area, Ontario, 427

Buchan, K.L., and Hodych, J.P. Early Silurian paleopole for redbeds and volcanics of the King George IV Lake area, Newfoundland, 1904

Buchbinder, G.G.R. Shear-wave splitting and anisotropy in the Charlevoix seismic zone, Quebec, in 1985, 2691

Burke, K.B.S., Wetmiller, R.J., Lamontagne, M., Carr, M.J., and Hickey, C. Microearthquake survey of the Miramichi, New Brunswick, epicentral region, 1985, 2567

Burrows, D.R., and Jemielita, R.A. Lithophile-element systematics of Archean greenstone belt Au-Ag vein deposits: implications for source processes: Discussion, 2741

Bustin, R.M. see Cookenboo, H.O., 1001

Caby, R., Andreopoulos-Renaud, U., and Pin, C. Late Proterozoic arc-continent and continent-continent collision in the pan-African trans-Saharan belt of Mali, 1136

Cajka, M.G. see Wetmiller, R.J., 376

Callahan, E.J. see Rogers, J.J.W., 244

Callaway, J.M., and Brinkman, D.B. Ichthyosaurs (Reptilia, Ichthyosauria) from the Lower and Middle Triassic Sulphur Mountain Formation, Wapiti Lake area, British Columbia, Canada, 1491

Cameron, B.I. see Clarke, D.B., 956

Camfield, P.A., Gupta, J.C., Jones, A.G., Kurtz, R.D., Krentz, D.H., Ostrowski, J.A., and Craven, J.A. Electromagnetic sounding and crustal electrical conductivity in the region of the Wopmay Orogen, Northwest Territories, Canada,

Cant, D.J., and Stockmal, G.S. The Alberta foreland basin: relationship between stratigraphy and Cordilleran terrane-accretion events, 1964

Carbotte, S.M., Dixon, J.M., Farrar, E., Davis, E.E., and Riddihough, R.P. Geological and geophysical characteristics of the Tuzo Wilson Seamounts: implications for plate geometry in the vicinity of the Pacific - North America - Explorer triple junction, 2365

Card, K.D. see Buchan, K.L., 427

Carlson, P.R., Powell, R.D., and Rearic, D.M. Turbidity-current channels in Queen Inlet, Glacier Bay, Alaska, 807

Carr, M.J. see Burke, K.B.S., 2567

Carter, K.E. Grenville orogenic affinities in the Red Mountain area, Llano Uplift, Texas, 1124

Catto, N.R. see Liverman, D.G.E., 266 Causse, C. see Hillaire-Marcel, C., 1041

Causse, C., and Vincent, J.-S. Th-U disequilibrium dating of Middle and Late Pleistocene wood and shells from Banks and Victoria islands, Arctic Canada, 2718

Chalifa, Y. see Wilson, M.V.H., 2604 Chandler, F.W. see Buchan, K.L., 427

Chatterjee, A.K. see Kempster, R.M.F., 611

Cheel, R.J. see Leckie, D.A., 1918

Chenevoy, M. see Pillet, D., 328

Church, M., Kellerhals, R., and Day, T.J. Regional clastic sediment yield in British Columbia, 31

Church, M. IGCP Project 158: Paleohydrology of the temperate zone during the last 15 000 years: Introduction / Projet 158 du PICG : Paléohydrologie de la zone tempérée durant les derniers 15 000 ans: Introduction, 1809

Church, M.A. see Kostaschuk, R.A., 1440

Clark, B.M. see Eyles, N., 1083

Clark, I.D., Fritz, P., and Souther, J.G. Geochemistry and isotope hydrogeology of the Mount Edziza - Mess Creek geothermal area, 1160

Clark, P.U., Short, S.K., Williams, K.M., and Andrews, J.T. Late Quaternary chronology and environments of Square Lake, Torngat Mountains, Labrador, 2130

Clarke, D.B. see Kempster, R.M.F., 611

Clarke, D.B., Cameron, B.I., Muecke, G.K., and Bates, J.L. Early Tertiary basalts from the Labrador Sea floor and Davis Strait region, 956

Clarke, G.K.C. see Schmok, J.P., 2092

Clowes, R.M. see Mackie, D.J., 1713

Coad, P.R. see Slack, J.F., 694

Coakley, J.P. see Bishop, C.T., 1074

Cocirta, C., Orsini, J.B., et Coulon, C. Exemples de mélange de magmas en contexte plutonique : les enclaves des tonalitesgranodiorites du massif de Bono (Sardaigne septentrionale), 1264

Cole, F.E. see Van Wagoner, N.A., 2341

Collerson, K.D., McCulloch, M.T., and Nutman, A.P. Sr and Nd isotope systematics of polymetamorphic Archean gneisses from southern West Greenland and northern Labrador, 446

Colman-Sadd, S.P. see Marillier, F., 305

Comba, C.D.A. see Gibson, H.L., 1428

Compston, W. see Schiøtte, L., 1533

Compston, W. see Schiøtte, L., 2636

Cookenboo, H.O., and Bustin, R.M. Jura-Cretaceous (Oxfordian to Cenomanian) stratigraphy of the north-central Bowser Basin, northern British Columbia, 1001

Corfu, F., Krogh, T.E., Kwok, Y.Y., and Jensen, L.S. U-Pb zircon geochronology in the southwestern Abitibi greenstone belt, Superior Province, 1747

Cormier, R.F. see Pe-Piper, G., 1297

Coulon, C. see Cocirta, C., 1264

Coulon, C. see Rouer, O., 2465

Coyle, D.A. A method of sampling clast-rich laminated diamictons for magnetic analyses, 1654

Craven, J.A. see Camfield, P.A., 2385

Crépeau, R. see Tourigny, G., 157

Crépeau, R. see Tourigny, G., 1087

Cruden, D.M., and Lu Z-y. The geomorphic impact of the catastrophic October 1984 flood on the planform of Squamish River, southwestern British Columbia: Discussion, 336

Cruden, D.M. see Tsui, P.C., 1308

Cui B-q. see Miller, M.M., 927

Cumming, G.L. see Miller, A.R., 867

Cumming, G.L. Alberta bolide of June 1, 1982: interpretation of photographic and seismic records, 1350

Cunningham, M.P., and Lambert, R.St J. Petrochemistry of the Yellowknife volcanic suite at Yellowknife, N.W.T., 1630

Currie, P.J. The first records of Elmisaurus (Saurischia, Theropoda) from North America, 1319

Daborn, G. see Van Wagoner, N.A., 2341

Dalla Coletta, G. see Mareschal, J.C., 845

Dallmeyer, R.D. see Keppie, J.D., 1509

Dalrymple, R.W. see Flint, J.E., 1076

David, J., and Lajoie, J. Sedimentology of an Archean submarine channel-fill deposit in the Abitibi greenstone belt of Canada, 1453

Davis, A.S., Pickthorn, L.-B.G., Vallier, T.L., and Marlow, M.S. Petrology and age of volcanic-arc rocks from the continental margin of the Bering Sea: implications for Early Eocene relocation of plate boundaries, 1474

Davis, E.E. see Carbotte, S.M., 2365

Davis, G.A. see Hudec, M.R., 2356

Day, T.J. see Church, M., 31

de Freitas, T.A. Silurian Archaeoscyphia from the Canadian Arctic: a case for simplified generic taxonomy in the anthaspidellid lithistids (Porifera), 1861

Dehler, S.A. see Mackie, D.J., 1713

Deino, A.L. see Goodwin, M.B., 1384

de Kimpe, C. Formation de phyllosilicates dans les roches carbonatées cristallines de La Mauricie, Québec, 1463

Deloule, E., Gariépy, C., and Dupré, B. Metallogenesis of the Abitibi greenstone belt of Canada: a contribution from the analysis of trace lead in sulfide minerals, 2529

Desbiens, S., and Lespérance, P.J. Stratigraphy of the Ordovician of the Lac Saint-Jean and Chicoutimi outliers, Quebec, 1185

Devaney, J.R., and Williams, H.R. Evolution of an Archean subprovince boundary: a sedimentological and structural study of part of the Wabigoon-Quetico boundary in northern Ontario,

de Vernal, A., Goyette, C., et Rodrigues, C.G. Contribution palynostratigraphique (dinokystes, pollen et spores) à la connaissance de la mer de Champlain : coupe de Saint-Césaire, Québec, 2450

Devlin, W.J. Stratigraphy and sedimentology of the Hamill Group in the northern Selkirk Mountains, British Columbia: evidence for latest Proterozoic - Early Cambrian extensional tectonism, 515

diCenzo, P.D. see Woo M.-k., 1557

Dionne, J.-C. see Michaud, Y., 2075

Dix, G.R., and James, N.P. Stratigraphy and depositional environments of the Upper Mississippian Codroy Group: Port au Port Peninsula, western Newfoundland, 1089

Dixon, J.M. see Carbotte, S.M., 2365

Doig, R. see St. Seymour, K., 1068

Dostal, J., Wilson, R.A., and Keppie, J.D. Geochemistry of Siluro-Devonian Tobique volcanic belt in northern and central New Brunswick (Canada): tectonic implications, 1282

Dostal, J., Jackson, G.D., and Galley, A. Geochemistry of Noehelikian Nauyat plateau basalts, Borden rift basin, northwestern Baffin Island, Canada, 2214

Dreimanis, A., Liivrand, E., and Raukas, A. Glacially redeposited pollen in tills of southern Ontario, Canada, 1667

Duncan, I.J. see Sweetkind, D.S., 1944

Dunlop, D.J. see Hyodo, H., 467

Dunning, G.R. see Kumarapeli, P.S., 1374

Dupré, B. see Deloule, E., 2529

Duthou, J.L. see Pillet, D., 328

Dyke, L.D. see Michaud, Y., 2075

Edgar, A.D. see Sutcliffe, R.H., 1408

Edwards, T.W.D., and McAndrews, J.H. Paleohydrology of a Canadian Shield lake inferred from ¹⁸O in sediment cellulose, 1850

Ejeckam, R.B. see McCrank, G.F.D., 357

Elliott, C.G., Barnes, C.R., and Williams, P.F. Southwest New World Island stratigraphy: new fossil data, new implications for the history of the Central Mobile Belt, Newfoundland, 2062

Ellis, R.M. see Mackie, D.J., 1713 Ellis, R.M. see Bérubé, J., 2556

Embry, A. see Asudeh, I., 853

Embry, A.F., and Osadetz, K.G. Stratigraphy and tectonic significance of Cretaceous volcanism in the Queen Elizabeth Islands, Canadian Arctic Archipelago: Reply, 2740

Evans, M.E. see Gillen, K.P., 2507

Everitt, R. see Stone, D., 387

Everitt, R.A. see Brown, A., 404

Eyles, N., and Clark, B.M. Last interglacial sediments of the Don Valley Brickyard, Toronto, Canada, and their paleoenvironmental significance: Reply, 1083

Fåhræus, L.E., and Ryley, C.C. Multielement species of Misikella Kozur and Mock, 1974 and Axiothea n.gen. (Conodonta) from the Mamonia Complex (Upper Triassic), Cyprus, 1255

Fåhræus, L.E. see Roy, K., 1802

Farrar, E. see Carbotte, S.M., 2365

Fawcett, J.J. see Hogg, A.J., 534

Finn, G.C. Rb-Sr geochronology of the Archaean Maggo gneiss from the Hopedale block, Nain Province, Labrador, 2512

Flint, J.E., Dalrymple, R.W., and Flint, J.J. Stratigraphy of the Sixteen Mile Creek lagoon, and its implications for Lake Ontario water levels: Reply, 1076

Flint, J.J. see Flint, J.E., 1076

Fogal, R. see St. Seymour, K., 1068

Forsyth, D.A. see Asudeh, I., 853

Fowler, A.D., and Jensen, L.S. Quantitative trace-element modelling of the crystallization history of the Kinojévis and Blake River groups, Abitibi Greenstone Belt, Ontario, 1356

Fritz, P. see Clark, I.D., 1160

Fryer, B.J. see Nutman, A.P., 2159

Fryer, B.J. see Kerrich, R., 2744

Fueten, F., and Robin, P.-Y.F. Structural petrology along a transect across the Thompson Belt, Manitoba: dip slip at the western Churchill-Superior boundary, 1976

Fulton, R.J., Warner, B.G., Kubiw, H.J., and Achard, R.A. Geology and paleoecology of early Holocene lacustrine deposits in the Columbia River valley near Fauquier, southern British Columbia, 257

Fyfe, W.S. see Mann, H., 2731

Gales, J.E., van der Pluijm, B.A., and Van der Voo, R. Paleomagnetism of the Lawrenceton Formation volcanic rocks, Silurian Botwood Group, Change Islands, Newfoundland, 296

Galley, A. see Dostal, J., 2214

Gao K. Pareiasaurs from the Upper Permian of north China, 1234

Gariépy, C. see Machado, N., 1

Gariépy, C. see Mareschal, J.C., 845

Gariépy, C. see Deloule, E., 2529

Gélinas, P. see Locat, J., 2186

Ghent, E.D. see Lane, L.S., 231

Gibb, R.A. see Scott, J.S., 341

Gibson, H.L., Watkinson, D.H., and Comba, C.D.A. Subaqueous phreatomagmatic explosion breccias at Buttercup Hill, Noranda, Quebec, 1428

Gillen, K.P., and Evans, M.E. New geomagnetic paleosecularvariation results from the Old Crow Basin, Yukon Territory, and their use in stratigraphic correlation, 2507

Gipp, M.R., and Piper, D.J.W. Chronology of Late Wisconsinan glaciation, Emerald Basin, Scotian Shelf, 333

Gittins, J. see Hogg, A.J., 534

Godfrey, S.J., and Holmes, R.B. A tetrapod lower jaw from the Pennsylvanian (Westphalian A) of Nova Scotia, 1036

Godwin, C.I. see Andrew, A., 894

Godwin, C.I. see Andrew, A., 908

Godwin, C.I. see Andrew, A., 920

Goodwin, M.B., and Deino, A.L. The first r

Goodwin, M.B., and Deino, A.L. The first radiometric ages from the Judith River Formation (Upper Cretaceous), Hill County, Montana, 1384

Gorton, M.P. see Hogg, A.J., 534

Goulet, N. see Machado, N., 1

Gower, C. see Murthy, G., 2278

Gower, C.F. see Murthy, G., 2541

Goyette, C. see de Vernal, A., 2450

Greenough, J.D., Jones, L.M., and Mossman, D.J. Petrochemical and stratigraphic aspects of North Mountain basalt from the north shore of the Bay of Fundy, Nova Scotia, Canada, 2710

Grieve, R.A.F., and Alexopoulos, J. Erratum: Microscopic planar features in quartz from Scollard Canyon, Alberta, and the Cretaceous-Tertiary boundary event, 338

Gupta, J.C. see Camfield, P.A., 2385

Hall, J.M., Walls, C.C., and Yang J-S. Constructional features of the Troodos ophiolite and implications for the distribution of orebodies and the generation of oceanic crust, 1172

Hall, R.L. New Bathonian (Middle Jurassic) ammonite faunas from the Fernie Formation, southern Alberta, 16

Hansen, V.L., Mortensen, J.K., and Armstrong, R.L. U-Pb, Rb-Sr, and K-Ar isotopic constraints for ductile deformation and related metamorphism in the Teslin suture zone, Yukon-Tanana terrane, south-central Yukon, 2224

Hanson, G.N. see Stern, R.A., 1688

Harrison, Y. see Bergeron, M., 2327

Hartree, R. see Kretz, R., 215

Hasselgren, E.O. see Bérubé, J., 2556

Hassler, S.W., and Simonson, B.M. Deposition and alteration of volcaniclastic strata in two large, early Proterozoic ironformations in Canada, 1574

Hébert, R. see Tremblay, A., 2407

Hegner, E., Kyser, T.K., and Hulbert, L. Nd, Sr, and O isotopic constraints on the petrogenesis of mafic intrusions in the Proterozoic Trans-Hudson Orogen of central Canada, 1027

Helmstaedt, H. see King, J.E., 106

Hendry, H.E. see Abell, P.I., 2318

Héquette, A., and Hill, P.R. Late Quaternary seismic stratigraphy of the inner shelf seaward of the Tuktoyaktuk Peninsula, Canadian Beaufort Sea, 1990

Hessin, W.A. Ceraurus and related trilobites from the Middle Ordovician Bobcaygeon Formation of south-central Ontario, Canada, 1203

Hickey, C. see Burke, K.B.S., 2567

Hickin, E.J., and Sichingabula, H.M. The geomorphic impact of the catastrophic October 1984 flood on the planform of Squamish River, southwestern British Columbia: Reply, 337

Hickin, E.J. Contemporary Squamish River sediment flux to Howe Sound, British Columbia, 1953

Hickin, E.J. see Rood, K.M., 2172

Hickman, M. see Schweger, C.E., 1826

Hicock, S.R., Kristjansson, F.J., and Sharpe, D.R. Carbonate till as a soft bed for Pleistocene ice streams on the Canadian Shield north of Lake Superior, 2249

Hill, P.R. see Héquette, A., 1990

Hillaire-Marcel, C., et Causse, C. Chronologie Th/U des concrétions calcaires des varves du lac glaciaire de Deschaillons (Wisconsinien inférieur), 1041

Hodgson, C.J. see Anderson, P.G., 2645 Hodych, J.P. see Buchan, K.L., 1904

Hogarth, D.D., and Roddick, J.C. Discovery of Martin Frobisher's Baffin Island "ore" in Ireland, 1053

Hogg, A.J., Fawcett, J.J., Gittins, J., and Gorton, M.P. Cyclical variation in composition in continental tholeites of East Greenland, 534

Holmes, R.B. see Godfrey, S.J., 1036

Höy, T. The age, chemistry, and tectonic setting of the Middle Proterozoic Moyie sills, Purcell Supergroup, southeastern British Columbia, 2305

Hubert, C. see Tourigny, G., 157

Hubert, C. see Tourigny, G., 1087

Hudec, M.R., and Davis, G.A. Out-of-sequence thrust faulting and duplex formation in the Lewis thrust system, Spot Mountain, southeastern Glacier National Park, Montana, 2356

Hulbert, L. see Hegner, E., 1027

Hyodo, H., and Dunlop, D.J. Multicomponent magnetizations in Nipissing diabase near Temagami, Ontario, and structural and thermal history of the Grenville Front, 467

Irving, E. see Bardoux, M., 829

Jackson, G.D. see Dostal, J., 2214

Jackson, H.R. see Asudeh, I., 853

Jacobs, C.L. Sedimentary processes along Flemish Pass, offshore

eastern Canada: a GLORIA and high-resolution seismic reconnaissance, 2177

James, N.P. see Dix, G.R., 1089

James, P.C. see Tokaryk, T.T., 2729

Jamieson, R.A. see Reynolds, P.H., 2081

Jaupart, C. see Mareschal, J.C., 845

Jefferson, C.W., and Parrish, R.R. Late Proterozoic stratigraphy, U-Pb zircon ages, and rift tectonics, Mackenzie Mountains, northwestern Canada, 1784

Jemielita, R.A. see Burrows, D.R., 2741

Jenkins, C.L., Trudel, P., and Perrault, G. Progressive hydrothermal alteration associated with gold mineralization of the Zone 1 intrusion of the Callahan property, Val-d'Or region, Ouebec, 2495

Jensen, L.S. see Fowler, A.D., 1356

Jensen, L.S. see Corfu, F., 1747

Jerzykiewicz, T. see Mack, G.H., 665

Johnson, E.L., and Swapp, S.M. The geochemistry and structural significance of a set of Middle Precambrian diabase dikes from the Highland Range, southwestern Montana, 119

Johnson, M.E., and Rong J-y. Middle to Late Ordovician rocky bottoms and rocky shores from the Manitoulin Island area, Ontario, 642

Jolivet, J. see Mareschal, J.C., 845

Jones, A.G. see Camfield, P.A., 2385

Jones, B. see Ng, K-C., 275

Jones, B. Calcite rafts, peloids, and micrite in cave deposits from Cayman Brac, British West Indies, 654

Jones, B. The role of microorganisms in phytokarst development on dolostones and limestones, Grand Cayman, British West Indies, 2204

Jones, L.M. see Greenough, J.D., 2710

Jones, P. see Kretz, R., 215

Kalogeropoulos, S.I., and Scott, S.D. Mineralogy and geochemistry of an Archean tuffaceous exhalite: the Main Contact Tuff, Millenbach mine area, Noranda, Quebec, 88

Kamineni, D.C. see McCrank, G.F.D., 357

Kamineni, D.C. see Stone, D., 387 Kamineni, D.C. see Brown, A., 404

Karrow, P.F. Last interglacial sediments of the Don Valley Brickyard, Toronto, Canada, and their paleoenvironmental significance: Discussion, 1078

Keen, C.E. see Marillier, F., 305

Keen, C.E. see Loncarevic, B.D., 2255

Keen, C.E. see Todd, B.J., 2591

Keller, R. see Turek, A., 23

Kellerhals, R. see Church, M., 31

Kempster, R.M.F., Clarke, B.D., Reynolds, P.H., and Chatterjee, A.K. Late Devonian lamprophyric dykes in the Meguma Zone of Nova Scotia, 611

Keppie, J.D. see Dostal, J., 1282

Keppie, J.D., and Dallmeyer, R.D. ⁴⁰Ar/³⁹Ar mineral ages from Kellys Mountain, Cape Breton Island, Nova Scotia: implications for the tectonothermal evolution of the Avalon composite terrane, 1509

Kerrich, R. Source processes for Archean Au-Ag vein deposits: evidence from lithophile-element systematics of the Hollinger-McIntyre and Buffalo Ankerite deposits, Timmins, 755

Kerrich, R., and Fryer, B.J. Lithophile-element systematics of Archean greenstone belt Au-Ag vein deposits: implications for source processes: Reply, 2744

King, J.E., and Helmstaedt, H. Deformational history of an

Archean fold belt, eastern Point Lake area, Slave Structural Province, N.W.T., 106

King, M. see Mathewes, R.W., 1811

Klassen, R.W. see Vreeken, W.J., 192

Kontak, D.J., and Smith, P.K. Sulphur isotopic composition of sulphides from the Beaver Dam and other Meguma-Grouphosted gold deposits, Nova Scotia: implications for genetic models, 1617

Kostaschuk, R.A., Church, M.A., and Luternauer, J.L. Bedforms, bed material, and bedload transport in a salt-wedge estuary: Fraser River, British Columbia, 1440

Krentz, D.H. see Camfield, P.A., 2385

Kretz, R., Jones, P., and Hartree, R. Grenville metagabbro complexes of the Otter Lake area, Quebec, 215

Kristjansson, F.J. see Hicock, S.R., 2249

Krogh, T.E. see Corfu, F., 1747

Krstic, D. see Miller, A.R., 867

Kubiw, H.J. see Fulton, R.J., 257

Kumarapeli, P.S., Dunning, G.R., Pintson, H., and Shaver, J. Geochemistry and U-Pb zircon age of comenditic metafelsites of the Tibbit Hill Formation, Quebec Appalachians, 1374

Kumarapeli, S. see St. Seymour, K., 1068

Kurtz, R.D. see Camfield, P.A., 2385

Kwok, Y.Y. see Corfu, F., 1747

Kyser, T.K., Wilson, M.R., and Ruhrmann, G. Stable isotope constraints on the role of graphite in the genesis of unconformitytype uranium deposits, 490

Kyser, T.K. see Hegner, E., 1027

Labbé, J.-Y. see Tremblay, A., 1932

Labbé, J.-Y., et St-Julien, P. Failles de chevauchement acadiennes dans la région de Weedon, Estrie, Québec, 2268

Lajoie, J. see David, J., 1453

Lambert, R.St J. see Cunningham, M.P., 1630

Lamontagne, M. see Burke, K.B.S., 2567

Lane, L.S., Ghent, E.D., Stout, M.Z., and Brown, R.L. P-T history and kinematics of the Monashee Décollement near Revelstoke, British Columbia, 231

Lapierre, H. see Rouer, O., 2465

Lapointe, R. see Mareschal, J.C., 845

Larochelle, A. see Park, J.K., 2194

Larouche, A.C. see Richard, P.J.H., 627

Lau, Y.L. Modelling of single-grain and floc settling, 2523
Laurin, M., and Reisz, R.R. Taxonomic position and phylogenetic relationships of *Colobomycter pholeter*, a small reptile from the Lower Permian of Oklahoma, 544

Leckie, D.A., and Cheel, R.J. The Cypress Hills Formation (Upper Eocene to Miocene): a semi-arid braidplain deposit resulting from intrusive uplift, 1918

Lemmen, D.S. The last glaciation of Marvin Peninsula, northern Ellesmere Island, High Arctic, Canada, 2578

Lenz, A.C. Silurian (Wenlock) brachiopods from the southern Mackenzie Mountains, Northwest Territories, 1220

Lespérance, P.J. see Desbiens, S., 1185

Lesquer, A. see Takherist, D., 615

Levson, V.M., and Rutter, N.W. Late Quaternary stratigraphy, sedimentology, and history of the Jasper townsite area, Alberta, Canada, 1325

Lhotka, P.G., and Nesbitt, B.E. Geology of unmineralized and gold-bearing iron formation, Contwoyto Lake - Point Lake region, Northwest Territories, Canada, 46

Lightfoot, P.C., and Naldrett, A.J. Assimilation and crystallization in basic magna chambers: trace-element and Nd-isotopic variations in the Kerns sill, Nipissing diabase province, Ontario, 737

Liivrand, E. see Dreimanis, A., 1667

Liverman, D.G.E., Catto, N.R., and Rutter, N.W. Laurentide glaciation in west-central Alberta: a single (Late Wisconsinan) event, 266

Locat, J., and Gélinas, P. Infiltration of de-icing road salts in aquifers: the Trois-Rivières-Ouest case, Quebec, Canada, 2186

Loncarevic, B.D. see Pe-Piper, G., 176

Loncarevic, B.D., Barr, S.M., Raeside, R.P., Keen, C.E., and Marillier, F. Northeastern extension and crustal expression of terranes from Cape Breton Island, Nova Scotia, based on geophysical data, 2255

Long, D.G.F. Kennedy Channel Formation: key to the early history of the Franklinian continental margin, central eastern Ellesmere Island. Arctic Canada, 1147

Long, D.G.F. Ella Bay Formation: Early Cambrian shelf differentiation in the Franklinian basin, central eastern Ellesmere Island, Arctic Canada, 2621

Lu Z-y. see Cruden, D.M., 336

Lucazeau, F., and Ben Dhia, H. Preliminary heat-flow density data from Tunisia and the Pelagian Sea, 993

Luternauer, J.L. see Kostaschuk, R.A., 1440

Lynch, J.V.G. Hydrothermal alteration, veining, and fluidinclusion characteristics of the Kalzas wolframite deposit, Yukon, 2106

Machado, N., Goulet, N., and Gariépy, C. U-Pb geochronology of reactivated Archean basement and of Hudsonian metamorphism in the northern Labrador Trough, 1

Mack, G.H., and Jerzykiewicz, T. Provenance of post-Wapiabi sandstones and its implications for Campanian to Paleocene tectonic history of the southern Canadian Cordillera, 665

Mackay, J.R. see Mathews, W.H., 1677

Mackie, D.J., Clowes, R.M., Dehler, S.A., Ellis, R.M., and Morel-à-l'Huissier, P. The Queen Charlotte Islands refraction project. Part II. Structural model for transition from Pacific plate to North American plate, 1713

MacLean, W.H. see Bernier, L.R., 2676

MacLellan, H.E., and Taylor, R.P. Geology and goechemistry of the Burnthill Granite and related W-Sn-Mo-F mineral deposits, central New Brunswick, 499

Macqueen, R.W. see Riediger, C., 2003

Malo, M., and Béland, J. Acadian strike-slip tectonics in the Gaspé region, Quebec Appalachians, 1764

Malod, J.A. see Mauffret, A., 1101

Mann, H., and Fyfe, W.S. Metal uptake and Fe-, Ti-oxide biomineralization by acidophilic microorganisms in mine-waste environments, Elliot Lake, Canada, 2731

Mareschal, J.C., Pinet, C., Gariépy, C., Jaupart, C., Bienfait, G., Dalla Coletta, G., Jolivet, J., and Lapointe, R. New heat flow density and radiogenic heat production data in the Canadian Shield and the Quebec Appalachians, 845

Marillier, F., Keen, C.E., Stockmal, G.S., Quinlan, G., Williams, H., Colman-Sadd, S.P., and O'Brien, S.J. Crustal structure and surface zonation of the Canadian Appalachians: implications of deep seismic reflection data, 305

Marillier, F., and Verhoef, J. Crustal thickness under the Gulf of St. Lawrence, northern Appalachians, from gravity and deep seismic data, 1517

Marillier, F. see Loncarevic, B.D., 2255

Marlow, M.S. see Davis, A.S., 1474

Martin, R.F. see Stevenson, R.K., 2724

Mathewes, R.W., and King, M. Holocene vegetation, climate, and lake-level changes in the Interior Douglas-fir Biogeoclimatic Zone, British Columbia, 1811

Mathews, W.H. Neogene Chilcotin basalts in south-central British Columbia: geology, ages, and geomorphic history, 969

Mathews, W.H., Mackay, J.R., and Rouse, G.E. Pleistocene geology and geomorphology of the Smoking Hills Upland and lower Horton River Arctic coast of mainland Canada. 1677

Mauffret, A., Mougenot, D., Miles, P.R., and Malod, J.A. Cenozoic deformation and Mesozoic abandoned spreading centre in the Tagus Abyssal Plain (west of Portugal): results of a multichannel seismic survey, 1101

McAndrews, J.H. see Weninger, J.M., 1842

McAndrews, J.H. see Edwards, T.W.D., 1850

McClory, J. see Abell, P.I., 2318

McCracken, A.D., and Nowlan, G.S. Conodont paleontology and biostratigraphy of Ordovician carbonates and petroliferous carbonates on Southampton, Baffin, and Akpatok islands in the eastern Canadian Arctic, 1880

McCrank, G.F.D., Kamineni, D.C., Ejeckam, R.B., and Sikorsky, R. Geology of the East Bull Lake gabbroanorthosite pluton, Algoma District, Ontario, 357

McCulloch, M.T. see Collerson, K.D., 446

McGroder, M.F. Structural geometry and kinematic evolution of the eastern Cascades foldbelt, Washington and British Columbia, 1586

Melchin, M.J. Llandovery graptolite biostratigraphy and paleobiogeography, Cape Phillips Formation, Canadian Arctic Islands, 1726

Mengel, F. see Bell, T., 577

Mercier, É. Évènements tectoniques d'origine compressive dans le Protérozoïque du nord de la Cordillère canadienne (montagnes Ogilvie, Yukon), 199

Michard, A. see Rouer, O., 2465

Michaud, Y., Dionne, J.-C., and Dyke, L.D. Frost bursting: a violent expression of frost action in rock, 2075

Miles, P.R. see Mauffret, A., 1101

Miller, A.R., Cumming, G.L., and Krstic, D. U-Pb, Pb-Pb, and K-Ar isotopic study and petrography of uraniferous phosphate-bearing rocks in the Thelon Formation, Dubawnt Group, Northwest Territories, Canada, 867

Miller, H.G., and Tuach, J. Gravity and magnetic signatures of the Ackley Granite Suite, southeastern Newfoundland: implications for magma emplacement, 2697

Miller, M.M., and Cui B-q. Submarine-fan characteristics and dual sediment provenance, Lower Carboniferous Bragdon Formation, eastern Klamath terrane, California, 927

Mitchell, C.E., and Sweet, W.C. Upper Ordovician conodonts, brachiopods, and chronostratigraphy of the Whittaker Formation, southwestern District of Mackenzie, N.W.T., Canada, 74

Montgomery, J.R., and Ross, J.V. A note on the Quesnel Lake Gneiss, Caribou Mountains, British Columbia, 1503

Morel-à-l'Huissier, P. see Mackie, D.J., 1713

Morlan, R.E. Paleoecological implications of Late Pleistocene and Holocene microtine rodents from the Bluefish Caves, northern Yukon Territory, 149

Mortensen, J.K. see Hansen, V.L., 2224

Mossman, D.J., and Place, C.H. Early Permian fossil vertebrate footprints and their stratigraphic setting in megacyclic sequence II red beds, Prim Point, Prince Edward Island, 591

Mossman, D.J. see Greenough, J.D., 2710

Mougenot, D. see Mauffret, A., 1101

Mudie, P.J. see Van Wagoner, N.A., 2341

Muecke, G.K. see Clarke, D.B., 956

Murthy, G., Gower, C., Tubrett, M., and Pätzold, R. Paleomagnetism and geochemistry of Carboniferous Sandwich Bay dykes from coastal Labrador. 2278

Murthy, G., Gower, C., Tubrett, M., and Pätzold, R. Paleomagnetism of pre-Grenvillian mafic intrusions from the Grenville Province, southeast Labrador, 2541

Naldrett, A.J. see Lightfoot, P.C., 737

Nelson, A.R. see Osterman, L.E., 2236

Nesbitt, B.E. see Lhotka, P.G., 46

Ng K-C. and Jones, B. Sedimentology and diagenesis of Upper Mississippian to Lower Permian strata, Talbot Lake area, Jasper National Park, Alberta, 275

Nisbet, E.G. Some northern sources of atmospheric methane: production, history, and future implications, 1603

Norris, D.K. see Park, J.K., 2194

Nowlan, G.S. see McCracken, A.D., 1880

Nutman, A.P. see Collerson, K.D., 446

Nutman, A.P., Fryer, B.J., and Bridgwater, D. The early Archaean Nulliak (supracrustal) assemblage, northern Labrador, 2159

O'Brien, S.J. see Marillier, F., 305

Orsini, J.B. see Cocirta, C., 1264

Osadetz, K.G. see Embry, A.F., 2740

Osterman, L.E., and Nelson, A.R. Latest Quaternary and Holocene paleoceanography of the eastern Baffin Island continental shelf, Canada: benthic foraminiferal evidence, 2236

Ostrowski, J.A. see Camfield, P.A., 2385

Owen, J.V. Determination of the finite-strain ellipsoid from deformed porphyroblastic mineral aggregates and preferentially oriented feldspars in a mylonitized metamafic dyke, 2333

Park, J.K., Norris, D.K., and Larochelle, A. Paleomagnetism and the origin of the Mackenzie Arc of northwestern Canada, 2194

Parrish, R.R. see Jefferson, C.W., 1784

Patchett, P.J. see Stevenson, R.K., 2724

Pätzold, R. see Murthy, G., 2278

Pätzold, R. see Murthy, G., 2541

Peck, D.C., and Smith, T.E. The geology and geochemistry of an Early Proterozoic volcanic-arc association at Cartwright Lake: Lynn Lake greenstone belt, northwestern Manitoba, 716

Peel, J.S. A Lower Cambrian Eotebenna (Mollusca) from Arctic North America, 1501

Pe-Piper, G., and Loncarevic, B.D. Offshore continuation of Meguma Terrane, southwestern Nova Scotia, 176

Pe-Piper, G., Cormier, R.F., and Piper, D.J.W. The age and significance of Carboniferous plutons of the western Cobequid Highlands, Nova Scotia, 1297

Percival, J.A. A regional perspective of the Quetico metasedimentary belt, Superior Province, Canada, 677

Perrault, G. see Jenkins, C.L., 2495

Peterman, Z.E. see Sims, P.K., 2145

Pickerill, R.K., and Williams, P.F. Deep burrowing in the early Palaeozoic deep sea: examples from the Cambrian(?) – Early Ordovician Meguma Group of Nova Scotia, 1061

Pickthorn, L.-B.G. see Davis, A.S., 1474

Pillet, D., Bonhomme, M.G., Duthou, J.L., et Chenevoy, M. Chronologie Rb/Sr et K/Ar du granite peralcalin du lac Brisson, Labrador central, Nouveau-Québec, 328

Pin, C. see Caby, R., 1136

Pinet, C. see Mareschal, J.C., 845

Pintson, H. see Kumarapeli, P.S., 1374

Piper, D.J.W. see Gipp, M.R., 333

Piper, D.J.W. see Pe-Piper, G., 1297

Pitre, C.V., and Richardson, J.M. Paragenesis of veins of the Duck Pond tin prospect, Meguma Group, East Kemptville, Nova Scotia. 2032

Place, C.H. see Mossman, D.J., 591

Poulton, T.P., and Aitken, J.D. The Lower Jurassic phosphorites of southeastern British Columbia and terrane accretion to western North America. 1612

Powell, R.D. see Carlson, P.R., 807

Quinlan, G. see Marillier, F., 305

Raeside, R.P. see Reynolds, P.H., 2081

Raeside, R.P. see Loncarevic, B.D., 2255

Ranalli, G., Brown, R.L., and Bosdachin, R. A geodynamic model for extension in the Shuswap core complex, southeastern Canadian Cordillera, 1647

Rannie, W.F., Thorleifson, L.H., and Teller, J.T. Holocene evolution of the Assiniboine River paleochannels and Portage la Prairie alluvial fan, 1834

Raukas, A. see Dreimanis, A., 1667

Rearic, D.M. see Carlson, P.R., 807

Reid, I. see Todd, B.J., 1392

Reisz, R.R. see Laurin, M., 544

Rey, N.A.C. see Brown, P.A., 345

Reynolds, P.H. see Kempster, R.M.F., 611

Reyaolds, P.H. ⁴⁰Ar/³⁹Ar dating of the Mealy dykes of Labrador: paleomagnetic implications, 1567

Reynolds, P.H., Jamieson, R.A., Barr, S.M., and Raeside, R.P. An ⁴⁰Ar/³⁹Ar study of the Cape Breton Highlands, Nova Scotia: thermal histories and tectonic implications, 2081

Richard, P.J.H., Veillette, J.J., et Larouche, A.C. Palynostratigraphie et chronologie du retrait glaciaire au Témiscamingue : évaluation des âges ¹⁴C et implications paléoenvironnementales, 627

Richardson, J.M. see Pitre, C.V., 2032

Richardson, J.M., Bell, K., Blenkinsop, J., and Watkinson, D.H.
Rb-Sr age and geochemical distinctions between the Carboniferous tin-bearing Davis Lake complex and the Devonian South Mountain batholith, Meguma Terrane, Nova Scotia, 2044
Riddihough, R.P. see Carbotte, S.M., 2365

Riediger, C., Goodarzi, F., and Macqueen, R.W. Graptolites as indicators of regional maturity in lower Paleozoic sediments, Selwyn Basin. Yukon and Northwest Territories. Canada, 2003

Ritz, M., and Bellion, Y. Geologic sections across the onshore Senegal-Mauritania basin derived from geoelectric studies, 65

Robert, F. Internal structure of the Cadillac tectonic zone southeast of Val d'Or, Abitibi greenstone belt, Quebec, 2661

Roberts, M.C. see Williams, H.F.L., 1657

Robin, P.-Y.F. see Fueten, F., 1976

Roddick, J.C. see Hogarth, D.D., 1053

Rodrigues, C.G. see de Vernal, A., 2450

Rogers, G.C. see Bérubé, J., 2556

Rogers, J.J.W., and Callahan, E.J. Diapiric trondhjemites of the western Dharwar craton, southern India, 244

Rogerson, R.J. see Bell, T., 577

Rong J-y. see Johnson, M.E., 642

Rood, K.M., and Hickin, E.J. Suspended-sediment concentration and calibre in relation to surface-flow structure in Squamish River estuary, southwestern British Columbia, 2172

Ross, J.V. see Montgomery, J.R., 1503

Rouer, O., Lapierre, H., Coulon, C., and Michard, A. New petrological and geochemical data on mid-Paleozoic island-arc volcanics of northern Sierra Nevada, California: evidence for a continent-based island arc. 2465 Rouse, G.E. see Mathews, W.H., 1677

Rouse, G.E. see Thorkelson, D.J., 2016

Roy, K., and Fåhræus, L.E. Tremadocian (Early Ordovician) nauplius-like larvae from the Middle Arm Point Formation, Bay of Islands, western Newfoundland, 1802

Ruffman, A. First report of Ordovician (Caradoc-Ashgill) palynomorphs from Orphan Knoll, Labrador Sea: Discussion, 2740

Ruhrmann, G. see Kyser, T.K., 490

Rutter, N.W. see Liverman, D.G.E., 266

Rutter, N.W. see Levson, V.M., 1325

Ryley, C.C. see Fåhræus, L.E., 1255 Savard, M., and Bourque, P.-A. Diagenetic evolution of a Late Silurian reef platform, Gaspé Basin, Quebec, based on

cathodoluminescence petrography, 791
Schiötte, L., Compston, W., and Bridgwater, D. Ion probe

U-Th-Pb zircon dating of polymetamorphic orthogneisses from

northern Labrador, Canada, 1533
Schi\u00e9tte, L., Compston, W., and Bridgwater, D. U-Th-Pb ages
of single zircons in Archaean supracrustals from Nain Province,
Labrador, Canada, 2636

Schmok, J.P., and Clarke, G.K.C. Lacustrine sedimentary record of ice-dammed Neoglacial Lake Alsek, 2092

Schulz, K.J. see Sims, P.K., 2145

Schweger, C.E., and Hickman, M. Holocene paleohydrology of central Alberta: testing the general-circulation-model climate simulations, 1826

Schwerdtner, W.M., Torrance, J.G., and van Berkel, J.T. Pattern of apparent total strain in the bedded anhydrite cap of a folded salt wall, 983

Scott, J.S., and Gibb, R.A. Results of geoscience research in the Canadian Nuclear Fuel Waste Management Program: Introduction / Résultats de recherches géoscientifiques du Programme canadien de gestion des déchets de combustible nucléaire : introduction, 341

Scott, S.D. see Kalogeropoulos, S.I., 88

Sevigny, J.H., and Simony, P.S. Geometric relationship between the Scrip Nappe and metamorphic isograds in the northern Adams River area, Monashee Mountains, British Columbia, 606

Sharpe, D.R. see Hicock, S.R., 2249

Shaver, J. see Kumarapeli, P.S., 1374

Shirey, S.B. see Stern, R.A., 1688 Short, S.K. see Clark, P.U., 2130

Sichingabula, H.M. see Hickin, E.J., 337

Sikorsky, R. see McCrank, G.F.D., 357

Simonson, B.M. see Hassler, S.W., 1574

Simony, P.S. see Sevigny, J.H., 606

Sims, P.K., Van Schmus, W.R., Schulz, K.J., and Peterman, Z.E. Tectono-stratigraphic evolution of the Early Proterozoic Wisconsin magmatic terranes of the Penokean Orogen, 2145

Skwara, T., and Walker, E.G. Extinct muskox and other additions to the Late Pleistocene Riddell Local Fauna, Saskatoon, Canada, 881

Slack, J.F., and Coad, P.R. Multiple hydrothermal and metamorphic events in the Kidd Creek volcanogenic massive sulphide deposit, Timmins, Ontario: evidence from tourmalines and chlorites, 694

Smith, P.K. see Kontak, D.J., 1617

Smith, T.E. see Peck, D.C., 716

Sobczak, L.W. Stratigraphy and tectonic significance of Cretaceous volcanism in the Queen Elizabeth Islands, Canadian Arctic Archipelago: Discussion, 2736

Song W. see Zhang P-g., 322

Soonawala, N.M. see Brown, A., 404

Souch, C. New radiocarbon dates for early deglaciation from the southeastern Coast Mountains of British Columbia, 2169

Souther, J.G. see Clark, I.D., 1160

Stephenson, R. see Asudeh, I., 853

Stern, R.A., Hanson, G.N., and Shirey, S.B. Petrogenesis of mantle-derived, LILE-enriched Archean monzodiorites and trachyandesites (sanukitoids) in southwestern Superior Province, 1688

Stevenson, R.K., Patchett, P.J., and Martin, R.F. Sm-Nd isochron from a granodiorite-granite complex in the Portman Lake region. Northwest Territories, 2724

St-Julien, P. see Tremblay, A., 1932

St-Julien, P. see Labbé, J.-Y., 2268

Stockmal, G.S. see Marillier, F., 305

Stockmal, G.S. see Cant, D.J., 1964

Stone, D., Kamineni, D.C., Brown, A., and Everitt, R. A comparison of fracture styles in two granite bodies of the Superior Province, 387

Stone, D.B. see Wittbrodt, P.R., 2116

Stout, M.Z. see Lane, L.S., 231

St. Seymour, K., Turek, A., Doig, R., Kumarapeli, S., and Fogal, R. First U-Pb zircon ages of granitoid plutons from the La Grande greenstone belt, James Bay area, New Quebec, 1068

Sumida, S.S. New information on the pectoral girdle and vertebral column in *Lupeosaurus* (Reptilia, Pelycosauria), 1343

Surmont, J. Paléomagnétisme dans les Hellénides internes : analyse des aimantations superposées par la méthode des cercles de réaimantation, 2479

Sutcliffe, R.H., Sweeny, J.M., and Edgar, A.D. The Lac des Iles Complex, Ontario: petrology and platinum-group-elements mineralization in an Archean mafic intrusion, 1408

Swapp, S.M. see Johnson, E.L., 119

Sweeny, J.M. see Sutcliffe, R.H., 1408

Sweet, W.C. see Mitchell, C.E., 74

Sweetkind, D.S., and Duncan, I.J. Fission-track evidence for Cenozoic uplift of the Nelson batholith, southeastern British Columbia, 1944

Symons, D.T.A., and Wellings, M.R. Paleomagnetism of the Eocene Kamloops Group and the cratonization of Terrane I of the Canadian Cordillera, 821

Symons, D.T.A. Paleomagnetism of the 1.1 Ga Lackner Lake Complex and tectonics of the Kapuskasing Structural Zone, 1778

Symons, D.T.A. Age of the Firesand River carbonatite complex from paleomagnetism, 2401

Takherist, D., et Lesquer, A. Mise en évidence d'importantes variations régionales du flux de chaleur en Algérie, 615

Taylor, R.P. see MacLellan, H.E., 499

Teller, J.T. see Rannie, W.F., 1834

Thomas, M.D., and Willis, C. Gravity modelling of the Saint George Batholith and adjacent terrane within the Appalachian Orogen, southern New Brunswick, 561

Thomson, S. see Tsui, P.C., 1308

Thorkelson, D.J. Eocene sedimentation and volcanism in the Fig Lake Graben, southwestern British Columbia, 1368

Thorkelson, D.J., and Rouse, G.E. Revised stratigraphic nomenclature and age determinations for mid-Cretaceous volcanic rocks in southwestern British Columbia, 2016

Thorleifson, L.H. see Rannie, W.F., 1834

Todd, B.J., and Reid, I. The continent-ocean boundary south of Flemish Cap: constraints from seismic refraction and gravity, 1302

Todd, B.J., and Keen, C.E. Temperature effects and their geological consequences at transform margins, 2591

Tokaryk, T.T., and James, P.C. Cimolopteryx sp. (Aves, Charadriiformes) from the Frenchman Formation (Maastrichtian), Saskatchewan, 2729

Torrance, J.G. see Schwerdtner, W.M., 983

Tourigny, G., Hubert, C., Brown, A.C., and Crépeau, R. Structural control of gold mineralization at the Bousquet mine, Abitibi, Quebec, 157

Tourigny, G., Hubert, C., Brown, A.C., and Crépeau, R. Erratum: Structural control of gold mineralization at the Bousquet mine, Abitibi, Ouebec, 1087

Tremblay, A., St-Julien, P., et Labbé, J.-Y. Mise à l'évidence et cinématique de la faille de La Guadeloupe, Appalaches du sud du Ouébec. 1932

Tremblay, A., Hébert, R., et Bergeron, M. Le Complexe d'Ascot des Appalaches du sud du Québec : pétrologie et géochimie, 2407
Trudel, P. see Jenkins, C.L., 2495

Tsui, P.C., Cruden, D.M., and Thomson, S. Ice-thrust terrains and glaciotectonic settings in central Alberta, 1308

Tuach, J. see Miller, H.G., 2697 Tubrett, M. see Murthy, G., 2278

Tubrett, M. see Murthy, G., 2541

Turek, A., Keller, R., Van Schmus, W.R., and Weber, W. U-Pb zircon ages for the Rice Lake area, southeastern Manitoba, 23

Turek, A. see St. Seymour, K., 1068

Turner, D.L. see Wittbrodt, P.R., 2116

Vallier, T.L. see Davis, A.S., 1474

van Berkel, J.T. see Schwerdtner, W.M., 983

van der Pluijm, B.A. see Gales, J.E., 296

Van der Voo, R. see Gales, J.E., 296

Vanguestaine, M. see Baudet, D., 129

Van Schmus, W.R. see Turek, A., 23 Van Schmus, W.R. see Sims, P.K., 2145

Van Wagoner, N.A., Mudie, P.J., Cole, F.E., and Daborn, G. Siliceous sponge communities, biological zonation, and Recent sea-level change on the Arctic margin: Ice Island results, 2341

Veillette, J.J. see Richard, P.J.H., 627 Verhoef, J. see Marillier, F., 1517

Vincent, J.-S. see Causse, C., 2718

Vreeken, W.J., Klassen, R.W., and Barendregt, R.W. Davis Creek silt, an Early Pleistocene or Late Pliocene deposit in the Cypress Hills of Saskatchewan, 192

Vreeken, W.J. Late Quaternary events in the Lethbridge area, Alberta, 551

Walker, E.G. see Skwara, T., 881

Walls, C.C. see Hall, J.M., 1172

Warner, B.G. see Fulton, R.J., 257

Washburn, A.L. Near-surface soil displacement in sorted circles, Resolute area, Cornwallis Island, Canadian High Arctic, 941

Watkinson, D.H. see Gibson, H.L., 1428

Watkinson, D.H. see Richardson, J.M., 2044

Weber, W. see Turek, A., 23

Wellings, M.R. see Symons, D.T.A., 821

Weninger, J.M., and McAndrews, J.H. Late Holocene aggradation in the lower Humber River valley, Toronto, Ontario, 1842


Westrop, S.R. Facies anatomy of an Upper Cambrian grand cycle: Bison Creek and Mistaya formations, southern Alberta, 2292

Wetmiller, R.J., and Cajka, M.G. Tectonic implications of seismic activity recorded by the northern Ontario seismograph network, 376

Wetmiller, R.J. see Burke, K.B.S., 2567

- Whalen, J.B. The Topsails igneous suite, western Newfoundland: an Early Silurian subduction-related magmatic suite?, 2421
- Wheatley, K.L. see Abell, P.I., 2318
- White, D. see Asudeh, I., 853
- Williams, H. see Marillier, F., 305
- Williams, H.F.L., and Roberts, M.C. Holocene sea-level change and delta growth: Fraser River delta, British Columbia, 1657
- Williams, H.R. see Devaney, J.R., 1013
- Williams, K.M. see Clark, P.U., 2130
- Williams, P.F. see Pickerill, R.K., 1061
- Williams, P.F. see Elliott, C.G., 2062
- Willis, C. see Thomas, M.D., 561
- Wilson, M.R. see Kyser, T.K., 490
- Wilson, M.V.H., and Chalifa, Y. Fossil marine actinopterygian fishes from the Kaskapau Formation (Upper Cretaceous: Turonian) near Watino, Alberta, 2604

- Wilson, R.A. see Dostal, J., 1282
- Windley, B.F. Anorogenic magmatism and the Grenvillian Orogeny, 479
- Wittbrodt, P.R., Stone, D.B., and Turner, D.L. Paleomagnetism and geochronology of St. Matthew Island, Bering Sea, 2116
- Woo M.-k. and diCenzo, P.D. Hydrology of small tributary streams in a subarctic wetland, 1557
- Yang J-S. see Hall, J.M., 1172
- Zhang P-g., Zhu M., and Song W. Middle Proterozoic (1200–1400 Ma) microfossils from the Western Hills near Beijing, China, 322
- Zhu, M. see Zhang, P-g., 322
- Zoltai, S.C. Late Quaternary volcanic ash in the peatlands of central Alberta. 207



VOLUME 26, 1989

Subject Index / Index des matières¹

absolute age see also geochronology; isotopes absolute age-dates

basalts: Neogene Chilcotin basalts in southcentral British Columbia; geology, ages, and geomorphic history

(Mathews, W. H.) 5: 969-982 cobbles: Discovery of Martin Frobisher's Baffin Island "ore" in Ireland

(Hogarth, D. D., et al.) 5: 1053-1060 concretions: Chronologie Th/U des concrétions calcaires des varves du lac glaciaire de Deschaillons (Wisconsinien inférieur) (Th/U dating of calcareous concretions from varves of glacial Lake Deschaillons, lower Wisconsinan)

(Hillaire-Marcel, Claude, et al.) 5: 1041-1052

crystalline rocks: An 40Ar/39Ar study of the Cape Breton Highlands, Nova Scotia; thermal histories and tectonic implica-

(Reynolds, P. H., et al.) 10: 2081-2091 dacites: Eocene sedimentation and volcanism in the Fig Lake Graben, southwestern British Columbia

(Thorkelson, Derek J.) 7: 1368-1373 diabase: 40Ar/39Ar dating of the Mealy Dykes of Labrador; paleomagnetic implications

(Reynolds, P. H.) 8: 1567-1573 gneisses: Sr and Nd isotope systematics of polymetamorphic Archean gneisses from southern West Greenland and northern Labrador

(Collerson, Kenneth D., et al.)

3: 446-466 - Rb-Sr geochronology of the Archaean Maggo Gneiss from the Hopedale Block,

Nain Province, Labrador (Finn, Gregory C.) 12: 2512-2522

granites: Chronologie Rb/Sr et K/Ar du granite peralcalin du lac Brisson, Labrador central, Nouveau-Québec (Rb/Sr and K/Ar age of the peralkaline granite of Brisson Lake, central Labrador, Ungava) (Pillet, D., et al.) 2- 328-332

- Rb-Sr age and geochemical distinctions between the Carboniferous tin-bearing Davis Lake Complex and the Devonian South Mountain Batholith, Meguma Terrane, Nova Scotia

(Richardson, Jean M., et al.)

10: 2044-2061 granodiorites: Sm-Nd isochron from a granodiorite-granite complex in the Portman Lake region, Northwest Territories (Stevenson, Ross K., et al.)

12: 2724-2729

lake sediments: Holocene paleohydrology of central Alberta; testing the general-circulation-model climate simulations (Schweger, Charles E., et al.)

9: 1826-1833 lamprophyres: Late Devonian lamprophyric dykes in the Meguma Zone of Nova Scotia (Kempster, R. M. F., et al.) 3: 611-613 marine sediments: Chronology of late Wis-

consinan glaciation, Emerald Basin, Scotian Shelf

(Gipp, Michael R., et al.) 2: 333-335 Latest Quaternary and Holocene paleoceanography of the eastern Baffin Island continental shelf, Canada; benthic foraminiferal evidence (Osterman, Lisa E., et al.)

11: 2236-2248 metaigneous rocks: Nd, Sr, and O isotopic constraints on the petrogenesis of mafic intrusions in the Proterozoic Trans-Hudson Orogen of central Canada (Hegner, E., et al.)

5: 1027-1035 mica group: The first radiometric ages from the Judith River Formation (Upper Cretaceous), Hill County, Montana

(Goodwin, Mark B., et al.) 7: 1384-1391 minerals: 40Ar/39Ar mineral ages from Kellys Mountain, Cape Breton Island, Nova Scotia; implications for the tectonothermal evolution of the Avalon composite terrane

(Keppie, J. Duncan, et al.) 8: 1509-1516 - The age, chemistry, and tectonic setting of the middle Proterozoic Moyie sills, Purcell Supergroup, southeastern British Columbia

(Hoy, Trygve) 11: 2305-2317 organic materials: Palynostratigraphie et chronologie du retrait glaciaire au Témiscamingue; évaluation des âges 14C et implications paléoenvironnementales (Palynostratigraphy and chronology of deglaciation in the Timiskaming region; C-14 ages and paleoenvironmental im-

(Richard, Pierre J. H., et al.) 4: 627-641 - Late Quaternary chronology and environments of Square Lake, Torngat Mountains, Labrador

(Clark, Peter U., et al.) 10: 2130-2144 - New radiocarbon dates for early deglaciation from the southeastern Coast Mountains of British Columbia

(Souch, Catherine) 10: 2169-2171 - Holocene evolution of the Assiniboine River paleochannels and Portage la Prairie alluvial fan (Rannie, W. F., et al.) 9: 1834-1841

(Weninger, J. M., et al.) 9: 1842-1849 - Paleohydrology of a Canadian Shield inferred from ¹⁸O in sediment cellulose (Edwards, T. W. D., et al.) 9: 1850-1859

- Late Holocene aggradation in the lower

Humber River valley, Toronto, Ontario

orthogneiss: U-Pb, Rb-Sr, and K-Ar isotopic constraints for ductile deformation and related metamorphism in the Teslin suture zone, Yukon-Tanana Terrane, south-central Yukon

(Hansen, Vicki L., et al.) 11: 2224-2235 peat: Late Quaternary volcanic ash in the peatlands of central Alberta

(Zoltai, S. C.) 2: 207-214 plagioclase: Petrology and age of volcanicarc rocks from the continental margin of the Bering Sea; implications for early Eocene relocation of plate boundaries (Davis, Alicé S., et al.) 7: 1474-1490

plutonic rocks: The age and significance of Carboniferous plutons of the western Cobequid Highlands, Nova Scotia (Pe-Piper, Georgia, et al.) 6: 1297-1307

shells: The last glaciation of Marvin Peninsula, northern Ellesmere Island, High Arctic, Canada

(Lemmen, Donald S.) 12: 2578-2590 sulfides: Metallogenesis of the Abitibi greenstone belt of Canada; a contribution from the analysis of trace lead in sulfide miner-

(Deloule, Etienne, et al.) 12: 2529-2540 tholeiite: Paleomagnetism and geochemistry of Carboniferous Sandwich Bay dykes from coastal Labrador

(Murthy, G., et al.) 11: 2278-2291 trondhjemite: Diapiric trondhjemites of the western Dharwar Craton, southern India (Rogers, John J. W., et al.) 2: 244-256

volcanic rocks: Paleomagnetism and geochronology of St. Matthew Island, Bering

(Wittbrodt, Paul R., et al.)

10: 2116-2129 wood: Geology and paleoecology of early Holocene lacustrine deposits in the Columbia River valley near Fauquier, southern British Columbia

(Fulton, Robert J., et al.) 2: 257-265 - Laurentide glaciation in west-central Alberta; a single (late Wisconsinan) event (Liverman, David G. E., et al.)

2: 266-274

- Holocene sea-level change and delta growth; Fraser River delta, British Columbia

Prepared from the GeoRef data base at the American Geological Institute, 4220 King Street, Alexandria, VA 22302, U.S.A.

(Williams, Harry F. L., et al.)

9: 1657-1666

 Pleistocene geology and geomorphology of the Smoking Hills Upland and lower Horton River Arctic coast of mainland Canada

(Matthews, William H., et al.)

9: 1677-1687

 Th-U disequilibrium dating of middle and late Pleistocene wood and shells from Banks and Victoria islands, Arctic Canada (Causse, Christiane, et al.)

12: 2718-2723

zircon: U-Pb geochronology of reactivated Archean basement and of Hudsonian metamorphism in the northern Labrador Trough

(Machado, N., et al.) 1: 1-15

 U-Pb zircon ages for the Rice Lake area, southeastern Manitoba
(Turek, A., et al.)
1: 23-30

 First U-Pb zircon ages of granitoid plutons from the La Grande greenstone belt, James Bay area, New Quebec (St. Seymour, Karen, et al.)

5: 1068-1073

 Late Proterozoic arc-continent and continent-continent collision in the Pan-African Trans-Saharan Belt of Mali

(Caby, Renaud, et al.) 6: 1136-1146

— Geochemistry and U-Pb zircon age of comenditic metafelsites of the Tibbit Hill Formation, Quebec Appalachians (Kumarapeli, P. Stephen, et al.)

7: 1374-1383

— Ion probe U-Th-Pb zircon dating of polymetamorphic orthogneisses from northern Labrador, Canada (Schiotte, L., et al.)

8: 1533-1556

 U-Pb zircon geochronology in the southwestern Abitibi greenstone belt, Superior Province

(Corfu, F., et al.) 9: 1747-1763

Late Proterozoic stratigraphy, U-Pb zir-

 Late Proterozoic stratigraphy, U-Pb zircon ages, and rift tectonics, Mackenzie Mountains, northwestern Canada (Jefferson, C. W., et al.) 9: 1784-1801

 U-Th-Pb ages of single zircons in Archaean supracrustals from Nain Province, Labrador, Canada

(Schiotte, L., et al.) 12: 2636-2644 acoustical surveys see under geophysical surveys under Pacific Ocean

aeromagnetic surveys see magnetic surveys under geophysical surveys under Nova Scotia

Africa see also Algeria; Mali; Mauritania; Sahara; Senegal; Tunisia

Agnatha—Ostracodermi

Devonian: Yvonaspis, nouveau genre d'Osteostraci (Vertebrata, Agnatha) du Dévonien (Emsien-Eifelien) des Grès de Gaspé (Québec, Canada) (Yvonaspis, a new Osteostracan (Vertebrata, Agnatha) genus from the Devonian (Emsian-Eifelian) Gaspe Sandstones, Quebec, Canada) (Belles-Isles, Michel) 11: 2396-2401

Alaska-geomorphology

shore features: Turbidity-current channels in Queen Inlet, Glacier Bay, Alaska (Carlson, Paul R., et al.) 4: 807-820

Alaska-oceanography

continental margin: Petrology and age of volcanic-arc rocks from the continental margin of the Bering Sea; implications for early Eocene relocation of plate boundaries

(Davis, Alicé S., et al.) 7: 1474-1490

Alberta-geochronology

Pleistocene: Laurentide glaciation in westcentral Alberta; a single (late Wisconsinan) event

(Liverman, David G. E., et al.)

Quaternary: Late Quaternary volcanic ash in the peatlands of central Alberta (Zoltai, S. C.) 2: 207-214

Late Quaternary events in the Lethbridge area, Alberta
(Vreeken, Willem I.) 3: 551-560

(Vreeken, Willem J.) Alberta—geomorphology

glacial geology: Ice-thrust terrains and glaciotectonic settings in central Alberta (Tsui, Po C., et al.) 6: 1308-1318

Alberta—paleontology

Pisces: Fossil marine actinopterygian fishes
from the Kaskapau Formation (Upper
Cretaceous; Turonian) near Watino. Al-

berta (Wilson, Mark V. H., et al.)

Reptilia: The first records of Elmisaurus (Saurischia, Theropoda) from North America

(Currie, Philip J.) 6: 1319-1324

Alberta-seismology

elastic waves: Alberta bolide of June 1, 1982; interpretation of photographic and seismic records

(Cumming, G. L.) 7: 1350-1355

Alberta-stratigraphy

Cambrian: Facies anatomy of an Upper Cambrian grand cycle; Bison Creek and Mistaya formations, southern Alberta (Westrop, Stephen R.) 11: 2292-2304

Carboniferous: Sedimentology and diagenesis of Upper Mississippian to Lower Permian strata, Talbot Lake area, Jasper National Park, Alberta

(Ng, Kwok-Choi, et al.) 2: 275-295

Cretaceous: Erratum; Microscopic planar features in quartz from Scollard Canyon, Alberta, and the Cretaceous-Tertiary boundary event

(Grieve, R. A. F., et al.) 2: 338

(Grieve, R. A. F., et al.) 2: 338

Holocene: Holocene paleohydrology of central Alberta; testing the general-circulation-model climate simulations

(Schweger, Charles E., et al.)

9: 1826-1833

Jurassic: New Bathonian (Middle Jurassic)
ammonite faunas from the Fernie Formation, southern Alberta
(Hall, Russell L.) 1: 16-22

Mesozoic: The Alberta foreland basin; relationship between stratigraphy and Cordilleran terrane-accretion events (Cant, Douglas J., et al.) 10: 1964-1975

Oligocene: The Cypress Hills Formation (upper Eocene to Miocene); a semi-arid braidplain deposit resulting from intrusive uplift (Leckie, D. A., et al.) 10: 1918-1931

(Leckie, D. A., et al.) 10: 1918-1931 Permian: Sedimentology and diagenesis of Upper Mississippian to Lower Permian strata, Talbot Lake area, Jasper National Park, Alberta

(Ng, Kwok-Choi, et al.) 2: 275-295 Quaternary: Late Quaternary stratigraphy, sedimentology, and history of the Jasper townsite area, Alberta, Canada

(Levson, V. M., et al.) 7: 1325-1342

Tertiary: Erratum; Microscopic planar features in quartz from Scollard Canyon,
Alberta, and the Cretaceous-Tertiary boundary event

2: 338

(Grieve, R. A. F., et al.)
Alberta—structural geology

tectonics: Provenance of post-Wapiabi sandstones and its implications for Campanian to Paleocene tectonic history of the southern Canadian Cordillera (Mack. Greg H., et al.) 4: 665-676

(Mack, Greg H., et al.) algae—Cyanophyta

Proterozoic: Middle Proterozoic (1200-1400 Ma) microfossils from the Western Hills near Beijing, China (Zhang Pengyuan, et al.) 2: 322-328

algal flora—diatom flora

Holocene: Holocene paleohydrology of central Alberta; testing the general-circulation-model climate simulations (Schweger, Charles E., et al.)

9: 1826-1833

Quaternary: Late Quaternary chronology and environments of Square Lake, Torngat Mountains, Labrador (Clark, Peter U., et al.) 10: 2130-2144

algal flora-stromatolites

Proterozoic: Stratigraphic variations in carbon and oxygen isotopes in the dolostone of the Carswell Formation (Proterozoic) of northern Saskatchewan (Abell, P. I., et al.) 11: 2318-2326

Algeria-tectonophysics

heat flow: Mise en évidence d'importantes variations régionales du flux de chaleur en Algérie (Important regional variations of heat flow in Algeria) (Takherist, D., et al.) 4: 615-626

Alps see also the individual countries ammonites see Mollusca

ammonoids see under mollusks

Andes see also the individual countries

Appalachians see also the individual states and provinces

Appalachians-geophysical surveys

heat flow: New heat flow density and radiogenic heat production data in the Canadian Shield and the Quebec Appalachians (Mareschal, J. C., et al.) 4: 845-852

Appalachians—petrology

igneous rocks: Le Complexe d'Ascot des Appalaches du sud du Québec; pétrologie et géochimie (The Ascot Complex of the southern Quebec Appalachians; petrology and geochemistry) (Tremblay, Alain, et al.) 12: 2407-2420 Appalachians-structural geology

tectonics: Mise à l'évidence et cinématique de la faille de La Guadeloupe, Appalaches du sud du Québec (Kinematics of La Guadeloupe Fault, Appalachians of southern Quebec) (Tremblay, Alain, et al.) 10: 1932-1943

Appalachians-tectonophysics

crust: Crustal structure and surface zonation of the Canadian Appalachians; implications of deep seismic reflection data (Marillier, François, et al.) 2: 305-321

Crustal thickness under the Gulf of St.
 Lawrence, Northern Appalachians, from gravity and deep seismic data
 (Marillier, F., et al.)
 8: 1517-1532

Archean see also under geochronology under Canadian Shield; Greenland; India; Labrador; Manitoba; Quebec; see also under stratigraphy under Canadian Shield; Ontario; Quebec

Arctic Ocean—geophysical surveys

seismic surveys: Crustal structure of the Canadian polar margin; results of the 1985 seismic refraction survey

(Asudeh L. et al.) 5: 853-866

(Asudeh, I., et al.) 5: 853-866

— Late Quaternary seismic stratigraphy of the inner shelf seaward of the Tuktoyaktuk Peninsula, Canadian Beaufort Sea (Héquette, Arnaud, et al.)

10: 1990-2002

Arctic Ocean-stratigraphy

Holocene: Siliceous sponge communities, biological zonation, and Recent sea-level change on the Arctic margin; Ice Island results

(Van Wagoner, Nancy A., et al.)

211: 2341-2355
Quaternary: Latest Quaternary and Holocene paleoceanography of the eastern Baffin Island continental shelf, Canada; benthic foraminiferal evidence (Osterman, Lisa E., et al.)

11: 2236-2248

Arctic region see also the individual countries; Greenland

Arctic region—geochemistry

organic materials: Some northern sources of atmospheric methane; production, history, and future implications (Nisbet, E. G.) 8: 1603-1611

Arthropoda—Crustacea

Ordovician: Tremadocian (Early Ordovician) nauplius-like larvae from the Middle Arm Point Formation, Bay of Islands, western Newfoundland (Roy, Kaustuv, et al.) 9: 1802-1806

Asia see also China; India

rasia see uiso Ciinia, mui

associations—stratigraphy
IGCP: IGCP Project 158; Paleohydrology
of the temperate zone during the last 15
000 years; introduction—Project 158 du
PICG; Paléohydrologie de la zone tempérée durant des derniers 15 000 ans;
introduction
(Church, Michael) 9: 1809-1810

Atlantic Ocean-geochemistry

crust: Offshore continuation of Meguma Terrane, southwestern Nova Scotia (Pe-Piper, Georgia, et al.) 1: 176-191

Atlantic Ocean-geochronology

Pleistocene: Chronology of late Wisconsinan glaciation, Emerald Basin, Scotian Shelf (Gipp, Michael R., et al.) 2: 333-335

Atlantic Ocean—geophysical surveys

seismic surveys: Crustal structure and surface zonation of the Canadian Appalachians; implications of deep seismic reflection data

(Marillier, François, et al.) 2: 305-321

— Cenozoic deformation and Mesozoic abandoned spreading centre in the Tagus abyssal plain (west of Portugal); results of a multichannel seismic survey

(Mauffret, A., et al.) 6: 1101-1123

— The continent-ocean boundary south of Flemish Cap; constraints from seismic refraction and gravity

(Todd, B. J., et al.)
7: 1392-1407
— Sedimentary processes along Flemish
Pass, offshore Eastern Canada; a
GLORIA and high-resolution seismic
reconnaissance

(Jacobs, Colin L.) 11: 2177-2185 surveys: Crustal thickness under the Gulf of St. Lawrence, Northern Appalachians, from gravity and deep seismic data (Marillier, F., et al.) 8: 1517-1532

Atlantic Ocean-petrology

lava: Early Tertiary basalts from the Labrador Sea floor and Davis Strait region (Clarke, D. B., et al.) 5: 956-968

Atlantic Ocean-stratigraphy

Ordovician: First report of Ordovician (Caradoc-Ashgill) palynomorphs from Orphan Knoll, Labrador Sea [discussion] (Ruffman, Alan) 12: 2749-2751

Atlantic Ocean-tectonophysics

crust: The continent-ocean boundary south of Flemish Cap; constraints from seismic refraction and gravity (Todd, B. L. et al.) 7:1392-1407

(Todd, B. J., et al.) 7: 1392-1407 sea-floor spreading: Cenozoic deformation and Mesozoic abandoned spreading centre in the Tagus abyssal plain (west of Portugal); results of a multichannel seismic survey

(Mauffret, A., et al.) 6: 1101-1123

Atlantic region see also the individual countries

atmosphere-geochemistry

methane: Some northern sources of atmospheric methane; production, history, and future implications
(Nisbet, E. G.) 8: 1603-1611

atolls see reefs under sedimentary petrology under Quebec

Aves-Neornithes

Cretaceous: Cimolopteryx sp. (Aves, Charadriiformes) from the Frenchman Formation (Maastrichtian), Saskatchewan (Tokaryk, Tim T., et al.) 12: 2729-2730

Azores see also Portugal

Baltic region see also the individual countries basalts see under igneous rocks

batholiths see under intrusions

Bering Sea-stratigraphy

Cretaceous: Paleomagnetism and geochronology of St. Matthew Island, Bering Sea

(Wittbrodt, Paul R., et al.) 10: 2116-2129

Bering Sea-tectonophysics

plate tectonics: Petrology and age of volcanic-arc rocks from the continental margin of the Bering Sea; implications for early Eocene relocation of plate boundaries (Davis, Alicé S., et al.) 7: 1474-1490

biogeography—graptolites

Silurian: Llandovery graptolite biostratigraphy and paleobiogeography, Cape Phillips Formation, Canadian Arctic Islands (Melchin, Michael J.) 9: 1726-1746

biogeography-mollusks

Cambrian: A Lower Cambrian Eotebenna (Mollusca) from Arctic North America (Peel, John S.) 7: 1501-1503

birds see also Aves

boron-geochemistry

metasomatic rocks: Distribution et comportement du bore dans la croûte océanique (Distribution and behavior of boron in the oceanic crust)
(Bergeron, Mario) 4: 782-790

Brachiopoda-faunal studies

Silurian: Silurian (Wenlock) brachiopods from the southern Mackenzie Mountains, Northwest Territories (Lenz, Alfred C.) 6: 1220-1233

brachiopods-biostratigraphy

acniopous—nostratigraphy
Cambrian: Kennedy Channel Formation;
key to the early history of the Franklinian
continental margin, central eastern Ellesmere Island, Arctic Canada
(Long, D. G. F.) 6: 1147-1159

(Long, D. G. F.)
6: 1147-1159
Ordovician: Upper Ordovician conodonts,
brachiopods, and chronostratigraphy of
the Whittaker Formation, southwestern
District of Mackenzie, N.W.T., Canada
(Mitchell, Charles E., et al.)
1: 74-87

British Columbia-economic geology

geothermal energy: Geochemistry and isotope hydrogeology of the Mount Edziza-Mess Creek geothermal area (Clark, Ian D., et al.) 6: 1160-1171

gold ores: Lead- and strontium-isotope geochemistry of the Tertiary Catface intrusions and related mineralization, Vancouver Island, British Columbia

(Andrew, Anne, et al.) 5: 920-926

— The structure and geological development of the Erickson gold mine, Cassiar District, British Columbia, with implications for the origin of mother-lode-type gold deposits (Anderson, P. G., et al.) 12: 2645-2660

British Columbia—geochemistry

isotopes: Lead- and strontium-isotope geochemistry of Paleozoic Sicker Group and Jurassic Bonanza Group volcanic rocks and Island Intrusions, Vancouver Island, British Columbia (Andrew, Anne, et al.) 5: 894-907

Lead- and strontium-isotope geochemistry of the Karmutsen Formation, Van-

couver Island, British Columbia

5: 908-919 (Andrew, Anne, et al.) - Lead- and strontium-isotope geochemistry of the Tertiary Catface intrusions and related mineralization, Vancouver Island, British Columbia

(Andrew, Anne, et al.) trace elements: The age, chemistry, and tectonic setting of the middle Proterozoic Movie sills, Purcell Supergroup, southeastern British Columbia 11: 2305-2317 (Hov. Trygve)

British Columbia—geochronology

Eocene: Fission-track evidence for Cenozoic uplift of the Nelson Batholith, southeastern British Columbia (Sweetkind, Donald S., et al.)

10: 1944-1952

Holocene: Holocene sea-level change and delta growth; Fraser River delta, British Columbia

(Williams, Harry F. L., et al.)

9-1657-1666

Neogene: Neogene Chilcotin basalts in south-central British Columbia; geology. ages, and geomorphic history 5: 969-982 (Mathews, W. H.)

Proterozoic: The age, chemistry, and tectonic setting of the middle Proterozoic Movie sills, Purcell Supergroup, southeastern British Columbia

(Hoy, Trygve)

11: 2305-2317

Quaternary: New radiocarbon dates for early deglaciation from the southeastern Coast Mountains of British Columbia (Souch, Catherine) 10: 2169-2171

British Columbia-geomorphology changes of level: Surficial geology of Hecate Strait, British Columbia continental shelf (Barrie, J. V., et al.) 6: 1241-1254

- Holocene sea-level change and delta growth; Fraser River delta, British Columbia

(Williams, Harry F. L., et al.)

9-1657-1666

- Holocene vegetation, climate, and lakelevel changes in the Interior Douglas-fir Biogeoclimatic Zone, British Columbia (Mathewes, Rolf W., et al.)

9: 1811-1825

fluvial features: The geomorphic impact of the catastrophic October 1984 flood on the planform of the Squamish River, southwestern British Columbia [discussion and reply]

(Cruden, D. M., et al.) 2: 336-337 processes: Contemporary Squamish River sediment flux to Howe Sound, British Columbia

(Hickin, Edward J.) 10: 1953-1963

British Columbia-hydrogeology

hydrology: Regional clastic sediment yield in British Columbia

(Church, Michael, et al.) 1: 31-45 thermal waters: Geochemistry and isotope hydrogeology of the Mount Edziza-Mess Creek geothermal area

(Clark, Ian D., et al.) 6: 1160-1171 British Columbia-oceanography

continental margin: Geological and geophysical characteristics of the Tuzo Wilson Seamounts; implications for plate geometry in the vicinity of the Pacific-North America-Explorer triple junction (Carbotte, S. M., et al.) 11: 2365-2384

continental shelf: Surficial geology of Hecate Strait, British Columbia continental shelf (Barrie, J. V., et al.) 6: 1241-1254

estuaries: Suspended-sediment concentration and calibre in relation to surface-flow structure in Squamish River estuary, southwestern British Columbia (Rood, Kenneth M., et al.)

10-2172-2176

Bedforms, bed material, and bedload transport in a salt-wedge estuary: Fraser River, British Columbia (Kostaschuk, R. A., et al.) 7: 1440-1452

British Columbia-paleontology

Reptilia: Ichthyosaurs (Reptilia, Ichthyosauria) from the Lower and Middle Triassic Sulphur Mountain Formation, Wapiti Lake area, British Columbia, Canada

(Callaway, Jack M., et al.) 7: 1491-1500 British Columbia-petrology

metamorphic rocks: A note on the Ouesnel Lake Gneiss, Caribou Mountains, British Columbia

(Montgomery, John R., et al.) 7: 1503-1508

British Columbia-seismology

earthquakes: A microseismicity study of the Oueen Charlotte Islands region (Bérubé, Joane, et al.)

British Columbia-stratigraphy

Cambrian: Stratigraphy and sedimentology of the Hamill Group in the northern Selkirk Mountains, British Columbia; evidence for latest Proterozoic - Farly Cambrian extensional tectonism (Devlin, William J.) 3: 515-533

Cretaceous: Revised stratigraphic nomenclature and age determinations for Mid-Cretaceous volcanic rocks in southwestern British Columbia

(Thorkelson, Derek J., et al.) 10: 2016-2031

Eocene: Paleomagnetism of the Eocene Kamloops Group and the cratonization of Terrane I of the Canadian Cordillera (Symons, D. T. A., et al.) 4: 821-828

Paleomagnetism of Eocene rocks of the Kelowna and Castlegar areas, British Columbia; studies in determining paleohorizontal

(Bardoux, M., et al.) 4: 829-844 Eocene sedimentation and volcanism in the Fig Lake Graben, southwestern British Columbia

(Thorkelson, Derek J.) 7: 1368-1373 Holocene: Geology and paleoecology of early Holocene lacustrine deposits in the Columbia River valley near Fauquier. southern British Columbia

(Fulton, Robert J., et al.) 2: 257-265 - Holocene vegetation, climate, and lakelevel changes in the Interior Douglas-fir Biogeoclimatic Zone, British Columbia (Mathewes, Rolf W., et al.)

9-1811-1825

Jurassic: The Lower Jurassic phosphorites of southeastern British Columbia and terrane accretion to western North America (Poulton, T. P., et al.) 8-1612-1616

Mesozoic: Jura-Cretaceous (Oxfordian to Cenomanian) stratigraphy of the northcentral Bowser Basin, northern British Columbia

(Cookenboo, H. O., et al.) 5: 1001-1012 Proterozoic: Stratigraphy and sedimentology of the Hamill Group in the northern Selkirk Mountains, British Columbia; evidence for latest Proterozoic - Early Cambrian extensional tectonism (Devlin, William J.) 3: 515-533

British Columbia-structural geology

folds: Geometric relationship between the Scrip Nappe and metamorphic isograds in the northern Adams River area. Monashee Mountains, British Columbia

3: 606-610 (Sevigny, James H., et al.) structural analysis: P-T history and kinematics of the Monashee Décollement near

Revelstoke, British Columbia (Lane, Larry S., et al.) tectonics: Stratigraphy and sedimentology of the Hamill Group in the northern Selkirk Mountains, British Columbia; evidence for latest Proterozoic - Early Cambrian extensional tectonism

(Devlin, William J.) 3-515-533

- Fission-track evidence for Cenozoic uplift of the Nelson Batholith, southeastern British Columbia (Sweetkind, Donald S., et al.)

10: 1944-1952

2: 257-265

Structural geometry and kinematic evolution of the eastern Cascades foldbelt, Washington and British Columbia (McGroder, Michael F.) 8: 1586-1602

- A geodynamic model for extension in the Shuswap core complex, southeastern Canadian Cordillera (Ranalli, G., et al.) 8: 1647-1653

British Columbia-tectonophysics

crust: The Oueen Charlotte Islands refraction project; Part II, Structural model for transition from Pacific Plate to North American Plate 9: 1713-1725

(Mackie, D. J., et al.) bryophytes-paleoecology

Holocene: Geology and paleoecology of early Holocene lacustrine deposits in the Columbia River valley near Fauquier, southern British Columbia

(Fulton, Robert J., et al.) burrows see ichnofossils

California—geochemistry

trace elements: New petrological and geochemical data on mid-Paleozoic island-arc volcanics of northern Sierra Nevada, California; evidence for a continent-based island arc

(Rover, O., et al.) 12: 2465-2478 California-stratigraphy

Carboniferous: Submarine-fan characteristics and dual sediment provenance, Lower Carboniferous Bragdon Formation, eastern Klamath Terrane, California (Miller, M. Meghan, et al.) 5: 927-940

Cambrian see also under geochronology under Quebec; see also under stratigraphy under Alberta; British Columbia; Northwest Territories

Canada see also Alberta; Appalachians; British Columbia; Canadian Shield; Great Lakes; Great Lakes region; Labrador; Manitoba; New Brunswick; Newfoundland; Northwest Territories; Nova Scotia; Ontario; Prince Edward Island; Quebec; Rocky Mountains; Saskatchewan; Yukon Territory

Canada—engineering geology
waste disposal: Results of geoscience research in the Canadian Nuclear Fuel
Waste Management Program—Résultats
de recherches géoscientifiques du Programme canadien de gestion des déchets
de combustible nucléaire

(Scott, J. S., et al.)

— Results of geoscience research in the Canadian Nuclear Fuel Waste Management Program; introduction—Résultats de recherches géoscientifiques du Programme canadien de gestion des déchets de combustible nucléaire; introduction (Scott, J. S., et al.)

2: 341-344

Canada—geophysical surveys

heat flow: New heat flow density and radiogenic heat production data in the Canadian Shield and the Quebec Appalachians (Mareschal, J. C., et al.) 4: 845-852

Canada—stratigraphy
Quaternary: Late Quaternary paleohydrology of Canada—Paléohydrologie du Quaternaire supérieur au Canada

(Church, Michael, et al.) 9: 1807-1859

Canada—tectonophysics

Mohorovicic discontinuity: Crustal thickness under the Gulf of St. Lawrence, Northern Appalachians, from gravity and deep seismic data

(Marillier, F., et al.) 8: 1517-1532 paleomagnetism: Paleomagnetism and the origin of the Mackenzie Arc of northwestern Canada

(Park, John K., et al.) 11: 2194-2203 Canadian Shield—economic geology

gold ores: Geology of unmineralized and gold-bearing iron formation, Contwoyto Lake – Point Lake region, Northwest Territories, Canada

(Lhotka, Paul G., et al.) 1: 46-64
— Lithophile-element systematics of Archean greenstone belt Au-Ag vein deposits; implications for source processes [discussion and reply]

(Burrows, D. R., et al.) 12: 2741-2748 metal ores: Metallogenesis of the Abitibi greenstone belt of Canada; a contribution from the analysis of trace lead in sulfide minerals

(Deloule, Etienne, et al.) 12: 2529-2540 platinum ores: The Lac des Iles Complex, Ontario; petrology and platinum-groupelements mineralization in an Archean mafic intrusion

(Sutcliffe, Richard H., et al.)

7: 1408-1427
uranium ores: U-Pb, Pb-Pb, and K-Ar isotopic study and petrography of uraniferous phosphate-bearing rocks in the Thelon Formation, Dubawnt Group, Northwest Territories, Canada

(Miller, A. R., et al.) 5: 867-880 Canadian Shield—engineering geology

waste disposal: Results of geoscience research in the Canadian Nuclear Fuel Waste Management Program—Résultats de recherches géoscientifiques du Programme canadien de gestion des déchets de combustible nucléaire

(Scott, J. S., et al.) 2: 339-425

— A comparison of fracture styles in two granite bodies of the Superior Province (Stone, D., et al.) 2: 387-403

Glober D., et al.) 2: 50/403

— Geology and geophysics of the Underground Research Laboratory site, Lac du Bonnet Batholith, Manitoba

(Brown, A., et al.) 2: 404-425

Canadian Shield—geochemistry

mantle: Petrogenesis of mantle-derived, LILE-enriched Archean monzodiorites and trachyandesites (sanukitoids) in southwestern Superior Province

(Stern, Richard A., et al.) 9: 1688-1712 trace elements: Quantitative trace-element modelling of the crystallization history of the Kinojévis and Blake River groups, Abitibi greenstone belt, Ontario

(Fowler, A. D., et al.)
 7: 1356-1367
 Petrochemistry of the Yellowknife volcanic suite at Yellowknife, N.W.T.

(Cunningham, M. P., et al.)

8: 1630-1646

— Auriferous chert, banded iron formation, and related volcanogenic hydrothermal alteration, Atik Lake, Manitoba (Bernier, Louis R., et al.) 12: 2676-2690

Canadian Shield-geochronology

Archean: U-Pb zircon geochronology in the southwestern Abitibi greenstone belt, Superior Province

(Corfu, F., et al.) 9: 1747-1763

Precambrian: U-Pb geochronology of reactivated Archan basement and of Hudsonian metamorphism in the northern Labrador Trough

(Machado, N., et al.) 1: 1-15 Proterozoic: Nd, Sr, and O isotopic constraints on the petrogenesis of mafic intrusions in the Proterozoic Trans-Hudson Orogen of central Canada

(Hegner, E., et al.)
 5: 1027-1035
 Age of the Firesand River carbonatite complex from paleomagnetism

(Symons, D. T. A.) 11: 2401-2405 Canadian Shield—geomorphology

glacial geology: Carbonate till as a soft bed for Pleistocene ice streams on the Canadian Shield north of Lake Superior (Hicock, Stephen R., et al.) 11: 2249-2254 Canadian Shield—geophysical surveys

heat flow: New heat flow density and radiogenic heat production data in the Canadian Shield and the Quebec Appalachians (Mareschal, J. C., et al.) 4: 845-852 seismic surveys: Geology and geophysics of

seismic surveys: Geology and geophysics of the Underground Research Laboratory site, Lac du Bonnet Batholith, Manitoba (Brown, A., et al.) 2: 404-425

Canadian Shield-petrology

metamorphic rocks: Grenville metagabbro complexes of the Otter Lake area, Quebec (Kretz, Ralph, et al.) 2: 215-230

— A regional perspective of the Quetico

metasedimentary belt, Superior Province, Canada (Percival, John A.) 4: 677-693

Canadian Shield-stratigraphy

Archean: Evolution of an Archean subprovince boundary; a sedimentological and structural study of part of the Wabigoon-Quetico boundary in northern Ontario (Devaney, Jonathan R., et al.)

5: 1013-1026

The early Archaean Nulliak (supracrustal) assemblage, northern Labrador (Nutman, A. P., et al.) 10: 2159-2168

 Sedimentology of an Archean submarine channel-fill deposit in the Abitibi greenstone belt of Canada

(David, Jean, et al.) 7: 1453-1462

Proterozoic: Paleomagnetism of the 1.1 Ga
Lackner Lake Complex and tectonics of
the Kapuskasing structural zone
(Symons, D. T. A.) 9: 1778-1783

 Paleomagnetism of pre-Grenvillian mafic intrusions from the Grenville Province, Southeast Labrador (Murthy, G., et al.)
 12: 2541-2555

Quaternary: Paleohydrology of a Canadian Shield inferred from ¹⁸O in sediment cellulose

(Edwards, T. W. D., et al.)

9: 1850-1859

Canadian Shield—structural geology structural analysis: Deformational history of an Archean fold belt, eastern Point Lake area, Slave Structural Province, N.W.T. (King, J. E., et al.) 1: 106-118

tectonics: Paleomagnetism of the 1.1 Ga Lackner Lake Complex and tectonics of the Kapuskasing structural zone (Symons, D. T. A.) 9: 1778-1783

 Internal structure of the Cadillac tectonic zone southeast of Val d'Or, Abitibi greenstone belt, Quebec
(Robert, François) 12: 2661-2675

Canadian Shield—tectonophysics

crust: Electromagnetic sounding and crustal electrical conductivity in the region of the Wopmay Orogen, Northwest Territories, Canada

(Camfield, P. A., et al.) 11: 2385-2395 paleomagnetism: 40Ar/39Ar dating of the Mealy Dykes of Labrador; paleomagnetic implications

(Reynolds, P. H.) 8: 1567-1573 carbohydrates see under organic materials

carbon-isotopes

C-13/C-12: Stable isotope constraints on the role of graphite in the genesis of unconformity-type uranium deposits

(Kyser, T. K., et al.) 3: 490-498 Diagenetic evolution of a Late Silurian reef platform, Gaspé Basin, Quebec, based on cathodoluminescence petrography (Savard, Martine, et al.) 4: 791-806

- Geochemistry and isotope hydrogeology of the Mount Edziza-Mess Creek geother-

mal area

(Clark, Ian D., et al.) 6: 1160-1171 - Stratigraphic variations in carbon and oxygen isotopes in the dolostone of the Carswell Formation (Proterozoic) of northern Saskatchewan

(Abell, P. I., et al.) 11: 2318-2326 carbonate rocks see under sedimentary rocks

Carboniferous see also under geochronology under Nova Scotia; see also under stratigraphy under Alberta; California; Labrador

Caribbean region see also the individual coun-

Carpathians see also the individual countries

Cayman Islands-geomorphology

processes: The role of microorganisms in phytokarst development on dolostones and limestones, Grand Cayman, British West Indies (Jones, Brian) 11: 2204-2213

Cayman Islands-sedimentary petrology sedimentary structures: Calcite rafts, peloids, and micrite in cave deposits from Cayman

Brac, British West Indies (Jones, Brian)

Cenozoic see also Quaternary

changes of level see also under geomorphology under British Columbia: Great Lakes: see also under stratigraphy under Great Lakes; Northwest Territories

China-paleobotany

algae: Middle Proterozoic (1200-1400 Ma) microfossils from the Western Hills near Beijing, China (Zhang Pengyuan, et al.) 2: 322-328

China-stratigraphy

Permian: Pareiasaurs from the Upper Permian of North China (Gao Keqin) 6: 1234-1240

clastic rocks see under sedimentary rocks

clastic sediments see under sediments

clay mineralogy—areal studies

Northwest Territories: U-Pb, Pb-Pb, and K-Ar isotopic study and petrography of uraniferous phosphate-bearing rocks in the Thelon Formation, Dubawnt Group, Northwest Territories, Canada 5: 867-880

(Miller, A. R., et al.) Quebec: Formation de phyllosilicates dans les roches carbonatées cristallines de La Mauricie, Québec (Formation of sheet silicates in crystalline carbonate rocks at La Mauricie, Quebec)

(de Kimpe, Christian) 7: 1463-1473

cleavage see under style under foliation

climate, ancient see paleoclimatology

Colorado Plateau see also the individual states

Columbia Plateau see also the individual states concretions see under secondary structures under sedimentary structures

congresses see symposia

Conodonta-taxonomy

Triassic: Multielement species of Misikella Kozur and Mock, 1974 and Axiothea n.gen. (Conodonta) from the Mamonia Complex (Upper Triassic), Cyprus (Fahraeus, Lars E., et al.) 6: 1255-1263

conodonts-biostratigraphy

Ordovician: Upper Ordovician conodonts, brachiopods, and chronostratigraphy of the Whittaker Formation, southwestern District of Mackenzie, N.W.T., Canada (Mitchell, Charles E., et al.)

Conodont paleontology and biostratigraphy of Ordovician carbonates and petroliferous carbonates on Southampton, Baffin, and Akpatok islands in the eastern Canadian Arctic

(McCracken, Alexander D., et al.) 10: 1880-1903

- Southwest New World Island stratigraphy; new fossil data, new implications for the history of the Central Mobile Belt, Newfoundland (Elliott, Colleen G., et al.)

10: 2062-2074 - Tremadocian (Early Ordovician) nauplius-like larvae from the Middle Arm Point Formation, Bay of Islands, western Newfoundland

9-1802-1806 (Roy, Kaustuy, et al.)

continental drift-Iapetus

Newfoundland: Early Silurian paleopole for redbeds and volcanics of the King George IV Lake area, Newfoundland (Buchan, K. L., et al.) 10: 1904-1917

continental margin see also under oceanography under Alaska; British Columbia; New Brunswick; Newfoundland; Portugal; Que-

continental shelf see also under oceanography under British Columbia; Northwest Territories: Nova Scotia

copper ores see also under economic geology under Ouebec

Cretaceous see also under geochronology under Montana; see also under stratigraphy under Alberta; Bering Sea; British Columbia; Northwest Territories

crust see also under geochemistry under Atlantic Ocean; see also under tectonophysics under Appalachians; Atlantic Ocean; British Columbia: Canadian Shield: Northwest Territories; Rocky Mountains

crust-anomalies

thermal anomalies: Temperature effects and their geological consequences at transform margins (Todd, B. J., et al.) 12: 2591-2603

crust-geochemistry

boron: Distribution et comportement du bore dans la croûte océanique (Distribution and behavior of boron in the oceanic crust) (Bergeron, Mario) 4: 782-790 Crustacea see under Arthropoda crystal chemistry see also minerals

crystal growth see also minerals

crystal structure see also minerals

Cyprus-economic geology

polymetallic ores: Constructional features of the Troodos Ophiolite and implications for the distribution of orebodies and the generation of oceanic crust (Hall, James M. et al.) 6: 1172-1184

Cyprus-paleontology

Conodonta: Multielement species of Misikella Kozur and Mock, 1974 and Axiothea n.gen. (Conodonta) from the Mamonia Complex (Upper Triassic), Cyprus (Fahraeus, Lars E., et al.) 6: 1255-1263

deformation see also structural analysis

deformation-field studies

ductile deformation: Mise à l'évidence et cinématique de la faille de La Guadeloupe, Appalaches du sud du Québec (Kinematics of La Guadeloupe Fault, Appalachians of southern Quebec)

(Tremblay, Alain, et al.) 10: 1932-1943 shear: P-T history and kinematics of the Monashee Décollement near Revelstoke.

British Columbia

(Lane, Larry S., et al.) 2: 231-243 - Structural petrology along a transect across the Thompson Belt, Manitoba; dip slip at the western Churchill-Superior boundary

(Fueten, Frank, et al.) 10-1976-1989 strain: Deformational history of an Archean fold belt, eastern Point Lake area, Slave Structural Province, N.W.T.

(King, J. E., et al.)

- Structural control of gold mineralization at the Bousquet Mine, Abitibi, Quebec (Tourigny, Ghislain, et al.) 1: 157-175 Pattern of apparent total strain in the

bedded anhydrite cap of a folded salt wall (Schwerdtner, W. M., et al.) 5: 983-992

- Erratum; Structural control of gold mineralization at the Bousquet Mine, Abitibi, Ouebec (Tourigny, Ghislain, et al.)

- Determination of the finite-strain ellipsoid from deformed porphyroblastic mineral aggregates and preferentially oriented feldspars in a mylonitized metamafic dyke (Owen, J. Victor) 11: 2333-2340

- Internal structure of the Cadillac tectonic zone southeast of Val d'Or, Abitibi greenstone belt, Quebec

(Robert, François) 12: 2661-2675

Denmark-sedimentary petrology

sediments: A method of sampling clast-rich laminated diamictons for magnetic ana-8: 1654-1656

(Coyle, David A.)

deposition see under sedimentation

deposition of ores see mineral deposits, genesis deuterium see also hydrogen

deuterium-geochemistry

thermal waters: Geochemistry and isotope hydrogeology of the Mount Edziza-Mess Creek geothermal area (Clark, Ian D., et al.) 6: 1160-1171

Devonian see also under geochronology under Nova Scotia

diabase see under igneous rocks

diagenesis see also sedimentation

diagenesis-cementation

age: U-Pb, Pb-Pb, and K-Ar isotopic study and petrography of uraniferous phosphate-bearing rocks in the Thelon Formation, Dubawnt Group, Northwest Territories, Canada

(Miller, A. R., et al.) 5: 867-880 evolution: Diagenetic evolution of a Late Silurian reef platform, Gaspé Basin, Quebec, based on cathodoluminescence petrography (Savard, Martine, et al.) 4: 791-806

diagenesis-environment

glaciolacustrine environment: Chronologie
Th/U des concrétions calcaires des varves
du lac glaciaire de Deschaillons (Wisconsinien inférieur) (Th/U dating of calcareous concretions from varves of glacial
Lake Deschaillons, lower Wisconsinan)
(Hillaire-Marcel, Claude, et al.)
5: 1041-1052

diagenesis-geochemistry

isotopes: Stratigraphic variations in carbon and oxygen isotopes in the dolostone of the Carswell Formation (Proterozoic) of northern Saskatchewan (Abell, P. I., et al.) 11: 2318-2326

diagenesis-processes

evolution: Sedimentology and diagenesis of Upper Mississippian to Lower Permian strata, Talbot Lake area, Jasper National Park, Alberta (Ng, Kwok-Choi, et al.) 2: 275-295

diapirs see under style under folds

diastrophism see orogeny

diatom flora see under algal flora

differentiation see under magmas

dikes see under intrusions

diorites see under igneous rocks

dolostone see also under carbonate rocks under sedimentary rocks

earthquakes see also seismology; see also under engineering geology under Ontario; see also under seismology under British Columbia; New Brunswick

Eastern Hemisphere see also Arctic Ocean; Atlantic Ocean

ecology-sponges

arctic environment: Siliceous sponge communities, biological zonation, and Recent sea-level change on the Arctic margin; Ice Island results

(Van Wagoner, Nancy A., et al.) 11: 2341-2355

elastic waves see under seismology

electromagnetic surveys see under geophysical surveys under Northwest Territories

engineering geology see also deformation; ground water; mining geology

environmental geology see also ecology

Eocene see also under geochronology under British Columbia; see also under stratigraphy under British Columbia

epeirogeny see also orogeny

eruptive rocks see igneous rocks

Europe see also Denmark; Greece; Ireland; Portugal

experimental studies see under humic acids under organic materials

Far East see also the individual countries

faulting see faults faults see also folds

faults-displacements

dip-slip faults: Structural petrology along a transect across the Thompson Belt, Manitoba; dip slip at the western Churchill-Superior boundary

(Fueten, Frank, et al.) 10: 1976-1989 strike-slip faults: Acadian strike-slip tectonics in the Gaspé region, Quebec Appala-

chians

(Malo, Michel, et al.) 9: 1764-1777
thrust faults: Mise à l'évidence et cinématique de la faille de La Guadeloupe,
Appalaches du sud du Québec (Kinematics of La Guadeloupe Fault, Appalachians of southern Quebec)

(Tremblay, Alain, et al.) 10: 1932-1943

— Failles de chevauchement acadiennes dans la région de Weedon, Estrie, Québec (Acadian thrust faults in the Weedon area,

Estrie, Quebec)

(Labbé, Jean-Yves, et al.) 11: 2268-2277
— Out-of-sequence thrust faulting and duplex formation in the Lewis thrust system, Spot Mountain, southeastern Glacier National Park, Montana (Hudec, Michael R., et al.)

11: 2356-2364 transform faults: The continent-ocean boundary south of Flemish Cap; constraints from seismic refraction and gravi-

ty

(Todd, B. J., et al.)

7: 1392-1407

Geological and geophysical characteristics of the Tuzo Wilson Seamounts; implications for plate geometry in the vicinity of the Pacific-North America-Explorer triple junction

(Carbotte, S. M., et al.) 11: 2365-2384
— The Queen Charlotte Islands refraction project; Part II, Structural model for transition from Pacific Plate to North American Plate

9: 1713-1725

(Mackie, D. J., et al.)

faults-effects

mylonites: P-T history and kinematics of the Monashee Décollement near Revelstoke, British Columbia (Lane, Larry S., et al.) 2: 231-243

faults-systems

Brunswick

block structures: Crustal structure and surface zonation of the Canadian Appalachians; implications of deep seismic reflection

(Marillier, François, et al.) 2: 305-321

— Gravity modelling of the Saint George
Batholith and adjacent terrane within the
Appalachian Orogen, southern New

(Thomas, M. D., et al.) 3: 561-576 grabens: Eocene sedimentation and volcanism in the Fig Lake Graben, southwestern British Columbia (Thorkelson, Derek J.) 7: 1368-1373 fish see also Pisces

fission-track dating see under geochronology fjords see under shore features under geomorphology

fluid inclusions see also inclusions

fluid inclusions—geologic thermometry

ore-forming fluids: Hydrothermal alteration, veining, and fluid-inclusion characteristics of the Kalzas wolframite deposit, Yukon (Lynch, J. V. Gregory) 10: 2106-2115

fluvial features see under geomorphology

folding see folds

folds see also faults; foliation

folds-mechanics

compression: Évènements tectoniques d'origine compressive dans le Protérozoïque du nord de la Cordillère canadienne (montagnes Ogilvie, Yukon) (Proterozoic compressive tectonic events in the northern Canadian Cordillera; Ogilvie Mountains, Yukon Territory) (Mercier, Éric) 1: 199-205

folds-orientation

nappes: Geometric relationship between the Scrip Nappe and metamorphic isograds in the northern Adams River area, Monashee Mountains, British Columbia

(Sevigny, James H., et al.) 3: 606-610 superposed folds: Deformational history of an Archean fold belt, eastern Point Lake area, Slave Structural Province, N.W.T. (King, J. E., et al.) 1: 106-118

 Paleomagnetism of the Lawrenceton Formation volcanic rocks, Silurian Botwood Group, Change Islands, Newfoundland

(Gales, Julie E., et al.) 2: 296-304

folds-style

anticlines: Constructional features of the Troodos Ophiolite and implications for the distribution of orebodies and the generation of oceanic crust (Hall, James M., et al.) 6: 1172-1184

diapirs: Pattern of apparent total strain in the bedded anhydrite cap of a folded salt wall

(Schwerdtner, W. M., et al.) 5: 983-992 foliation see also folds; structural analysis

foliation-style

cleavage: Deformational history of an Archean fold belt, eastern Point Lake area, Slave Structural Province, N.W.T. (King, J. E., et al.) 1: 106-118

foraminifera see also foraminifers

foraminifers-paleoecology

Quaternary: Latest Quaternary and Holocene paleoceanography of the eastern Baffin Island continental shelf, Canada; benthic foraminiferal evidence (Osterman, Lisa E., et al.)

11: 2236-2248

fossils see appropriate fossil group fossils, problematic see problematic fossils

fractures-distribution

intrusions: Statistical analysis of the geological-hydrogeological conditions within part of the Eye-Dashwa Pluton, Atikokan, northwestern Ontario (Brown, P. A., et al.) 2: 345-356 Geology of the East Bull Lake gabbroanorthosite pluton, Algoma District, Ontario

(McCrank, G. F. D., et al.) 2: 357-375

— A comparison of fracture styles in two granite bodies of the Superior Province (Stone, D., et al.) 2: 387-403

frost action see under geomorphology

fungi-paleoecology

Holocene: Geology and paleoecology of early Holocene lacustrine deposits in the Columbia River valley near Fauquier, southern British Columbia (Fulton, Robert J., et al.) 2: 257-265

gabbros see under igneous rocks

gas inclusions see fluid inclusions

genesis of ore deposits see mineral deposits, genesis

geochemistry-processes

partitioning: Source processes for Archean Au-Ag vein deposits; evidence for lithophile-element systematics of the Hollinger-McIntyre and Buffalo Ankerite deposits, Timmins (Kerrich, R.) 4:755-781

geochronology see also absolute age

geochronology-fission-track dating

minerals: Fission-track evidence for Cenozoic uplift of the Nelson Batholith, southeastern British Columbia (Sweetkind, Donald S., et al.)

10: 1944-1952

geochronology—paleomagnetism

Pleistocene: New geomagnetic paleosecularvariation results from the Old Crow Basin, Yukon Territory, and their use in stratigraphic correlation

(Gillen, K. P., et al.) 12: 2507-2511 Proterozoic: Multiple ages of Nipissing Diabase intrusion; paleomagnetic evidence from the Englehart area, Ontario (Buchan, K. L., et al.) 3: 427-445

Age of the Firesand River carbonatite complex from paleomagnetism

(Symons, D. T. A.) 11: 2401-2405 reversals: Davis Creek Silt, an early Pleistocene or late Pliocene deposit in the Cypress Hills of Saskatchewan (Vreeken, W. J., et al.) 1: 192-198

geochronology-racemization

wood: Laurentide glaciation in west-central Alberta; a single (late Wisconsinan) event (Liverman, David G. E., et al.)

geochronology-tephrochronology

loess: Late Quaternary events in the Lethbridge area, Alberta (Vreeken, Willem J.) 3: 551-560 peat: Late Quaternary volcanic ash in the

peatlands of central Alberta
(Zoltai, S. C.)
2: 207-214
geologic hazards see also under engineering

geology under Ontario geologic thermometry see under fluid inclu-

geologic time see absolute age; geochronology geomorphology see also glacial geology geomorphology-fluvial features

channels: Holocene evolution of the Assiniboine River paleochannels and Portage la Prairie alluvial fan (Rannie, W. F., et al.) 9: 1834-1841

geomorphology-frost action

congelifraction: Frost bursting; a violent expression of frost action in rock
(Michaud, Yves, et al.) 10: 2075-2080

geomorphology—landform evolution
landscapes: Late Quaternary events in the

Lethbridge area, Alberta (Vreeken, Willem J.) 3: 551-560

topography: Pleistocene geology and geomorphology of the Smoking Hills Upland and lower Horton River Arctic coast of mainland Canada

(Matthews, William H., et al.)

9: 1677-1687

geomorphology-processes

aggradation: Late Holocene aggradation in the lower Humber River valley, Toronto, Ontario

(Weninger, J. M., et al.) 9: 1842-1849 sedimentation: Regional clastic sediment yield in British Columbia

(Church, Michael, et al.) 1: 31-45

- Contemporary Squamish River sediment flux to Howe Sound, British Columbia

flux to Howe Sound, British Columbia (Hickin, Edward J.) 10: 1953-1963 — Bedforms, bed material, and bedload

transport in a salt-wedge estuary; Fraser River, British Columbia (Kostaschuk, R. A., et al.) 7: 1440-1452

weathering: The role of microorganisms in phytokarst development on dolostones and limestones, Grand Cayman, British West Indies

(Jones, Brian) 11: 2204-2213

geomorphology-shore features

deltas: Holocene sea-level change and delta growth; Fraser River delta, British Columbia (Williams, Harry F. L., et al.)

F. L., et al.)

fjords: Turbidity-current channels in Queen Inlet, Glacier Bay, Alaska (Carlson, Paul R., et al.) 4: 807-820

geomorphology—volcanic features landform evolution: Neogene Chilcotin basalts in south-central British Columbia; geology, ages, and geomorphic history (Mathews, W. H.) 5: 969-982

geophysical surveys see under Appalachians; Arctic Ocean; Atlantic Ocean; Canada; Canadian Shield; Mauritania; Mediterranean Sea; New Brunswick; Newfoundland; Northwest Territories; Nova Scotia; Pacific Ocean; Quebec; Senegal; see acoustical surveys under geophysical surveys under Pacific Ocean; see electromagnetic surveys under geophysical surveys under Northwest Territories; see gravity surveys under geophysical surveys under New Brunswick; see magnetic surveys under geophysical surveys under Nova Scotia; see magnetotelluric surveys under geophysical surveys under Mauritania; Senegal; see seismic surveys under geophysical surveys under Arctic Ocean; Atlantic Ocean; Canadian Shield; Pacific Ocean; see surveys under geophysical surveys under Atlantic Ocean; Newfoundland; Pacific Ocean

geophysics see also deformation geosynclines see also orogeny

geothermal energy see also under economic geology under British Columbia; Tunisia geothermics see heat flow

glacial geology see also geomorphology glacial geology—glacial features

glacial lakes: Chronologie Th/U des concrétions calcaires des varves du lac glaciaire de Deschaillons (Wisconsinien inférieur) (Th/U dating of calcareous concretions from varves of glacial Lake Deschaillons, lower Wisconsinan)

(Hillaire-Marcel, Claude, et al.)

5: 1041-1052

Lacustrine sedimentary record of icedammed Neoglacial Lake Alsek (Schmok, Jeffrey P., et al.)

10: 2092-2105

landform evolution: Late Quaternary events in the Lethbridge area, Alberta (Vreeken, Willem J.) 3: 551-560

(Vreeken, Willem J.)
 3: 551-560
 Late Quaternary stratigraphy, sedimentology, and history of the Jasper townsite area, Alberta, Canada

(Levson, V. M., et al.) 7: 1325-1342 terrains: Ice-thrust terrains and glaciotectonic settings in central Alberta

(Tsui, Po C., et al.) 6: 1308-1318

glacial geology-glaciation

deglaciation: Geology and paleoecology of early Holocene lacustrine deposits in the Columbia River valley near Fauquier, southern British Columbia (Fulton, Robert J., et al.) 2: 257-265

(Fulton, Robert J., et al.) 2: 257-265
— Palynostratigraphie et chronologie du retrait glaciaire au Témiscamingue; évaluation des âges ¹⁴C et implications paléoenvironnementales (Palynostratigraphy and chronology of deglaciation in the Timiskaming region; C-14 ages and paleoenvironmental implications)
(Richard, Pierre J. H., et al.) 4: 627-641

New radiocarbon dates for early deglaciation from the southeastern Coast Mountains of British Columbia

(Souch, Catherine) 10: 2169-2171 deposition: Glacially redeposited pollen in tills of southern Ontario, Canada

(Dreimanis, Aleksis, et al.) 9: 1667-1676 glacial extent: Laurentide glaciation in westcentral Alberta; a single (late Wisconsinan) event

(Liverman, David G. E., et al.)

2: 266-274

Chronology of late Wisconsinan glaciation, Emerald Basin, Scotian Shelf
 (Gipp, Michael R., et al.) 2: 333-335

Pleistocene geology and geomorphology of the Smoking Hills Upland and lower Horton River Arctic coast of mainland Canada

(Matthews, William H., et al.)

9: 1677-1687

The last glaciation of Marvin Peninsula, northern Ellesmere Island, High Arctic, Canada

(Lemmen, Donald S.) 12: 2578-2590

ice movement: Reconstructed ice-flow patterns and ice limits using drift pebble lithology, outer Nachvak Fiord, northern Labrador

(Bell, Trevor, et al.) 3-577-590 - Carbonate till as a soft bed for Pleistocene ice streams on the Canadian Shield north of Lake Superior (Hicock, Stephen R., et al.)

11: 2249-2254

glacial geology-periglacial features

patterned ground: Near-surface soil displacement in sorted circles, Resolute area, Cornwallis Island, Canadian High Arctic (Washburn, A. L.) 5: 941-955

glacial lakes see under glacial features under glacial geology

glaciation see under glacial geology

gold-geochemistry

ore-forming fluids: Le transport chimique de l'or dans les environnements de surface: formation d'un colloïde et complexation organique (Chemical transport of gold in a surface environment; formation of a colloid and organic complexing) (Bergeron, Mario, et al.) 11: 2327-2332

gold ores see also under economic geology under British Columbia; Canadian Shield; Manitoba; Northwest Territories; Nova Scotia: Ouebec

gold ores-genesis

ore transport: Le transport chimique de l'or dans les environnements de surface; formation d'un colloïde et complexation organique (Chemical transport of gold in a surface environment; formation of a colloid and organic complexing) (Bergeron, Mario, et al.) 11: 2327-2332

grabens see under systems under faults

graded bedding see under turbidity current structures under sedimentary structures

granites see under igneous rocks

graptolites-biostratigraphy

Paleozoic: Graptolites as indicators of regional maturity in lower Paleozoic sediments, Selwyn Basin, Yukon and Northwest Territories, Canada

(Riediger, C., et al.) 10: 2003-2015 - Southwest New World Island stratigraphy; new fossil data, new implications for the history of the Central Mobile Belt, Newfoundland (Elliott, Colleen G., et al.)

10: 2062-2074 Silurian: Llandovery graptolite biostratigraphy and paleobiogeography, Cape Phillips Formation, Canadian Arctic Islands (Melchin, Michael J.) 9: 1726-1746

Graptolithina see also graptolites

gravity surveys see under geophysical surveys under New Brunswick

Great Basin see also the individual states

Great Lakes-geomorphology

changes of level: Stratigraphy of the Sixteen Mile Creek lagoon, and its implications for Lake Ontario water levels [discussion and reply] (Bishop, Craig T., et al.) 5: 1074-1078 Great Lakes-stratigraphy

changes of level: Late Holocene aggradation in the lower Humber River valley, Toronto. Ontario

(Weninger, J. M., et al.) 9-1842-1849 Great Lakes region see also the individual states and provinces

Great Lakes region-geochronology

Quaternary: Palynostratigraphie chronologie du retrait glaciaire au Témiscamingue; évaluation des âges 14C et implications paléoenvironnementales (Palynostratigraphy and chronology of deglaciation in the Timiskaming region; C-14 ages and paleoenvironmental implications)

(Richard, Pierre J. H., et al.) 4: 627-641

Great Lakes region—geomorphology glacial geology: Carbonate till as a soft bed for Pleistocene ice streams on the Canadian Shield north of Lake Superior (Hicock, Stephen R., et al.)

11: 2249-2254

Great Lakes region-stratigraphy Holocene: Stratigraphy of the Sixteen Mile Creek lagoon, and its implications for Lake Ontario water levels [discussion and replyl

(Bishop, Craig T., et al.) 5: 1074-1078 Proterozoic: Tectonostratigraphic evolution of the early Proterozoic Wisconsin magmatic terranes of the Penokean Orogen (Sims, P. K., et al.) 10: 2145-2158

Great Plains see also the individual states and

provinces Greece-stratigraphy

Mesozoic: Paléomagnétisme dans les Hellénides internes; analyse des aimantations superposées par la méthode des cercles de réaimantation (Paleomagnetism of the internal Hellenides; analysis of superimposed magnetizations using remagnetization circles) (Surmont, Jérôme) 12: 2479-2494

Greenland-geochemistry

trace elements: Cyclical variation in composition in continent tholeiites of East Greenland (Hogg, A. J., et al.) 3: 534-543

Greenland-geochronology

Archean: Sr and Nd isotope systematics of polymetamorphic Archean gneisses from southern West Greenland and northern Labrador

(Collerson, Kenneth D., et al.)

3: 446-466

Greenland-paleontology

Mollusca: A Lower Cambrian Eotebenna (Mollusca) from Arctic North America (Peel, John S.) 7: 1501-1503 ground water see also hydrogeology; hydrology

ground water-surveys

British Columbia: Geochemistry and isotope hydrogeology of the Mount Edziza-Mess Creek geothermal area

(Clark, Ian D., et al.) Ontario: Statistical analysis of the geological-hydrogeological conditions within part of the Eye-Dashwa Pluton, Atikokan, northwestern Ontario (Brown, P. A., et al.) 2: 345-356 Quebec: Infiltration of de-icing road salts in aquifers: the Trois-Rivières-Ouest case. Ouebec, Canada

(Locat, Jacques, et al.) 11: 2186-2193 Gulf Coastal Plain see also the individual states and countries

heat flow see also under geophysical surveys under Appalachians; Canada; Canadian Shield; Mediterranean Sea; Quebec; see also under tectonophysics under Algeria; Mediterranean region; Sahara; Yukon Territory

heat flow-theoretical studies

transition zones: Temperature effects and their geological consequences at transform margins (Todd, B. J., et al.) 12: 2591-2603

Himalayas see also the individual countries

Holocene see also under geochronology under British Columbia; see also under stratigraphy under Alberta; Arctic Ocean; British Columbia; Great Lakes region; Manitoba; On-

hot springs see thermal waters under geochemistry under deuterium; see thermal waters under hydrogeology under British Columbia

hydrocarbons see under organic materials

hydrogen see also deuterium

hydrogen-isotopes

D/H: Geochemistry and isotope hydrogeology of the Mount Edziza-Mess Creek geothermal area (Clark, Ian D., et al.) 6: 1160-1171

hydrogeology see also ground water; hydrology hydrogeology-theoretical studies

sedimentation: Modelling of single-grain and floc settling

(Lau, Y. L.) 12: 2523-2528 hydrology see also ground water; hydrogeology

hydrology-surveys

British Columbia: Regional clastic sediment vield in British Columbia (Church, Michael, et al.) 1: 31-45

Geochemistry and isotope hydrogeology of the Mount Edziza-Mess Creek geothermal area (Clark, Ian D., et al.) 6: 1160-1171

Fraser River: Bedforms, bed material, and bedload transport in a salt-wedge estuary; Fraser River, British Columbia

(Kostaschuk, R. A., et al.) 7: 1440-1452 Lake Ontario: Stratigraphy of the Sixteen Mile Creek lagoon, and its implications for Lake Ontario water levels [discussion and reply]

(Bishop, Craig T., et al.) 5: 1074-1078 Ontario: Hydrology of small tributary streams in a subarctic wetland

(Woo, Ming-ko, et al.) 8: 1557-1566 Squamish River: The geomorphic impact of the catastrophic October 1984 flood on the planform of the Squamish River, southwestern British Columbia [discussion and reply] 2: 336-337

(Cruden, D. M., et al.) Contemporary Squamish River sediment flux to Howe Sound, British Columbia (Hickin, Edward J.)

- Suspended-sediment concentration and calibre in relation to surface-flow structure in Squamish River estuary, southwestern British Columbia

(Rood, Kenneth M., et al.)

10: 2172-2176

hydrothermal processes see under gold ores under mineral deposits, genesis; see under polymetallic ores under mineral deposits, genesis; see under processes under mineral deposits, genesis; see under tungsten ores under mineral deposits, genesis; see under uranium ores under mineral deposits, genesis

Iberian Peninsula see also Portugal

ice ages see glacial geology

ichnofossils-fossilization

controls: Deep burrowing in the early Palaeozoic deep sea; examples from the Cambrian(?)-Early Ordovician Meguma Group of Nova Scotia (Pickerill, Ron K., et al.) 5: 1061-1068

ichnofossils-occurrence

tracks: Early Permian fossil vertebrate footprints and their stratigraphic setting in megacyclic Sequence II red beds, Prim Point, Prince Edward Island (Mossman, David J. et al.) 3: 591-605

igneous rocks see also fluid inclusions; inclusions; intrusions; lava; magmas; metamorphic rocks; metasomatism

igneous rocks-basalts

alteration: Distribution et comportement du bore dans la croûte océanique (Distribution and behavior of boron in the oceanic crust)

(Bergeron, Mario) 4: 782-790 distribution: Neogene Chilcotin basalts in south-central British Columbia; geology, ages, and geomorphic history

(Mathews, W. H.) 5: 969-982 geochemistry: Lead- and strontium-isotope geochemistry of the Karmutsen Formation, Vancouver Island, British Columbia (Andrew, Anne, et al.) 5: 908-919

Early Tertiary basalts from the Labrador
Sea floor and Davis Strait region

(Clarke, D. B., et al.) 5: 956-968 tholeitie: Cyclical variation in composition in continent tholeites of East Greenland (Hogg, A. J., et al.) 3: 534-543

 Paleomagnetism and geochemistry of Carboniferous Sandwich Bay dykes from coastal Labrador

(Murthy, G., et al.) 11: 2278-2291 tholeitic basalt: Petrochemical and stratigraphic aspects of North Mountain Basalt from the north shore of the Bay of Fundy, Nova Scotia, Canada

(Greenough, John D., et al.)

12: 2710-2717

igneous rocks-composition

chemical composition: The Topsails igneous suite, western Newfoundland; an Early Silurian subduction-related magmatic suite? (Whalen, Joseph B.) 12: 2421-2434

(Wildiell, Joseph B.) 12. 2421-2434

igneous rocks-diabase

geochemistry: Assimilation and crystallization in basic magma chambers; traceelement and Nd-isotopic variations in the Kerns Sill, Nipissing diabase province, Ontario (Lightfoot, Peter C., et al.) 4: 737-754 igneous rocks-diorites

trondhjemite: Diapiric trondhjemites of the western Dharwar Craton, southern India (Rogers, John J. W., et al.) 2: 244-256

— Progressive hydrothermal alteration associated with gold mineralization of the Zone 1 intrusion of the Callahan property, Val-d-Or region, Quebec (Jenkins, Cecilia L., et al.)

12: 2495-2506

igneous rocks-gabbros

anorthosite: Geology of the East Bull Lake gabbro-anorthosite pluton, Algoma District, Ontario

(McCrank, G. F. D., et al.) 2: 357-375

igneous rocks-geochemistry

isotopes: Lead- and strontium-isotope geochemistry of Paleozoic Sicker Group and Jurassic Bonanza Group volcanic rocks and Island Intrusions, Vancouver Island, British Columbia (Andrew Anne et al.) 5-894-907

(Andrew, Anne, et al.) 5: 894-907 trace elements: Petrogenesis of mantlederived, LILE-enriched Archean monzodiorites and trachyandesites (sanukitoids) in southwestern Superior Province (Stern, Richard A., et al.) 9: 1688-1712 igneous rocks—granites

geochemistry: Geology and geochemistry of the Burnthill Granite and related W-Sn-Mo-F mineral deposits, central New Brunswick

(MacLellan, H. E., et al.) 3: 499-514 monzogranite: Rb-Sr age and geochemical distinctions between the Carboniferous tin-bearing Davis Lake Complex and the Devonian South Mountain Batholith, Meguma Terrane, Nova Scotia (Richardson, Jean M., et al.)

10: 2044-2061

petrography: Offshore continuation of
Meguma Terrane, southwestern Nova
Scotia

(Pe-Piper, Georgia, et al.) 1: 176-191 textures: A comparison of fracture styles in two granite bodies of the Superior Province

— Geology and geophysics of the Underground Research Laboratory site, Lac du Bonnet Batholith, Manitoba (Brown, A., et al.) 2: 404-425

2: 387-403

igneous rocks—lamprophyres

(Stone, D., et al.)

genesis: Late Devonian lamprophyric dykes in the Meguma Zone of Nova Scotia (Kempster, R. M. F., et al.) 3: 611-613 igneous rocks—mafic composition

petrology: The Lac des Iles Complex, Ontario; petrology and platinum-group-elements mineralization in an Archean mafic intrusion

(Sutcliffe, Richard H., et al.) 7: 1408-1427

igneous rocks-plutonic rocks

genesis: Exemples de mélange de magmas en contexte plutonique; les enclaves des tonalites-granodiorites du massif de Bono (Sardaigne septentrionale) (Examples of mixing of magmas in a plutonic context; xenoliths in the tonalites and granodiorites of the Bono Pluton, northern Sardinia)
(Cocirta, C., et al.) 6: 1264-1281
geochemistry: The age and significance of
Carboniferous plutons of the western
Cobequid Highlands, Nova Scotia
(Pe-Piper, Georgia, et al.) 6: 1297-1307

igneous rocks-quartz diorites

geochemistry: Lead- and strontium-isotope geochemistry of the Tertiary Catface intrusions and related mineralization, Vancouver Island, British Columbia (Andrew, Anne, et al.) 5: 920-926

igneous rocks-ultramafics

Troodos Ophiolite: Constructional features of the Troodos Ophiolite and implications for the distribution of orebodies and the generation of oceanic crust (Hall, James M., et al.) 6: 1172-1184

igneous rocks-volcanic rocks

geochemistry: Geochemistry of Siluro-Devonian Tobique volcanic belt in northern and central New Brunswick (Canada); tectonic implications (Dostal, J., et al.) 6: 1282-1296

 Le Complexe d'Ascot des Appalaches du sud du Québec; pétrologie et géochimie (The Ascot Complex of the southern Quebec Appalachians; petrology and geochemistry)

(Tremblay, Alain, et al.) 12: 2407-2420

— New petrological and geochemical data on mid-Paleozoic island-arc volcanics of northern Sierra Nevada, California; evidence for a continent-based island arc (Rover, O., et al.) 12: 2465-2478

lithostratigraphy: Revised stratigraphic nomenclature and age determinations for Mid-Cretaceous volcanic rocks in southwestern British Columbia

(Thorkelson, Derek J., et al.)

10: 2016-2031
petrology: Petrology and age of volcanic-arc
rocks from the continental margin of the
Bering Sea; implications for early Eocene
relocation of plate boundaries
(Davis, Alicé S., et al.) 7: 1474-1490

incertae sedis see problematic fossils

inclusions see also fluid inclusions

inclusions-xenoliths

basalts: Exemples de mélange de magmas en contexte plutonique; les enclaves des tonalites-granodiorites du massif de Bono (Sardaigne septentrionale) (Examples of mixing of magmas in a plutonic context; xenoliths in the tonalites and granodiorites of the Bono Pluton, northern Sardinia) (Cocirta, C., et al.) 6: 1264-1281

India-geochemistry

trace elements: Diapiric trondhjemites of the western Dharwar Craton, southern India (Rogers, John J. W., et al.) 2: 244-256

India-geochronology

Archean: Diapiric trondhjemites of the western Dharwar Craton, southern India (Rogers, John J. W., et al.) 2: 244-256

intrusions see also igneous rocks; metamorphism; metasomatism intrusions—age

absolute age: Nd. Sr. and O isotopic constraints on the petrogenesis of mafic intrusions in the Proterozoic Trans-Hudson Orogen of central Canada (Hegner, E., et al.) 5: 1027-1035

intrusions-batholiths

distribution: Gravity modelling of the Saint George Batholith and adjacent terrane within the Appalachian Orogen, southern New Brunswick

(Thomas, M. D., et al.) 3-561-576 structural analysis: Geology and geophysics of the Underground Research Laboratory site. Lac du Bonnet Batholith, Manitoba 2-404-425 (Brown, A., et al.)

intrusions-contact metamorphism

hydrothermal alteration: Progressive hydrothermal alteration associated with gold mineralization of the Zone 1 intrusion of the Callahan property, Val-d-Or region, Onehec

(Jenkins, Cecilia L., et al.) 12: 2495-2506

intrusions-dikes

age: Late Devonian lamprophyric dykes in the Meguma Zone of Nova Scotia (Kempster, R. M. F., et al.) 3: 611-613

40Ar/39Ar dating of the Mealy Dykes of Labrador; paleomagnetic implications (Reynolds, P. H.)

emplacement: The geochemistry and structural significance of a set of middle Precambrian diabase dikes from the Highland Range, southwestern Montana

1-110-128 (Johnson, Eric Lee, et al.) - Subaqueous phreatomagmatic explosion breccias at Buttercup Hill, Noranda, Oue-

(Gibson, H. L., et al.) 7-1428-1439 Paleomagnetism and geochemistry of Carboniferous Sandwich Bay dykes from

coastal Labrador 11: 2278-2291

(Murthy, G., et al.)

- The structure and geological development of the Erickson gold mine, Cassiar District, British Columbia, with implications for the origin of mother-lode-type gold deposits

(Anderson, P. G., et al.) 12: 2645-2660 petrology: Determination of the finite-strain ellipsoid from deformed porphyroblastic mineral aggregates and preferentially oriented feldspars in a mylonitized metamafic dyke

(Owen, J. Victor) 11: 2333-2340

intrusions-emplacement

complexes: Grenville metagabbro complexes of the Otter Lake area, Quebec

2: 215-230 (Kretz, Ralph, et al.) structural analysis: A comparison of fracture styles in two granite bodies of the Superior Province

(Stone, D., et al.) 2: 387-403

intrusions-layered intrusions

structural analysis: Geology of the East Bull Lake gabbro-anorthosite pluton, Algoma District, Ontario (McCrank, G. F. D., et al.) 2: 357-375 intrusions-plutons

absolute age: U-Pb zircon ages for the Rice Lake area, southeastern Manitoba (Turek, A., et al.) 1.23-30

- First U-Pb zircon ages of granitoid plutons from the La Grande greenstone helt, James Bay area, New Ouebec (St. Seymour, Karen, et al.)

- The age and significance of Carboniferous plutons of the western Cobequid

Highlands, Nova Scotia

(Pe-Piper, Georgia, et al.) 6: 1297-1307 emplacement: Diapiric trondhiemites of the western Dharwar Craton, southern India (Rogers, John J. W., et al.) 2: 244-256

- Gravity and magnetic signatures of the Ackley Granite Suite, southeastern Newfoundland; implications for magma emplacement

(Miller, H. G., et al.) 12: 2697-2709

genesis: Exemples de mélange de magmas en contexte plutonique; les enclaves des tonalites-granodiorites du massif de Bono (Sardaigne septentrionale) (Examples of mixing of magmas in a plutonic context; xenoliths in the tonalites and granodiorites of the Bono Pluton, northern Sardinia) (Cocirta, C., et al.)

- Rb-Sr age and geochemical distinctions between the Carboniferous tin-bearing Davis Lake Complex and the Devonian South Mountain Batholith, Meguma Terrane, Nova Scotia

(Richardson, Jean M., et al.)

10: 2044-2061 structural analysis: Statistical analysis of the geological-hydrogeological conditions within part of the Eye-Dashwa Pluton, Atikokan, northwestern Ontario 2: 345-356

(Brown, P. A., et al.) intrusions—sills

age: Multiple ages of Nipissing Diabase intrusion; paleomagnetic evidence from the Englehart area, Ontario

(Buchan, K. L., et al.) emplacement: The age, chemistry, and tectonic setting of the middle Proterozoic Movie sills. Purcell Supergroup, southeastern British Columbia

(Hoy, Trygve) 11-2305-2317

geochemistry: Assimilation and crystallization in basic magma chambers; traceelement and Nd-isotopic variations in the Kerns Sill, Nipissing diabase province, Ontario

(Lightfoot, Peter C., et al.) 4: 737-754 intrusions-stocks

emplacement: Paleomagnetism of the 1.1 Ga Lackner Lake Complex and tectonics of the Kapuskasing structural zone

(Symons, D. T. A.) 9: 1778-1783 Invertebrata see also Arthropoda; Brachiopoda; ichnofossils; Mollusca; Porifera; problematic fossils; Trilobita

invertebrates see also brachiopods; conodonts; foraminifers; graptolites; mollusks; trilobites invertebrates-biostratigraphy

Mississippian: Stratigraphy and depositional environments of the Upper Mississippian Codroy Group; Port au Port Peninsula. western Newfoundland

(Dix, George R., et al.) 6-1089-1100 Paleozoic: Southwest New World Island stratigraphy; new fossil data, new implications for the history of the Central Mobile Relt. Newfoundland (Elliott, Colleen G., et al.)

10: 2062-2074

Ireland-geochronology

absolute age: Discovery of Martin Frobisher's Baffin Island "ore" in Ireland 5: 1053-1060 (Hogarth, D. D., et al.)

iron ores see also under economic geology under Northwest Territories

isotope dating see absolute age

isotopes see also absolute age; geochronology

isotopes—carbon

C-13/C-12: Stable isotope constraints on the role of graphite in the genesis of unconformity-type uranium deposits 3: 490-498 (Kyser, T. K., et al.)

isotopes-igneous rocks

basalts: Lead- and strontium-isotope geochemistry of the Karmutsen Formation. Vancouver Island, British Columbia

(Andrew, Anne, et al.) 5-908-919 Early Tertiary basalts from the Labrador Sea floor and Davis Strait region

(Clarke, D. B., et al.) 5: 956-968 quartz diorites: Lead- and strontium-isotope geochemistry of the Tertiary Catface intrusions and related mineralization, Vancouver Island, British Columbia 5: 920-926

(Andrew, Anne, et al.) volcanic rocks: Lead- and strontium-isotope geochemistry of Paleozoic Sicker Group and Jurassic Bonanza Group volcanic rocks and Island Intrusions, Vancouver Island, British Columbia

(Andrew, Anne, et al.) 5-894-907 - New petrological and geochemical data on mid-Paleozoic island-arc volcanics of northern Sierra Nevada, California; evidence for a continent-based island arc 12-2465-2478 (Rover, O., et al.)

isotopes-lead

metal ores: Metallogenesis of the Abitibi greenstone belt of Canada; a contribution from the analysis of trace lead in sulfide minerals (Deloule, Etienne, et al.) 12: 2529-2540

isotopes-metamorphic rocks

metaigneous rocks: Nd, Sr, and O isotopic constraints on the petrogenesis of mafic intrusions in the Proterozoic Trans-Hudson Orogen of central Canada 5: 1027-1035 (Hegner, E., et al.)

-neodymium

Nd-144/Nd-143: Assimilation and crystallization in basic magma chambers; traceelement and Nd-isotopic variations in the Kerns Sill, Nipissing diabase province, Ontario (Lightfoot, Peter C., et al.) 4: 737-754 isotopes-oxygen

O-18/O-16: Paleohydrology of a Canadian Shield inferred from ¹⁸O in sediment cellulose

(Edwards, T. W. D., et al.)

9: 1850-1859

11: 2318-2326

isotopes-sedimentary rocks

carbonate rocks: Diagenetic evolution of a Late Silurian reef platform, Gaspé Basin, Quebec, based on cathodoluminescence petrography

(Savard, Martine, et al.) 4: 791-806 dolostone: Stratigraphic variations in carbon and oxygen isotopes in the dolostone of the Carswell Formation (Proterozoic) of northern Saskatchewan

isotopes-strontium

(Abell, P. I., et al.)

Sr-87/Sr-86: Rb-Sr age and geochemical distinctions between the Carboniferous tin-bearing Davis Lake Complex and the Devonian South Mountain Batholith, Meguma Terrane, Nova Scotia (Richardson, Jean M., et al.)

10: 2044-2061

— Petrochemical and stratigraphic aspects of North Mountain Basalt from the north shore of the Bay of Fundy, Nova Scotia,

Canada (Greenough, John D., et al.)

12: 2710-2717

isotopes-sulfur

S-34/S-32: Sulphur isotopic composition of sulphides from the Beaver Dam and other Meguma-Group-hosted gold deposits, Nova Scotia; implications for genetic models

(Kontak, Daniel J., et al.) 8: 1617-1629

isotopes-thermal waters

analysis: Geochemistry and isotope hydrogeology of the Mount Edziza-Mess Creek geothermal area (Clark, Ian D., et al.) 6: 1160-1171

Jurassic see also under stratigraphy under Alberta; British Columbia; Nova Scotia

Labrador—geochemistry

trace elements: The early Archaean Nulliak (supracrustal) assemblage, northern Labrador

(Nutman, A. P., et al.) 10: 2159-2168

— Paleomagnetism and geochemistry of Carboniferous Sandwich Bay dykes from

coastal Labrador

(Murthy, G., et al.) 11: 2278-2291

Labrador—geochronology
Archean: Sr and Nd isotope systematics of
polymetamorphic Archean gneisses from
southern West Greenland and northern
Labrador

(Collerson, Kenneth D., et al.) 3: 446-466

— Ion probe U-Th-Pb zircon dating of polymetamorphic orthogneisses from northern Labrador, Canada (Schiotte, L., et al.)

8: 1533-1556

Rb-Sr geochronology of the Archaean Maggo Gneiss from the Hopedale Block, Nain Province, Labrador (Finn, Gregory C.)
 12: 2512-2522

 U-Th-Pb ages of single zircons in Archaean supracrustals from Nain Province, Labrador, Canada

(Schiotte, L., et al.) 12: 2636-2644 Proterozoic: Chronologie Rb/Sr et K/Ar du granite peralcalin du lac Brisson, Labrador central, Nouveau-Québec (Rb/Sr and K/Ar age of the peralkaline granite of Brisson Lake, central Labrador, Ungava) (Pillet, D., et al.) 2: 328-332

 40Ar/39Ar dating of the Mealy Dykes of Labrador; paleomagnetic implications (Reynolds, P. H.)
 8: 1567-1573

Quaternary: Late Quaternary chronology and environments of Square Lake, Torngat Mountains, Labrador (Clark, Peter U., et al.) 10: 2130-2144

Labrador-geomorphology

glacial geology: Reconstructed ice-flow patterns and ice limits using drift pebble lithology, outer Nachvak Fiord, northern Labrador (Bell, Trevor, et al.) 3: 577-590

Labrador-sedimentary petrology

sedimentary rocks: Deposition and alteration of volcaniclastic strata in two large, early Proterozoic iron-formations in Canada

(Hassler, Scott W., et al.) 8: 1574-1585

Labrador-stratigraphy

Carboniferous: Paleomagnetism and geochemistry of Carboniferous Sandwich Bay dykes from coastal Labrador (Murthy, G., et al.) 11: 2278-2291

(Murthy, G., et al.) 11: 2278-2291 Proterozoic: Paleomagnetism of pre-Grenvillian mafic intrusions from the Grenville Province, Southeast Labrador (Murthy, G., et al.) 12: 2541-2555

Labrador-structural geology

deformation: Determination of the finitestrain ellipsoid from deformed porphyroblastic mineral aggregates and preferentially oriented feldspars in a mylonitized metamafic dyke (Owen, J. Victor) 11: 2333-2340

lamprophyres see under igneous rocks

landform evolution see under geomorphology lava see also igneous rocks; magmas

lava—composition chemical composition: Cyclical variation in composition in continent tholeites of East Greenland (Hogg, A. J., et al.) 3: 534-543

lava—geochemistry
isotopes: Lead- and strontium-isotope geochemistry of the Karmutsen Formation,

Vancouver Island, British Columbia (Andrew, Anne, et al.) 5: 908-919 trace elements: Early Tertiary basalts from

trace elements: Early Tertiary basalts from the Labrador Sea floor and Davis Strait region (Clarke, D. B., et al.) 5: 956-968

 Quantitative trace-element modelling of the crystallization history of the Kinojévis and Blake River groups, Abitibi greenstone belt, Ontario

(Fowler, A. D., et al.)
7: 1356-1367
Eocene sedimentation and volcanism in the Fig Lake Graben, southwestern British Columbia
(Thorkelson, Derek J.)
7: 1368-1373

 Petrology and age of volcanic-arc rocks from the continental margin of the Bering Sea; implications for early Eocene relocation of plate boundaries

(Davis, Alicé S., et al.) 7: 1474-1490
— Geochemistry of Neohelikian Nauyat plateau basalts, Borden rift basin, northwestern Baffin Island, Canada (Dostal, J., et al.) 11: 2214-2223

(Dostal, J., et al.)
 11: 2214-2223
 New petrological and geochemical data on mid-Paleozoic island-arc volcanics of northern Sierra Nevada, California; evidence for a continent-based island arc (Royer, O., et al.)
 12: 2465-2478

 Petrochemical and stratigraphic aspects of North Mountain Basalt from the north shore of the Bay of Fundy, Nova Scotia, Canada

(Greenough, John D., et al.)

12: 2710-2717

lava-observations

lava flows: Neogene Chilcotin basalts in south-central British Columbia; geology, ages, and geomorphic history (Mathews, W. H.) 5: 969-982

lead-geochemistry

sulfides: Metallogenesis of the Abitibi greenstone belt of Canada; a contribution from the analysis of trace lead in sulfide minerals

(Deloule, Etienne, et al.) 12: 2529-2540

lead-isotopes

ratios: Lead- and strontium-isotope geochemistry of Paleozoic Sicker Group and Jurassic Bonanza Group volcanic rocks and Island Intrusions, Vancouver Island, British Columbia

(Andrew, Anne, et al.) 5: 894-907

— Lead- and strontium-isotope geochemistry of the Karmutsen Formation, Vancouver Island, British Columbia

(Andrew, Anne, et al.) 5: 908-919
— Lead- and strontium-isotope geochemistry of the Tertiary Catface intrusions and related mineralization, Vancouver Island, British Columbia

(Andrew, Anne, et al.) 5: 920-926

lineation see also foliation; structural analysis liquid inclusions see fluid inclusions

loess see under tephrochronology under geochronology

magmas see also igneous rocks; intrusions; lava

magmas—contamination
continental crust: Le Complexe d'Ascot des

Appalaches du sud du Québec; pétrologie et géochimie (The Ascot Complex of the southern Quebec Appalachians; petrology and geochemistry) (Tremblay, Alain, et al.) 12: 2407-2420

geochemistry: Lead- and strontium-isotope geochemistry of the Karmutsen Formation, Vancouver Island, British Columbia (Andrew, Anne, et al.) 5: 908-919

magmas-differentiation

fractional crystallization: The geochemistry and structural significance of a set of middle Precambrian diabase dikes from the Highland Range, southwestern Montana

(Johnson, Eric Lee, et al.) 1: 119-128

- Assimilation and crystallization in basic magma chambers; trace-element and Ndisotopic variations in the Kerns Sill, Nipissing diabase province, Ontario (Lightfoot, Peter C., et al.)

4: 737-754 - Quantitative trace-element modelling of the crystallization history of the Kinojévis and Blake River groups, Abitibi greenstone belt, Ontario

(Fowler, A. D., et al.) 7: 1356-1367

magmas_evolution

hybridization: Cyclical variation in composition in continent tholeiites of East Greenland

(Hogg, A. J., et al.) 3: 534-543 - The Lac des Iles Complex, Ontario; petrology and platinum-group-elements mineralization in an Archean mafic intrusion

(Sutcliffe, Richard H., et al.)

7: 1408-1427 rifting: Anorogenic magmatism and the

Grenvillian Orogeny

(Windley, Brian F.) 3: 479-489 volcanism: Tectonostratigraphic evolution of the early Proterozoic Wisconsin magmatic terranes of the Penokean Orogen 10: 2145-2158 (Sims, P. K., et al.)

magmas-genesis

anatexis: Rb-Sr age and geochemical distinctions between the Carboniferous tinbearing Davis Lake Complex and the Devonian South Mountain Batholith, Meguma Terrane, Nova Scotia (Richardson, Jean M., et al.)

10: 2044-2061 geochemistry: Geochemistry of Neohelikian Nauyat plateau basalts, Borden rift basin, northwestern Baffin Island, Canada

(Dostal, J., et al.) 11: 2214-2223

hybridization: Exemples de mélange de magmas en contexte plutonique; les enclaves des tonalites-granodiorites du massif de Bono (Sardaigne septentrionale) (Examples of mixing of magmas in a plutonic context; xenoliths in the tonalites and granodiorites of the Bono Pluton, northern Sardinia)

(Cocirta, C., et al.) 6: 1264-1281 partial melting: Diapiric trondhjemites of the western Dharwar Craton, southern India

(Rogers, John J. W., et al.) 2: 244-256 - The geology and geochemistry of an early Proterozoic volcanic-arc association at Cartwright Lake; Lynn Lake greenstone belt, northwestern Manitoba

(Peck, D. C., et al.) 4: 716-736 subduction zones: The Topsails igneous suite, western Newfoundland; an Early Silurian subduction-related magmatic suite?

(Whalen, Joseph B.) 12: 2421-2434

magmas-geochemistry

trace elements: Early Tertiary basalts from the Labrador Sea floor and Davis Strait region

(Clarke, D. B., et al.) 5: 956-968 magnetic surveys see under geophysical surveys under Nova Scotia

magnetism of rocks and minerals see paleomagnetism

magnetotelluric surveys see under geophysical surveys under Mauritania; Senegal

Mali-geochronology

Proterozoic: Late Proterozoic arc-continent and continent-continent collision in the Pan-African Trans-Saharan Belt of Mali (Caby, Renaud, et al.) 6: 1136-1146

Mammalia-faunal studies

Pleistocene: Extinct muskox and other additions to the late Pleistocene Riddell local fauna, Saskatoon, Canada (Skwara, T., et al.)

mammals-rodents

Quaternary: Paleoecological implications of late Pleistocene and Holocene microtine rodents from the Bluefish Caves, northern Yukon Territory (Morlan, Richard E.)

Manitoba-economic geology

gold ores: Auriferous chert, banded iron formation, and related volcanogenic hydrothermal alteration, Atik Lake, Manito-(Bernier, Louis R., et al.) 12: 2676-2690

Manitoba-engineering geology

waste disposal: A comparison of fracture styles in two granite bodies of the Superior Province 2: 387-403 (Stone, D., et al.)

Geology and geophysics of the Underground Research Laboratory site, Lac du Bonnet Batholith, Manitoba 2: 404-425 (Brown, A., et al.)

Manitoba-geochemistry

trace elements: The geology and geochemistry of an early Proterozoic volcanic-arc association at Cartwright Lake; Lynn Lake greenstone belt, northwestern Manitoba (Peck, D. C., et al.) 4:716-736

Manitoba-geochronology

Archean: U-Pb zircon ages for the Rice Lake area, southeastern Manitoba (Turek, A., et al.)

Proterozoic: Nd, Sr, and O isotopic constraints on the petrogenesis of mafic intrusions in the Proterozoic Trans-Hudson Orogen of central Canada (Hegner, E., et al.) 5: 1027-1035

Manitoba-stratigraphy

Holocene: Holocene evolution of the Assiniboine River paleochannels and Portage la Prairie alluvial fan (Rannie, W. F., et al.) 9: 1834-1841

Manitoba-structural geology

tectonics: Structural petrology along a transect across the Thompson Belt, Manitoba; dip slip at the western Churchill-Superior boundary (Fueten, Frank, et al.) 10: 1976-1989

mantle see also under geochemistry under

Canadian Shield

marine sediments see under sediments

Mauritania-geophysical surveys

magnetotelluric surveys: Geologic sections across the onshore Senegal-Mauritania Basin derived from geoelectric studies (Ritz. M., et al.) 1:65-73

Mediterranean region see also the individual countries: Sardinia

Mediterranean region-tectonophysics

heat flow: Preliminary heat-flow density data from Tunisia and the Pelagian Sea (Lucazeau, Francis, et al.) 5: 993-1000

Mediterranean Sea see also Sardinia

Mediterranean Sea-geophysical surveys heat flow: Preliminary heat-flow density data from Tunisia and the Pelagian Sea 5-993-1000 (Lucazeau, Francis, et al.)

meetings see symposia

Mesozoic see also under stratigraphy under Alberta: British Columbia: Greece

metal ores see also gold ores; see also under economic geology under Canadian Shield; Ontario

metals-geochemistry

effluents: Metal uptake and Fe-, Ti-oxide biomineralization by acidophilic microorganisms in mine-waste environments, Elliot Lake. Canada (Mann, H., et al.) 12: 2731-2735

metamorphic rocks see also igneous rocks; metamorphism; metasomatism

metamorphic rocks-geochemistry

trace elements: Offshore continuation of Meguma Terrane, southwestern Nova Scotia (Pe-Piper, Georgia, et al.) 1: 176-191

metamorphic rocks-gneisses

orthogneiss: Ion probe U-Th-Pb zircon dating of polymetamorphic orthogneisses from northern Labrador, Canada (Schiotte, L., et al.) 8: 1533-1556

petrology: A note on the Quesnel Lake Gneiss, Caribou Mountains, British Co-(Montgomery, John R., et al.)

7: 1503-1508

metamorphic rocks-metaigneous rocks geochemistry: Nd, Sr, and O isotopic constraints on the petrogenesis of mafic intrusions in the Proterozoic Trans-Hudson Orogen of central Canada

(Hegner, E., et al.) 5: 1027-1035 metabasalt: Geochemistry of Neohelikian Nauyat plateau basalts, Borden rift basin, northwestern Baffin Island, Canada

(Dostal, J., et al.) 11: 2214-2223 metadiabase: The geochemistry and structural significance of a set of middle Precambrian diabase dikes from the Highland Range, southwestern Montana 1-119-128

(Johnson, Eric Lee, et al.) metafelsite: Geochemistry and U-Pb zircon age of comenditic metafelsites of the Tibbit Hill Formation, Quebec Appalachians (Kumarapeli, P. Stephen, et al.) 7: 1374-1383

metagabbro: Grenville metagabbro complexes of the Otter Lake area, Quebec (Kretz, Ralph, et al.) 2: 215-230 metamorphic rocks-metasedimentary rocks composition: Mineralogy and geochemistry of an Archean tuffaceous exhalite; the Main Contact Tuff, Millenbach Mine area, Noranda, Quebec

(Kalogeropoulos, Stavros I., et al.) 1: 88-105

- The early Archaean Nulliak (supracrustal) assemblage, northern Labrador

10: 2159-2168 (Nutman, A. P., et al.) lithostratigraphy: Kennedy Channel Formation; key to the early history of the Franklinian continental margin, central eastern Ellesmere Island, Arctic Canada (Long, D. G. F.) 6: 1147-1159

petrology: A regional perspective of the Quetico metasedimentary belt, Superior

Province, Canada

(Percival, John A.) provenance: Evolution of an Archean subprovince boundary; a sedimentological and structural study of part of the Wabigoon-Ouetico boundary in northern On-

(Devaney, Jonathan R., et al.)

5-1013-1026 textures: Grenville orogenic affinities in the Red Mountain area, Llano Uplift, Texas (Carter, Karen E.) 6: 1124-1135

- Sedimentology of an Archean submarine channel-fill deposit in the Abitibi greenstone belt of Canada

(David, Jean, et al.) 7: 1453-1462

metamorphic rocks-metavolcanic rocks genesis: Tectonostratigraphic evolution of the early Proterozoic Wisconsin magmatic terranes of the Penokean Orogen

(Sims, P. K., et al.) 10: 2145-2158 geochemistry: Quantitative trace-element modelling of the crystallization history of the Kinojévis and Blake River groups, Abitibi greenstone belt, Ontario 7: 1356-1367

(Fowler, A. D., et al.) - Petrochemistry of the Yellowknife volcanic suite at Yellowknife, N.W.T.

(Cunningham, M. P., et al.) 8: 1630-1646

petrology: The geology and geochemistry of an early Proterozoic volcanic-arc association at Cartwright Lake: Lvnn Lake greenstone belt, northwestern Manitoba (Peck, D. C., et al.) 4: 716-736

metamorphic rocks-mylonites textures: P-T history and kinematics of the Monashee Décollement near Revelstoke, British Columbia

(Lane, Larry S., et al.) 2: 231-243 - Determination of the finite-strain ellipsoid from deformed porphyroblastic mineral aggregates and preferentially oriented feldspars in a mylonitized metamafic dyke (Owen, J. Victor) 11: 2333-2340

metamorphism see also metamorphic rocks; metasomatism

metamorphism-evolution

absolute age: U-Pb geochronology of reactivated Archean basement and of Hudsonian metamorphism in the northern Labrador Trough (Machado, N., et al.) 1: 1-15 metamorphism-grade

isograds: Geometric relationship between the Scrip Nappe and metamorphic isograds in the northern Adams River area, Monashee Mountains, British Columbia (Sevigny, James H., et al.) 3-606-610 metamorphism-P-T conditions

evolution: U-Pb. Rb-Sr. and K-Ar isotopic constraints for ductile deformation and related metamorphism in the Teslin suture zone. Yukon-Tanana Terrane, south-central Yukon

(Hansen, Vicki L., et al.) 11: 2224-2235 facies: The geochemistry and structural significance of a set of middle Precambrian diabase dikes from the Highland Range, southwestern Montana

(Johnson, Eric Lee, et al.) metamorphic belts: A regional perspective of the Quetico metasedimentary belt, Superior Province, Canada

(Percival, John A.) mylonitization: P-T history and kinematics

of the Monashee Décollement near Revelstoke, British Columbia 2: 231-243 (Lane, Larry S., et al.)

metamorphism-polymetamorphism

absolute age: Sr and Nd isotope systematics of polymetamorphic Archean gneisses from southern West Greenland and northern Lahrador (Collerson, Kenneth D., et al.)

3-446-466

- Ion probe U-Th-Pb zircon dating of polymetamorphic orthogneisses from northern Labrador, Canada

8: 1533-1556 (Schiotte, L., et al.) evolution: Grenville orogenic affinities in the Red Mountain area, Llano Uplift, Texas (Carter, Karen E.) 6: 1124-1135

metamorphism-regional metamorphism absolute age: An 40Ar/39Ar study of the Cape Breton Highlands, Nova Scotia; thermal histories and tectonic implica-

(Reynolds, P. H., et al.) 10: 2081-2091 reactions: Grenville metagabbro complexes of the Otter Lake area, Quebec 2-215-230 (Kretz, Ralph, et al.)

metamorphism-thermal metamorphism

indicators: Graptolites as indicators of regional maturity in lower Paleozoic sediments, Selwyn Basin, Yukon and Northwest Territories, Canada

(Riediger, C., et al.) 10: 2003-2015 metasomatic rocks see also igneous rocks; metamorphic rocks; metamorphism; metasomatism

metasomatic rocks-geochemistry

trace elements: Distribution et comportement du bore dans la croûte océanique (Distribution and behavior of boron in the oceanic crust) (Bergeron, Mario) 4: 782-790

metasomatism see also metamorphism; metasomatic rocks

metasomatism-geochemistry

potassium: Source processes for Archean Au-Ag vein deposits; evidence for lithophile-element systematics of the Hollinger-McIntyre and Buffalo Ankerite deposite Timmine (Kerrich, R.) 4: 755-781

metasomatism-processes

albitization: Progressive hydrothermal alteration associated with gold mineralization of the Zone 1 intrusion of the Callahan property, Val-d-Or region, Quebec (Jenkins, Cecilia L., et al.)

12-2495-2506 serpentinization: Distribution et comportement du bore dans la croûte océanique (Distribution and behavior of boron in the oceanic crust) 4: 782-790

(Bergeron, Mario)

meteor craters see also meteorites meteorites-meteorite flux

observations: Alberta bolide of June 1, 1982: interpretation of photographic and seismic records

(Cumming, G. L.) 7: 1350-1355

methods see under paleomagnetism Middle East see also Cyprus

Midwest see also Wisconsin

mineral deposits, genesis—gold ores
epigene processes: Geology of unmineralized and gold-bearing iron formation, Contwovto Lake - Point Lake region, Northwest Territories, Canada (Lhotka, Paul G., et al.) 1-46-64

exhalative processes: Auriferous chert, banded iron formation, and related volcanogenic hydrothermal alteration, Atik Lake, Manitoba

(Bernier, Louis R., et al.) 12: 2676-2690 hydrothermal processes: Progressive hydrothermal alteration associated with gold mineralization of the Zone 1 intrusion of the Callahan property, Val-d-Or region, Quebec

(Jenkins, Cecilia L., et al.)

12: 2495-2506

igneous processes: Lead- and strontium-isotope geochemistry of the Tertiary Catface intrusions and related mineralization, Vancouver Island, British Columbia (Andrew, Anne, et al.) 5: 920-926

interpretation: Sulphur isotopic composition of sulphides from the Beaver Dam and other Meguma-Group-hosted gold deposits, Nova Scotia; implications for genetic models

(Kontak, Daniel J., et al.) 8: 1617-1629 metallogenic epochs: U-Pb zircon geochronology in the southwestern Abitibi greenstone belt, Superior Province (Corfu, F., et al.) 9: 1747-1763

ore-forming fluids: Lithophile-element systematics of Archean greenstone belt Au-Ag vein deposits; implications for source processes [discussion and reply]

(Burrows, D. R., et al.) 12: 2741-2748 ore transport: Le transport chimique de l'or dans les environnements de surface; formation d'un colloïde et complexation organique (Chemical transport of gold in a surface environment: formation of a colloid and organic complexing)

(Bergeron, Mario, et al.) 11: 2327-2332 structural controls: Structural control of gold mineralization at the Bousquet Mine, Abitibi, Quebec

(Tourigny, Ghislain, et al.) 1: 157-175 - Erratum: Structural control of gold mineralization at the Bousquet Mine, Abitibi, Quebec

(Tourigny, Ghislain, et al.) 5: 1087 - The structure and geological development of the Erickson gold mine, Cassiar District, British Columbia, with implications for the origin of mother-lode-type gold deposits

(Anderson, P. G., et al.) 12: 2645-2660 mineral deposits, genesis-metal ores

environment: Metallogenesis of the Abitibi greenstone belt of Canada; a contribution from the analysis of trace lead in sulfide minerals

(Deloule, Etienne, et al.) 12: 2529-2540 volcanic processes: Lead- and strontium-isotope geochemistry of Paleozoic Sicker Group and Jurassic Bonanza Group volcanic rocks and Island Intrusions, Vancouver Island, British Columbia

(Andrew, Anne, et al.) 5: 894-907 mineral deposits, genesis-platinum ores

igneous processes: The Lac des Iles Complex, Ontario; petrology and platinum-groupelements mineralization in an Archean mafic intrucion (Sutcliffe, Richard H., et al.)

7: 1408-1427

mineral deposits, genesis-polymetallic ores exhalative processes: Mineralogy and geochemistry of an Archean tuffaceous exhalite: the Main Contact Tuff, Millenbach Mine area, Noranda, Ouebec (Kalogeropoulos, Stavros I., et al.)

1:88-105

hydrothermal processes: Source processes for Archean Au-Ag vein deposits; evidence for lithophile-element systematics of the Hollinger-McIntyre and Buffalo Ankerite deposits, Timmins (Kerrich, R.) 4: 755-781

interpretation: Geology and geochemistry of the Burnthill Granite and related W-Sn-Mo-F mineral deposits, central New Brunswick

(MacLellan, H. E., et al.) 3: 499-514

mineral deposits, genesis-processes hydrothermal processes: Multiple hydrothermal and metamorphic events in the Kidd Creek volcanogenic massive sulphide deposit, Timmins, Ontario; evidence from tourmalines and chlorites (Slack, John F., et al.) 4: 694-715

mineral deposits, genesis-tin ores geochemical controls: Paragenesis of veins of the Duck Pond tin prospect, Meguma Group, East Kemptville, Nova Scotia (Pitre, Christian V., et al.)

10: 2032-2042 interpretation: Rb-Sr age and geochemical distinctions between the Carboniferous tin-bearing Davis Lake Complex and the Devonian South Mountain Batholith Meguma Terrane, Nova Scotia (Richardson, Jean M., et al.)

10-2044-2061

mineral deposits, genesis-tungsten ores hydrothermal processes: Hydrothermal alter-

ation, veining, and fluid-inclusion characteristics of the Kalzas wolframite deposit. Vukon 10: 2106-2115

(Lvnch, J. V. Gregory) mineral deposits, genesis-uranium ores

geochemical controls: Stable isotope constraints on the role of graphite in the genesis of unconformity-type uranium deposits

(Kyser, T. K., et al.) hydrothermal processes: U-Pb, Pb-Pb, and K-Ar isotopic study and petrography of uraniferous phosphate-bearing rocks in the Thelon Formation, Dubawnt Group, Northwest Territories, Canada (Miller, A. R., et al.) 5-867-880

mineral exploration—ore guides

gold ores: Progressive hydrothermal alteration associated with gold mineralization of the Zone 1 intrusion of the Callahan property, Val-d-Or region, Quebec (Jenkins, Cecilia L., et al.)

12: 2495-2506 gossan: Constructional features of the Troodos Ophiolite and implications for the distribution of orebodies and the generation of oceanic crust (Hall, James M., et al.) 6: 1172-1184

mineral prospecting see mineral exploration

mineral resources see also the individual depos-

minerals-framework silicates, silica minerals

quartz: Erratum; Microscopic planar features in quartz from Scollard Canvon. Alberta, and the Cretaceous-Tertiary boundary event (Grieve, R. A. F., et al.) 2.338

minerals-native elements

graphite: Stable isotope constraints on the role of graphite in the genesis of unconformity-type uranium deposits 3-490-498 (Kyser, T. K., et al.)

minerals-ring silicates

tourmaline: Multiple hydrothermal and metamorphic events in the Kidd Creek volcanogenic massive sulphide deposit, Timmins, Ontario; evidence from tourmalines and chlorites 4: 694-715 (Slack, John F., et al.)

minerals-sheet silicates, clay minerals

occurrence: Formation de phyllosilicates dans les roches carbonatées cristallines de La Mauricie, Québec (Formation of sheet silicates in crystalline carbonate rocks at La Mauricie, Quebec) (de Kimpe, Christian) 7: 1463-1473

mining geology—history gold ores: Discovery of Martin Frobisher's Baffin Island "ore" in Ireland (Hogarth, D. D., et al.) 5: 1053-1060

miospores see under palynomorphs

Mississippian see also under stratigraphy under Newfoundland

Mohorovicic discontinuity see also crust; see also under tectonophysics under Canada

Mollusca—Bellerophontina

Cambrian: A Lower Cambrian Eotebenna (Mollusca) from Arctic North America (Peel, John S.) 7: 1501-1503

mollusks-ammonoids

Cretaceous: The first radiometric ages from the Judith River Formation (Upper Cretaceous), Hill County, Montana (Goodwin, Mark B., et al.) 7: 1384-1391

Jurassic: New Rathonian (Middle Jurassic) ammonite faunas from the Fernie Formation, southern Alberta (Hall, Russell L.) 1: 16-22

mollusks-paleoecology

Holocene: Holocene vegetation, climate, and lake-level changes in the Interior Douglasfir Biogeoclimatic Zone, British Columbia (Mathewes, Rolf W., et al.)

9-1811-1825

Montana-geochronology

Cretaceous: The first radiometric ages from the Judith River Formation (Upper Cretaceous), Hill County, Montana (Goodwin, Mark B., et al.) 7: 1384-1391

Montana-petrology

intrusions: The geochemistry and structural significance of a set of middle Precambrian diabase dikes from the Highland Range. southwestern Montana (Johnson, Eric Lee, et al.) 1-119-128

Montana-structural geology

tectonics: Out-of-sequence thrust faulting and duplex formation in the Lewis thrust system, Spot Mountain, southeastern Glacier National Park, Montana (Hudec, Michael R., et al.)

11: 2356-2364

mud volcanoes see also volcanology museums see also associations nappes see under orientation under folds native elements see under minerals

neodymium-isotopes

Nd-144/Nd-143: Assimilation and crystallization in basic magma chambers; traceelement and Nd-isotopic variations in the Kerns Sill, Nipissing diabase province, Ontario

(Lightfoot, Peter C., et al.) 4: 737-754 Early Tertiary basalts from the Labrador Sea floor and Davis Strait region

5: 956-968 (Clarke, D. B., et al.) - Nd, Sr, and O isotopic constraints on the petrogenesis of mafic intrusions in the Proterozoic Trans-Hudson Orogen of central Canada (Hegner, E., et al.)

5: 1027-1035 - New petrological and geochemical data on mid-Paleozoic island-arc volcanics of northern Sierra Nevada, California; evidence for a continent-based island arc (Rover, O., et al.) 12: 2465-2478

Neogene see also under geochronology under British Columbia

neotectonics see also under structural geology under Ontario

New Brunswick-economic geology

polymetallic ores: Geology and geochemistry of the Burnthill Granite and related W-Sn-Mo-F mineral deposits, central New Brunswick 3-499-514

(MacLellan, H. E., et al.)

New Brunswick-geochemistry

trace elements: Geology and geochemistry of the Burnthill Granite and related W-Sn-Mo-F mineral deposits, central New Brunswick

(MacLellan, H. E., et al.) 3: 499-514

- Geochemistry of Siluro-Devonian Tobique volcanic belt in northern and central New Brunswick (Canada); tectonic implications

(Dostal, J., et al.) 6: 1282-1296 New Brunswick-geophysical surveys

gravity surveys: Gravity modelling of the Saint George Batholith and adjacent terrane within the Appalachian Orogen, southern New Brunswick (Thomas, M. D., et al.) 3: 561-576

New Brunswick-oceanography

continental margin: Crustal structure and surface zonation of the Canadian Appalachians; implications of deep seismic reflection data

(Marillier, François, et al.) 2: 305-321

New Brunswick-seismology

earthquakes: Microearthquake survey of the Miramichi, New Brunswick, epicentral region, 1985 (Burke, Kenneth B. S., et al.)

12: 2567-2577

Newfoundland-geochemistry

trace elements: The Topsails igneous suite, western Newfoundland; an Early Silurian subduction-related magmatic suite? (Whalen, Joseph B.) 12: 2421-2434

Newfoundland-geophysical surveys

surveys: Gravity and magnetic signatures of the Ackley Granite Suite, southeastern Newfoundland; implications for magma emplacement 12: 2697-2709

(Miller, H. G., et al.) Newfoundland-oceanography

continental margin: Crustal structure and surface zonation of the Canadian Appalachians; implications of deep seismic reflection data

(Marillier, François, et al.) 2: 305-321 - The continent-ocean boundary south of Flemish Cap; constraints from seismic refraction and gravity

(Todd, B. J., et al.) 7: 1392-1407 Sedimentary processes along Flemish Pass, offshore Eastern Canada; a GLORIA and high-resolution seismic reconnaissance

(Jacobs, Colin L.) 11: 2177-2185

Newfoundland-stratigraphy

Mississippian: Stratigraphy and depositional environments of the Upper Mississippian Codroy Group; Port au Port Peninsula, western Newfoundland

6: 1089-1100 (Dix, George R., et al.) Ordovician: Southwest New World Island stratigraphy; new fossil data, new implications for the history of the Central Mobile Belt. Newfoundland (Elliott, Colleen G., et al.)

10: 2062-2074

Tremadocian (Early Ordovician) nauplius-like larvae from the Middle Arm Point Formation, Bay of Islands, western Newfoundland

(Roy, Kaustuv, et al.) 9: 1802-1806 Silurian: Paleomagnetism of the Lawrenceton Formation volcanic rocks, Silurian Botwood Group, Change Islands, New-

foundland

(Gales, Julie E., et al.) 2: 296-304 - Early Silurian paleopole for redbeds and volcanics of the King George IV Lake area, Newfoundland

(Buchan, K. L., et al.) 10: 1904-1917 North America see also Appalachians; Canada; Great Lakes; Great Lakes region; Rocky Mountains

North America-structural geology

tectonics: Anorogenic magmatism and the Grenvillian Orogeny (Windley, Brian F.) 3: 479-489 Northern Hemisphere see also Arctic Ocean;

Atlantic Ocean; North America; Pacific Ocean

Northwest Territories-areal geology

expeditions: Discovery of Martin Frobisher's Baffin Island "ore" in Ireland (Hogarth, D. D., et al.) 5: 1053-1060 Northwest Territories-economic geology

gold ores: Geology of unmineralized and gold-bearing iron formation, Contwoyto Lake - Point Lake region, Northwest Territories, Canada

(Lhotka, Paul G., et al.) 1:46-64 iron ores: Geology of unmineralized and gold-bearing iron formation, Contwoyto Lake - Point Lake region, Northwest Territories, Canada

(Lhotka, Paul G., et al.) 1:46-64

Northwest Territories—geochemistry trace elements: Petrochemistry of the Yellowknife volcanic suite at Yellowknife,

> (Cunningham, M. P., et al.) 8: 1630-1646

- Geochemistry of Neohelikian Nauyat plateau basalts, Borden rift basin, northwestern Baffin Island, Canada 11: 2214-2223 (Dostal, J., et al.)

Northwest Territories—geochronology Pleistocene: The last glaciation of Marvin Peninsula, northern Ellesmere Island,

High Arctic, Canada

(Lemmen, Donald S.) 12: 2578-2590 - Th-U disequilibrium dating of middle and late Pleistocene wood and shells from Banks and Victoria islands, Arctic Canada (Causse, Christiane, et al.)

12: 2718-2723 Precambrian: Sm-Nd isochron from a granodiorite-granite complex in the Portman Lake region, Northwest Territories (Stevenson, Ross K., et al.)

12: 2724-2729 Proterozoic: U-Pb, Pb-Pb, and K-Ar isotopic study and petrography of uraniferous phosphate-bearing rocks in the Thelon

Formation, Dubawnt Group, Northwest Territories, Canada

(Miller, A. R., et al.) 5: 867-880

Northwest Territories-geomorphology glacial geology: Near-surface soil displacement in sorted circles, Resolute area, Cornwallis Island, Canadian High Arctic (Washburn, A. L.) 5- 941-955

Northwest Territories—geophysical surveys electromagnetic surveys: Electromagnetic sounding and crustal electrical conductivity in the region of the Wopmay Orogen, Northwest Territories, Canada (Camfield, P. A., et al.) 11: 2385-2395

Northwest Territories-oceanography

continental shelf: Crustal structure of the Canadian polar margin; results of the 1985 seismic refraction survey 5: 853-866

(Asudeh, I., et al.) - Latest Quaternary and Holocene paleoceanography of the eastern Baffin Island continental shelf, Canada; benthic

foraminiferal evidence (Osterman, Lisa E., et al.)

11: 2236-2248

- Siliceous sponge communities, biological zonation, and Recent sea-level change on the Arctic margin; Ice Island results (Van Wagoner, Nancy A., et al.) 11: 2341-2355

Northwest Territories-paleontology

Porifera: Silurian Archaeoscyphia from the Canadian Arctic; a case for simplified generic taxonomy in the anthaspidellid lithistids (Porifera) (de Freitas, Tim A.) 10: 1861-1879

Northwest Territories-stratigraphy

Cambrian: Palynology of uppermost Proterozoic and lowermost Cambrian formations, central Mackenzie Mountains, northwestern Canada (Baudet, D., et al.) 1: 129-148

- Kennedy Channel Formation; key to the early history of the Franklinian continental margin, central eastern Ellesmere Island, Arctic Canada

6: 1147-1159 (Long, D. G. F.) - Ella Bay Formation; Early Cambrian shelf differentiation in the Franklinian Basin, central eastern Ellesmere Island, Arctic Canada

(Long, D. G. F.) 12: 2621-2635 changes of level: Late Quaternary seismic stratigraphy of the inner shelf seaward of the Tuktoyaktuk Peninsula, Canadian Beaufort Sea

(Héquette, Arnaud, et al.)

10: 1990-2002 - Siliceous sponge communities, biological zonation, and Recent sea-level change on

the Arctic margin; Ice Island results (Van Wagoner, Nancy A., et al.)

11: 2341-2355 Cretaceous: Stratigraphy and tectonic sig-

nificance of Cretaceous volcanism in the Queen Elizabeth Islands, Canadian Arctic Archipelago [discussion and reply] (Sobczak, L. W., et al.) 12: 2736-2741

Ordovician: Upper Ordovician conodonts, brachiopods, and chronostratigraphy of the Whittaker Formation, southwestern District of Mackenzie, N.W.T., Canada (Mitchell, Charles E., et al.) 1: 74-87

 Conodont paleontology and biostratigraphy of Ordovician carbonates and petroliferous carbonates on Southampton, Baffin, and Akpatok islands in the eastern Canadian Arctic

(McCracken, Alexander D., et al.)

Paleozoic: Graptolites as indicators of regional maturity in lower Paleozoic sediments, Selwyn Basin, Yukon and Northwest Territories, Canada

(Riediger, C., et al.) 10: 2003-2015 Pleistocene: Pleistocene geology and geomorphology of the Smoking Hills Upland and lower Horton River Arctic coast of mainland Canada

(Matthews, William H., et al.)

9: 1677-1687

Proterozoic: Palynology of uppermost
Proterozoic and lowermost Cambrian formations, central Mackenzie Mountains,
northwestern Canada

(Baudet, D., et al.) 1: 129-148

— Late Proterozoic stratigraphy, U-Pb zircon ages, and rift tectonics, Mackenzie Mountains, northwestern Canada

(Jefferson, C. W., et al.) 9: 1784-1801 Quaternary: Late Quaternary seismic stratigraphy of the inner shelf seaward of the Tuktoyaktuk Peninsula, Canadian Beaufort Sea

10: 1990-2002

Silurian: Silurian (Wenlock) brachiopods from the southern Mackenzie Mountains, Northwest Territories

(Héquette, Arnaud, et al.)

(Lenz, Alfred C.) 6: 1220-1233

— Llandovery graptolite biostratigraphy and paleobiogeography, Cape Phillips Formation, Canadian Arctic Islands (Melchin, Michael J.) 9: 1726-1746

Northwest Territories—structural geology salt tectonics: Pattern of apparent total strain in the bedded anhydrite cap of a folded salt wall

(Schwerdtner, W. M., et al.) 5: 983-992 structural analysis: Deformational history of an Archean fold belt, eastern Point Lake area, Slave Structural Province, N.W.T. (King, J. E., et al.) 1: 106-118

tectonics: Late Proterozoic stratigraphy, U-Pb zircon ages, and rift tectonics, Mackenzie Mountains, northwestern Canada (Jefferson, C. W., et al.) 9: 1784-1801

Northwest Territories—tectonophysics

crust: Crustal structure of the Canadian polar margin; results of the 1985 seismic refraction survey (Asudeh, I., et al.) 5: 853-866

Nova Scotia—economic geology

gold ores: Sulphur isotopic composition of sulphides from the Beaver Dam and other Meguma-Group-hosted gold deposits, Nova Scotia; implications for genetic models (Kontak, Daniel J., et al.) 8: 1617-1629 tin ores: Paragenesis of veins of the Duck Pond tin prospect, Meguma Group, East Kemptville, Nova Scotia (Pitre, Christian V., et al.)

10: 2032-2042

— Rb-Sr age and geochemical distinctions between the Carboniferous tin-bearing Davis Lake Complex and the Devonian South Mountain Batholith, Meguma Terrane, Nova Scotia (Richardson, Jean M., et al.)

10: 2044-2061

Nova Scotia—geochemistry

trace elements: The age and significance of Carboniferous plutons of the western Cobequid Highlands, Nova Scotia

 (Pe-Piper, Georgia, et al.)
 6: 1297-1307
 Rb-Sr age and geochemical distinctions between the Carboniferous tin-bearing Davis Lake Complex and the Devonian South Mountain Batholith, Meguma Terrane. Nova Scotia

(Richardson, Jean M., et al.)

10: 2044-2061

Nova Scotia-geochronology

Carboniferous: The age and significance of Carboniferous plutons of the western Cobequid Highlands, Nova Scotia (Pe-Piper, Georgia, et al.) 6: 1297-1307

Programment of the Carboniferous tin-bearing Davis Lake Complex and the Devonian South Mountain Batholith, Meguma Terrane, Nova Scotia (Richardson, Jean M., et al.)

Devonian: Late Devonian lamprophyric dykes in the Meguma Zone of Nova Scotia (Kempster, R. M. F., et al.) 3: 611-613

Paleozoic: An 40Ar/39Ar study of the Cape Breton Highlands, Nova Scotia; thermal histories and tectonic implications

(Reynolds, P. H., et al.) 10: 2081-2091

40Ar/³⁹Ar mineral ages from Kellys Mountain, Cape Breton Island, Nova Scotia; implications for the tectonothermal evolution of the Avalon composite terrane

(Keppie, J. Duncan, et al.) 8: 1509-1516 Nova Scotia—geophysical surveys

magnetic surveys: Northeastern extension and crustal expression of terranes from Cape Breton Island, Nova Scotia, based on geophysical data

(Loncarevic, B. D., et al.) 11: 2255-2267 Nova Scotia—oceanography

Continental shelf: Offshore continuation of Meguma Terrane, southwestern Nova Scotia

(Pe-Piper, Georgia, et al.)
 1: 176-191
 Chronology of late Wisconsinan glaciation, Emerald Basin, Scotian Shelf

(Gipp, Michael R., et al.) Nova Scotia—paleontology

Tetrapoda: A tetrapod lower jaw from the Pennsylvanian (Westphalian A) of Nova Scotia

(Godfrey, Stephen J., et al.)

5: 1036-1040

2: 333-335

Nova Scotia-sedimentary petrology

sedimentary structures: Deep burrowing in the early Palaeozoic deep sea; examples from the Cambrian(?)-Early Ordovician Meguma Group of Nova Scotia (Pickerill, Ron K., et al.) 5: 1061-1068

Nova Scotia-stratigraphy

Jurassic: Petrochemical and stratigraphic aspects of North Mountain Basalt from the north shore of the Bay of Fundy, Nova Scotia, Canada (Greenough, John D., et al.)

12: 2710-2717

ocean floors see also under oceanography under Pacific Ocean

Oklahoma—paleontology

Reptilia: Taxonomic position and phylogenetic relationships of Colobomycter pholeter, a small reptile from the Lower Permian of Oklahoma
(Laurin, Michel, et al.) 3: 544-550

Oligocene see also under stratigraphy under Alberta; Saskatchewan

Ontario—economic geology

metal ores: Multiple hydrothermal and metamorphic events in the Kidd Creek volcanogenic massive sulphide deposit, Timmins, Ontario; evidence from tourmalines and chlorites

(Slack, John F., et al.) 4: 694-715 polymetallic ores: Source processes for Archean Au-Ag vein deposits; evidence for lithophile-element systematics of the Hollinger-McIntyre and Buffalo Ankerite

deposits, Timmins (Kerrich, R.) 4: 755-781

Ontario-engineering geology

earthquakes: Tectonic implications of seismic activity recorded by the northern Ontario seismograph network

(Wetmiller, R. J., et al.) 2: 376-386 geologic hazards: Tectonic implications of seismic activity recorded by the northern Ontario seismograph network

(Wetmiller, R. J., et al.) 2: 376-386

waste disposal: Statistical analysis of the
geological-hydrogeological conditions
within part of the Eye-Dashwa Pluton,
Atikokan, northwestern Ontario
(Brown, P. A., et al.) 2: 345-356

 (Brown, P. A., et al.)
 2: 345-356
 Geology of the East Bull Lake gabbroanorthosite pluton, Algoma District, Ontario

(McCrank, G. F. D., et al.) 2: 357-375
 Tectonic implications of seismic activity recorded by the northern Ontario seismograph network

(Wetmiller, R. J., et al.)
Ontario—environmental geology

pollution: Metal uptake and Fe-, Ti-oxide biomineralization by acidophilic microorganisms in mine-waste environments, Elliot Lake, Canada (Mann, H., et al.) 12: 2731-2735

2: 376-386

Ontario—geochemistry

trace elements: Assimilation and crystallization in basic magma chambers; traceelement and Nd-isotopic variations in the Kerns Sill, Nipissing diabase province, Ontario (Lightfoot, Peter C., et al.) 4: 737-754 - Source processes for Archean Au-Ag vein deposits; evidence for lithophile-element systematics of the Hollinger-McIntyre and Buffalo Ankerite deposits, Timmins

(Kerrich, R.) 4: 755-781

- Quantitative trace-element modelling of the crystallization history of the Kinojévis and Blake River groups, Abitibi greenstone belt, Ontario (Fowler, A. D., et al.) 7: 1356-1367

- The Lac des Iles Complex, Ontario; petrology and platinum-group-elements mineralization in an Archean mafic intru-

(Sutcliffe, Richard H., et al.)

7: 1408-1427 Ontario-geochronology

Proterozoic: Age of the Firesand River carbonatite complex from paleomagnetism (Symons, D. T. A.) 11: 2401-2495

Quaternary: Palynostratigraphie chronologie du retrait glaciaire au Témiscamingue; évaluation des âges 14C et implications paléoenvironnementales (Palynostratigraphy and chronology of deglaciation in the Timiskaming region; C-14 ages and paleoenvironmental implications)

(Richard, Pierre J. H., et al.) 4: 627-641

Ontario-hydrogeology

hydrology: Hydrology of small tributary streams in a subarctic wetland

8: 1557-1566 (Woo, Ming-ko, et al.)

Ontario-paleontology

Trilobita: Ceraurus and related trilobites from the Middle Ordovician Bobcaygeon Formation of south-central Ontario, Canada

(Hessin, William A.) 6: 1203-1219

Ontario-sedimentary petrology

sedimentary rocks: Deposition and alteration of volcaniclastic strata in two large, early Proterozoic iron-formations in Canada

(Hassler, Scott W., et al.) 8: 1574-1585

Ontario-stratigraphy

Archean: Sedimentology of an Archean submarine channel-fill deposit in the Abitibi greenstone belt of Canada

(David, Jean, et al.) 7: 1453-1462 Holocene: Late Holocene aggradation in the lower Humber River valley, Toronto, On-

(Weninger, J. M., et al.) 9: 1842-1849 Ordovician: Middle to Late Ordovician rocky bottoms and rocky shores from the

Manitoulin Island area, Ontario (Johnson, Markes E., et al.) 4: 642-653 Pleistocene: Glacially redeposited pollen in

tills of southern Ontario, Canada (Dreimanis, Aleksis, et al.) 9: 1667-1676 Proterozoic: Multiple ages of Nipissing Diabase intrusion; paleomagnetic evidence

from the Englehart area, Ontario (Buchan, K. L., et al.) Multicomponent magnetizations in Ni-

pissing Diabase near Temagami, Ontario, and structural and thermal history of the Grenville Front

(Hyodo, Hironobu, et al.) 3: 467-478 Quaternary: Last interglacial sediments of the Don Valley Brickyard, Toronto, Canada, and their paleoenvironmental significance [discussion and reply] 5: 1078-1086

(Karrow, P. F., et al.) - Paleohydrology of a Canadian Shield inferred from ¹⁸O in sediment cellulose (Edwards, T. W. D., et al.)

Ontario-structural geology

neotectonics: Tectonic implications of seismic activity recorded by the northern Ontario seismograph network 2: 376-386

(Wetmiller, R. J., et al.) tectonics: Multicomponent magnetizations in Nipissing Diabase near Temagami, Ontario, and structural and thermal history of the Grenville Front

(Hyodo, Hironobu, et al.) 3: 467-478 - Evolution of an Archean subprovince boundary; a sedimentological and structural study of part of the Wabigoon-Quetico boundary in northern Ontario (Devaney, Jonathan R., et al.)

5: 1013-1026

ophiolite see under ultramafics under igneous rocks

Ordovician see also under stratigraphy under Atlantic Ocean; Newfoundland; Northwest Territories; Ontario; Quebec

ore guides see under mineral exploration

organic materials-bitumens

geochemistry: Stable isotope constraints on the role of graphite in the genesis of unconformity-type uranium deposits (Kyser, T. K., et al.) 3: 490-498

organic materials-carbohydrates

cellulose: Paleohydrology of a Canadian Shield inferred from ¹⁸O in sediment cellulose

(Edwards, T. W. D., et al.)

9: 1850-1859

organic materials-humic acids

experimental studies: Le transport chimique de l'or dans les environnements de surface; formation d'un colloïde et complexation organique (Chemical transport of gold in a surface environment; formation of a colloid and organic complexing) (Bergeron, Mario, et al.) 11: 2327-2332

organic materials-hydrocarbons

methane: Some northern sources of atmospheric methane; production, history, and future implications (Nisbet, E. G.) 8: 1603-1611

orogeny-absolute age

Hudsonian Orogeny: U-Pb geochronology of reactivated Archean basement and of Hudsonian metamorphism in the northern Labrador Trough

(Machado, N., et al.) 1: 1-15 - Nd, Sr, and O isotopic constraints on the

petrogenesis of mafic intrusions in the Proterozoic Trans-Hudson Orogen of central Canada 5-1027-1035

(Hegner, E., et al.) Paleozoic: An 40Ar/39Ar study of the Cape Breton Highlands, Nova Scotia; thermal histories and tectonic implications (Reynolds, P. H., et al.) 10: 2081-2091

Acadian Phase: Failles de chevauchement acadiennes dans la région de Weedon, Estrie, Québec (Acadian thrust faults in the Weedon area, Estrie, Quebec) (Labbé, Jean-Yves, et al.) 11: 2268-2277

Appalachian Phase: Southwest New World Island stratigraphy; new fossil data, new implications for the history of the Central Mobile Belt, Newfoundland (Elliott, Colleen G., et al.)

10: 2062-2074

Northeastern extension and crustal expression of terranes from Cape Breton Island, Nova Scotia, based on geophysical

(Loncarevic, B. D., et al.) 11: 2255-2267 fold belts: Structural geometry and kinematic evolution of the eastern Cascades foldbelt, Washington and British Columbia (McGroder, Michael F.) 8: 1586-1602

Grenvillian Orogeny: Grenville orogenic affinities in the Red Mountain area, Llano Unlift, Texas

(Carter, Karen E.) 6: 1124-1135 Pan-African Orogeny: Late Proterozoic arccontinent and continent-continent colli-

sion in the Pan-African Trans-Saharan Belt of Mali

(Caby, Renaud, et al.) 6: 1136-1146 Penokean Orogeny: Tectonostratigraphic evolution of the early Proterozoic Wisconsin magmatic terranes of the Penokean

Orogen (Sims, P. K., et al.) 10: 2145-2158

orogeny-mechanism

Acadian Phase: Acadian strike-slip tectonics in the Gaspé region, Quebec Appalachians (Malo, Michel, et al.) 9: 1764-1777

Cordilleran Orogeny: A geodynamic model for extension in the Shuswap core complex, southeastern Canadian Cordillera (Ranalli, G., et al.) 8: 1647-1653

Orogeny: Évènements tec-Fifteenmile toniques d'origine compressive dans le Protérozoïque du nord de la Cordillère canadienne (montagnes Ogilvie, Yukon) (Proterozoic compressive tectonic events in the northern Canadian Cordillera; Ogilvie Mountains, Yukon Territory) (Mercier, Éric) 1: 199-205

Hudsonian Orogeny: Structural petrology along a transect across the Thompson Belt, Manitoba; dip slip at the western Churchill-Superior boundary

(Fueten, Frank, et al.) 10: 1976-1989 orogeny-periodicity

Grenvillian Orogeny: Anorogenic magmatism and the Grenvillian Orogeny 3: 479-489 (Windley, Brian F.)

oxygen-isotopes

O-18/O-16: Diagenetic evolution of a Late Silurian reef platform, Gaspé Basin, Quebec, based on cathodoluminescence petrography

(Savard, Martine, et al.) 4: 791-806 - Nd, Sr, and O isotopic constraints on the petrogenesis of mafic intrusions in the Proterozoic Trans-Hudson Orogen of central Canada 5: 1027-1035

(Hegner, E., et al.)

- Geochemistry and isotope hydrogeology of the Mount Edziza-Mess Creek geothermal area

(Clark, Ian D., et al.) 6: 1160-1171

- Stratigraphic variations in carbon and oxygen isotopes in the dolostone of the Carswell Formation (Proterozoic) of northern Saskatchewan

(Abell, P. I., et al.) 11: 2318-2326 - Paleohydrology of a Canadian Shield inferred from ¹⁸O in sediment cellulose (Edwards, T. W. D., et al.)

9: 1850-1859

- New petrological and geochemical data on mid-Paleozoic island-arc volcanics of northern Sierra Nevada, California; evidence for a continent-based island arc 12: 2465-2478 (Rover, O., et al.) P-T conditions see under metamorphism

Pacific Coast see also the individual states and provinces

Pacific Ocean see also Bering Sea

Pacific Ocean-geophysical surveys

acoustical surveys: Surficial geology of Hecate Strait, British Columbia continental shelf

(Barrie, J. V., et al.) 6: 1241-1254 seismic surveys: Turbidity-current channels in Queen Inlet, Glacier Bay, Alaska

(Carlson, Paul R., et al.) 4: 807-820 - The Queen Charlotte Islands refraction project; Part II, Structural model for transition from Pacific Plate to North American Plate

(Mackie, D. J., et al.) 9: 1713-1725 surveys: Geological and geophysical characteristics of the Tuzo Wilson Seamounts; implications for plate geometry in the vicinity of the Pacific-North America-Explorer triple junction 11: 2365-2384 (Carbotte, S. M., et al.)

Pacific Ocean—oceanography

ocean floors: Geological and geophysical characteristics of the Tuzo Wilson Seamounts; implications for plate geometry in the vicinity of the Pacific-North America-Explorer triple junction

(Carbotte, S. M., et al.) 11: 2365-2384

Pacific Ocean-tectonophysics

plate tectonics: Geological and geophysical characteristics of the Tuzo Wilson Seamounts; implications for plate geometry in the vicinity of the Pacific-North America-Explorer triple junction

(Carbotte, S. M., et al.) 11: 2365-2384 - The Queen Charlotte Islands refraction project; Part II, Structural model for transition from Pacific Plate to North American Plate

9-1713-1725 (Mackie, D. J., et al.) A microseismicity study of the Queen Charlotte Islands region

(Bérubé, Joane, et al.) 12: 2556-2566 Pacific region see also the individual countries paleoclimatology-Holocene

Alberta: Holocene paleohydrology of central Alberta; testing the general-circulationmodel climate simulations (Schweger, Charles E., et al.)

9: 1826-1833

British Columbia: Geology and paleoecology of early Holocene lacustrine deposits in the Columbia River valley near Fauquier, southern British Columbia

(Fulton, Robert J., et al.)

- Holocene vegetation, climate, and lakelevel changes in the Interior Douglas-fir Biogeoclimatic Zone, British Columbia (Mathewes, Rolf W., et al.)

9: 1811-1825 Great Lakes region: Stratigraphy of the Sixteen Mile Creek lagoon, and its implications for Lake Ontario water levels [discussion and reply]

(Bishop, Craig T., et al.) 5: 1074-1078 Manitoba: Holocene evolution of the Assiniboine River paleochannels and Portage la Prairie alluvial fan

9: 1834-1841 (Rannie, W. F., et al.)

paleoclimatology-Oligocene

Saskatchewan: The Cypress Hills Formation (upper Eocene to Miocene); a semi-arid braidplain deposit resulting from intrusive uplift (Leckie, D. A., et al.) 10: 1918-1931

paleoclimatology-Quaternary

Canada: Late Quaternary paleohydrology of Canada-Paléohydrologie du Quaternaire supérieur au Canada

(Church, Michael, et al.) 9: 1807-1859 Canadian Shield: Paleohydrology of a Canadian Shield inferred from 18O in sediment cellulose

(Edwards, T. W. D., et al.)

9-1850-1859

Labrador: Late Quaternary chronology and environments of Square Lake, Torngat Mountains, Labrador

(Clark, Peter U., et al.) 10: 2130-2144 Northwest Territories: Latest Quaternary and Holocene paleoceanography of the eastern Baffin Island continental shelf, Canada; benthic foraminiferal evidence (Osterman, Lisa E., et al.)

11: 2236-2248 Ontario: Last interglacial sediments of the Don Valley Brickyard, Toronto, Canada, and their paleoenvironmental significance [discussion and reply]

(Karrow, P. F., et al.) 5: 1078-1086 Ouebec: Contribution palynostratigraphique (dinokystes, pollen et spores) à la connaissance de la mer de Champlain; coupe de Saint-Césaire, Québec (Palynostratigraphy (dinoflagellate cysts, pollen and spores) of the Champlain Sea, Saint Cesaire section, Quebec) (de Vernal, Anne, et al.) 12: 2450-2464

paleoecology-Holocene

Alberta: Holocene paleohydrology of central Alberta; testing the general-circulationmodel climate simulations (Schweger, Charles E., et al.)

9: 1826-1833 British Columbia: Geology and paleoecology of early Holocene lacustrine deposits in the Columbia River valley near Fauquier, southern British Columbia (Fulton, Robert J., et al.) 2: 257-265

- Holocene vegetation, climate, and lakelevel changes in the Interior Douglas-fir Biogeoclimatic Zone, British Columbia (Mathewes, Rolf W., et al.)

9: 1811-1825

paleoecology-mammals

Quaternary: Paleoecological implications of late Pleistocene and Holocene microtine rodents from the Bluefish Caves, northern Yukon Territory 1: 149-156

(Morlan, Richard E.) paleoecology-Paleozoic

Nova Scotia: Deep burrowing in the early Palaeozoic deep sea; examples from the Cambrian(?)-Early Ordovician Meguma Group of Nova Scotia (Pickerill, Ron K., et al.)

paleoecology-palynomorphs

Quaternary: Contribution palynostratigraphique (dinokystes, pollen et spores) à la connaissance de la mer de Champlain; coupe de Saint-Césaire, Québec (Palynostratigraphy (dinoflagellate cysts, pollen and spores) of the Champlain Sea, Saint Cesaire section, Quebec) 12: 2450-2464

(de Vernal, Anne, et al.)

paleoecology-Permian

Prince Edward Island: Early Permian fossil vertebrate footprints and their stratigraphic setting in megacyclic Sequence II red beds, Prim Point, Prince Edward Island

(Mossman, David J., et al.) 3: 591-605

paleoecology-Quaternary

Labrador: Late Quaternary chronology and environments of Square Lake, Torngat Mountains, Labrador

(Clark, Peter U., et al.) 10: 2130-2144 Northwest Territories: Latest Quaternary and Holocene paleoceanography of the eastern Baffin Island continental shelf, Canada; benthic foraminiferal evidence (Osterman, Lisa E., et al.)

11: 2236-2248

Ontario: Last interglacial sediments of the Don Valley Brickyard, Toronto, Canada, and their paleoenvironmental significance [discussion and reply] 5: 1078-1086 (Karrow, P. F., et al.)

paleogeography-Cambrian Alberta: Facies anatomy of an Upper Cam-

brian grand cycle; Bison Creek and Mistaya formations, southern Alberta (Westrop, Stephen R.) 11: 2292-2304

Northwest Territories: Ella Bay Formation; Early Cambrian shelf differentiation in the Franklinian Basin, central eastern Ellesmere Island, Arctic Canada 12: 2621-2635 (Long, D. G. F.)

paleogeography—Carboniferous

California: Submarine-fan characteristics and dual sediment provenance, Lower Carboniferous Bragdon Formation, eastern Klamath Terrane, California (Miller, M. Meghan, et al.) 5: 927-940

paleogeography—Cretaceous

Bering Sea: Paleomagnetism and geochronology of St. Matthew Island, Bering

(Wittbrodt, Paul R., et al.)

10: 2116-2129

paleogeography-Eocene

British Columbia: Eocene sedimentation and volcanism in the Fig Lake Graben, southwestern British Columbia

(Thorkelson, Derek J.) 7: 1368-1373

paleogeography—Jurassic

British Columbia: The Lower Jurassic phosphorites of southeastern British Columbia and terrane accretion to western North America

(Poulton, T. P., et al.) 8: 1612-1616 Greece: Paléomagnétisme dans les Hellénides internes; analyse des aimantations superposées par la méthode des cercles de réaimantation (Paleomagnetism of the in-

ternal Hellenides; analysis of superimposed magnetizations using remagnetization circles)

(Surmont, Jérôme) 12: 2479-2494

paleogeography-Oligocene

Saskatchewan: The Cypress Hills Formation (upper Eocene to Miocene); a semi-arid braidplain deposit resulting from intrusive

10: 1918-1931 (Leckie, D. A., et al.)

paleogeography-Ordovician

Newfoundland: Southwest New World Island stratigraphy; new fossil data, new implications for the history of the Central Mobile Belt, Newfoundland

(Elliott, Colleen G., et al.)

10: 2062-2074 Ontario: Middle to Late Ordovician rocky bottoms and rocky shores from the Manitoulin Island area, Ontario

(Johnson, Markes E., et al.) 4: 642-653

paleogeography-Paleozoic

Alberta: Sedimentology and diagenesis of Upper Mississippian to Lower Permian strata, Talbot Lake area, Jasper National Park, Alberta (Ng, Kwok-Choi, et al.) 2: 275-295

paleogeography-Quaternary Alberta: Late Quaternary stratigraphy, sedimentology, and history of the Jasper townsite area, Alberta, Canada

(Levson, V. M., et al.) 7: 1325-1342 Northwest Territories: Late Quaternary seismic stratigraphy of the inner shelf seaward of the Tuktoyaktuk Peninsula, Canadian Beaufort Sea

(Héquette, Arnaud, et al.)

10: 1990-2002 palynostratigra-Quebec: Contribution phique (dinokystes, pollen et spores) à la connaissance de la mer de Champlain; coupe de Saint-Césaire, Québec (Palynostratigraphy (dinoflagellate cysts, pollen and spores) of the Champlain Sea, Saint Cesaire section, Quebec)

(de Vernal, Anne, et al.) 12: 2450-2464

paleogeography-Silurian

Arctic region: Llandovery graptolite biostratigraphy and paleobiogeography, Cape Phillips Formation, Canadian Arctic Is-

(Melchin, Michael J.) 9: 1726-1746 paleomagnetism see under geochronology

paleomagnetism-Carboniferous

Labrador: Paleomagnetism and geochemistry of Carboniferous Sandwich Bay dykes from coastal Labrador

(Murthy, G., et al.) 11: 2278-2291

paleomagnetism-Cenozoic

Saskatchewan: Davis Creek Silt, an early Pleistocene or late Pliocene deposit in the Cypress Hills of Saskatchewan (Vreeken, W. J., et al.) 1: 192-198

paleomagnetism-Cretaceous

Bering Sea: Paleomagnetism and geochronology of St. Matthew Island, Bering

(Wittbrodt, Paul R., et al.)

10: 2116-2129

paleomagnetism-Eocene

British Columbia: Paleomagnetism of the Eocene Kamloops Group and the cratonization of Terrane I of the Canadian Cor-

(Symons, D. T. A., et al.) - Paleomagnetism of Eocene rocks of the Kelowna and Castlegar areas, British Columbia; studies in determining paleohorizontal

4-829-844 (Bardoux, M., et al.) paleomagnetism-magnetic susceptibility

crystalline rocks: Offshore continuation of Meguma Terrane, southwestern Nova Scotia

(Pe-Piper, Georgia, et al.)

paleomagnetism-Mesozoic

Greece: Paléomagnétisme dans les Hellénides internes; analyse des aimantations superposées par la méthode des cercles de réaimantation (Paleomagnetism of the internal Hellenides; analysis of superimposed magnetizations using remagnetization circles)

(Surmont, Jérôme) 12: 2479-2494

paleomagnetism-methods

sampling: A method of sampling clast-rich laminated diamictons for magnetic ana-8: 1654-1656 (Coyle, David A.)

paleomagnetism-Pleistocene

Territory: New geomagnetic paleosecular-variation results from the Old Crow Basin, Yukon Territory, and their use in stratigraphic correlation (Gillen, K. P., et al.) 12: 2507-2511

paleomagnetism-Proterozoic

Canada: Paleomagnetism and the origin of the Mackenzie Arc of northwestern Cana-

(Park, John K., et al.) 11: 2194-2203 Canadian Shield: Paleomagnetism of the 1.1 Ga Lackner Lake Complex and tectonics of the Kapuskasing structural zone 9: 1778-1783

(Symons, D. T. A.) Labrador: 40Ar/39Ar dating of the Mealy Dykes of Labrador; paleomagnetic implications

(Reynolds, P. H.)

- Paleomagnetism of pre-Grenvillian mafic intrusions from the Grenville Province, Southeast Labrador (Murthy, G., et al.) 12: 2541-2555 Ontario: Multiple ages of Nipissing Diabase intrusion; paleomagnetic evidence from the Englehart area, Ontario

(Buchan, K. L., et al.) - Multicomponent magnetizations in Nipissing Diabase near Temagami, Ontario, and structural and thermal history of the Grenville Front

(Hyodo, Hironobu, et al.) 3: 467-478 - Age of the Firesand River carbonatite complex from paleomagnetism

11: 2401-2405 (Symons, D. T. A.)

paleomagnetism—Silurian

Newfoundland: Paleomagnetism of the Lawrenceton Formation volcanic rocks, Silurian Botwood Group, Change Islands, Newfoundland

(Gales, Julie E., et al.) 2: 296-304 - Early Silurian paleopole for redbeds and volcanics of the King George IV Lake area. Newfoundland

10: 1904-1917 (Buchan, K. L., et al.)

Paleosols see under clastic sediments under sediments

paleotemperature see geologic thermometry under fluid inclusions

Paleozoic see also under geochronology under Nova Scotia; see also under stratigraphy under Northwest Territories; Yukon Territo-

paleozoogeography see biogeography

palynomorphs-acritarch flora

Proterozoic: Palynology of Proterozoic and lowermost Cambrian formations, central Mackenzie Mountains, northwestern Canada (Baudet, D., et al.) 1: 129-148

palynomorphs-biostratigraphy

Cretaceous: Revised stratigraphic nomenclature and age determinations for Mid-Cretaceous volcanic rocks in southwestern British Columbia

(Thorkelson, Derek J., et al.)

10: 2016-2031 Mesozoic: Jura-Cretaceous (Oxfordian to Cenomanian) stratigraphy of the northcentral Bowser Basin, northern British

(Cookenboo, H. O., et al.) 5: 1001-1012 Ordovician: First report of Ordovician (Caradoc-Ashgill) palynomorphs from Orphan Knoll, Labrador Sea [discussion] (Ruffman, Alan) 12: 2749-2751

palynomorphs-chitinozoans

Columbia

Silurian: Chitinozoaires du Silurien inférieur dans la région de la Baie des Chaleurs en Gaspésie, Québec, Canada (Chitinozoans from the Lower Silurian of the Chaleur Bay region, Gaspe Peninsula, Quebec, Canada) 12: 2435-2449 (Asselin, E., et al.)

palynomorphs-miospores

Holocene: Geology and paleoecology of early Holocene lacustrine deposits in the Columbia River valley near Fauquier, southern British Columbia (Fulton, Robert J., et al.) 2: 257-265

Holocene vegetation, climate, and lakelevel changes in the Interior Douglas-fir Biogeoclimatic Zone, British Columbia

(Mathewes, Rolf W., et al.)

9: 1811-1825

Holocene paleohydrology of central Alberta; testing the general-circulation-model climate simulations

(Schweger, Charles E., et al.)

9: 1826-1833

 Late Holocene aggradation in the lower Humber River valley, Toronto, Ontario (Weninger, J. M., et al.) 9: 1842-1849

Mississippian: Stratigraphy and depositional environments of the Upper Mississippian Codroy Group; Port au Port Peninsula, western Newfoundland

(Dix, George R., et al.) 6: 1089-1100 Pleistocene: Glacially redeposited pollen in tills of southern Ontario, Canada

(Dreimanis, Aleksis, et al.) 9: 1667-1676

- Pleistocene geology and geomorphology of the Smoking Hills Upland and lower Horton River Arctic coast of mainland Canada

(Matthews, William H., et al.)

9: 1677-1687

Quaternary: Palynostratigraphie chronologie du retrait glaciaire au Témiscamingue; évaluation des âges 14C et implications paléoenvironnementales (Palynostratigraphy and chronology of deglaciation in the Timiskaming region; C-14 ages and paleoenvironmental implications)

(Richard, Pierre J. H., et al.) 4: 627-641 - Last interglacial sediments of the Don Valley Brickyard, Toronto, Canada, and their paleoenvironmental significance [discussion and replyl

(Karrow, P. F., et al.) 5: 1078-1086

- Late Quaternary chronology and environments of Square Lake, Torngat Mountains, Labrador

10: 2130-2144 (Clark, Peter U., et al.) Paleohydrology of a Canadian Shield

inferred from ¹⁸O in sediment cellulose (Edwards, T. W. D., et al.)

9: 1850-1859

palynomorphs-paleoecology

Quaternary: Contribution palynostratigraphique (dinokystes, pollen et spores) à la connaissance de la mer de Champlain; coupe de Saint-Césaire, Québec (Palynostratigraphy (dinoflagellate cysts, pollen and spores) of the Champlain Sea, Saint Cesaire section, Quebec)

(de Vernal, Anne, et al.) 12: 2450-2464

paragenesis-gold ores

Nova Scotia: Sulphur isotopic composition of sulphides from the Beaver Dam and other Meguma-Group-hosted gold deposits, Nova Scotia; implications for genetic models

(Kontak, Daniel J., et al.) 8: 1617-1629 paragenesis-tin ores

Nova Scotia: Paragenesis of veins of the Duck Pond tin prospect, Meguma Group, East Kemptville, Nova Scotia (Pitre, Christian V., et al.)

10: 2032-2042

periglacial features see under glacial geology Permian see also under stratigraphy under Alberta; China; Prince Edward Island

Phanerozoic see also Quaternary

physical geography see geomorphology

Pisces-Osteichthyes

Cretaceous: Fossil marine actinopterygian fishes from the Kaskapau Formation (Upper Cretaceous; Turonian) near Watino, Alberta (Wilson, Mark V. H., et al.)

12: 2604-2620

Plantae see also algae; algal flora; bryophytes; fungi; ichnofossils; palynomorphs; problematic fossils

plants-biostratigraphy

Cretaceous: Revised stratigraphic nomenclature and age determinations for Mid-Cretaceous volcanic rocks in southwestern British Columbia (Thorkelson, Derek J., et al.)

10: 2016-2031

plants-paleoecology

Holocene: Geology and paleoecology of early Holocene lacustrine deposits in the Columbia River valley near Fauquier, southern British Columbia (Fulton, Robert J., et al.) 2: 257-265

- Holocene vegetation, climate, and lakelevel changes in the Interior Douglas-fir Biogeoclimatic Zone, British Columbia (Mathewes, Rolf W., et al.)

plate tectonics see also under tectonophysics

under Bering Sea; Pacific Ocean; Sahara platinum ores see also under economic geology

under Canadian Shield

Pleistocene see also under geochronology under Alberta; Atlantic Ocean; Northwest Territories; Quebec; see also under stratigraphy under Northwest Territories; Ontario; Saskatchewan; Yukon Territory

Pliocene see also under stratigraphy under Saskatchewan

plutons see under intrusions

pollution see also under environmental geology under Ontario; Quebec

polymetallic ores see also gold ores; see also under economic geology under Cyprus; New Brunswick; Ontario

Porifera—Demospongea

Silurian: Silurian Archaeoscyphia from the Canadian Arctic; a case for simplified generic taxonomy in the anthaspidellid lithistids (Porifera) 10: 1861-1879 (de Freitas, Tim A.)

Portugal-oceanography

continental margin: Cenozoic deformation and Mesozoic abandoned spreading centre in the Tagus abyssal plain (west of Portugal); results of a multichannel seismic survey

(Mauffret, A., et al.) 6: 1101-1123

potassium-geochemistry

metabasalt: Geochemistry of Neohelikian Nauvat plateau basalts, Borden rift basin, northwestern Baffin Island, Canada (Dostal, J., et al.) 11: 2214-2223 Precambrian see also under geochronology under Canadian Shield; Northwest Territories; Quebec

Prince Edward Island-stratigraphy

Permian: Early Permian fossil vertebrate footprints and their stratigraphic setting in megacyclic Sequence II red beds, Prim Point, Prince Edward Island

(Mossman, David J., et al.) 3: 591-605 problematic fossils-problematic microfossils

Ordovician: Tremadocian (Early Ordovician) nauplius-like larvae from the Middle Arm Point Formation, Bay of Islands, western Newfoundland 9-1802-1806

(Roy, Kaustuv, et al.) problematic microfossils see under problematic

fossils

Proterozoic see also under geochronology under British Columbia; Canadian Shield; Labrador; Mali; Manitoba; Northwest Territories; Ontario; Saskatchewan; see also under stratigraphy under British Columbia: Canadian Shield; Great Lakes region; Labrador; Northwest Territories; Ontario; Saskat-

quartz see under framework silicates, silica minerals under minerals; see under preferred orientation under structural analysis

quartz diorites see under igneous rocks

Quaternary see also under geochronology under Alberta; British Columbia; Great Lakes region; Labrador; Ontario; Quebec; see also under stratigraphy under Alberta; Arctic Ocean: Canada: Canadian Shield: Northwest Territories; Ontario; Quebec; symposia; Yukon Territory

Quaternary-stratigraphy

paleohydrology: IGCP Project 158; Paleohydrology of the temperate zone during the last 15 000 years; introduction-Project 158 du PICG; Paléohydrologie de la zone tempérée durant des derniers 15 000 ans; introduction 9: 1809-1810 (Church, Michael)

Quebec-economic geology

copper ores: Mineralogy and geochemistry of an Archean tuffaceous exhalite; the Main Contact Tuff, Millenbach Mine area, Noranda, Ouebec

(Kalogeropoulos, Stavros I., et al.) 1:88-105

gold ores: Structural control of gold mineralization at the Bousquet Mine, Abitibi,

(Tourigny, Ghislain, et al.) 1: 157-175 Erratum; Structural control of gold mineralization at the Bousquet Mine, Abitibi,

(Tourigny, Ghislain, et al.) - Progressive hydrothermal alteration associated with gold mineralization of the Zone 1 intrusion of the Callahan property,

Val-d-Or region, Quebec (Jenkins, Cecilia L., et al.)

12: 2495-2506

zinc ores: Mineralogy and geochemistry of an Archean tuffaceous exhalite; the Main Contact Tuff, Millenbach Mine area, Noranda, Ouebec

(Kalogeropoulos, Stavros I., et al.)

1:88-105

Quebec-environmental geology

pollution: Infiltration of de-icing road salts in aquifers; the Trois-Rivières-Ouest case, Quebec, Canada

(Locat, Jacques, et al.) 11: 2186-2193

Quebec-geochemistry

trace elements: Mineralogy and geochemistry of an Archean tuffaceous exhalite; the Main Contact Tuff, Millenbach Mine area, Noranda, Quebec

(Kalogeropoulos, Stavros I., et al.) 1:88-105

- Grenville metagabbro complexes of the Otter Lake area, Quebec

(Kretz, Ralph, et al.) 2: 215-230 - Geochemistry and U-Pb zircon age of comenditic metafelsites of the Tibbit Hill Formation, Ouebec Appalachians

(Kumarapeli, P. Stephen, et al.)

7: 1374-1383 - Le Complexe d'Ascot des Appalaches du sud du Québec; pétrologie et géochimie (The Ascot Complex of the southern Quebec Appalachians; petrology and geochemistry)

(Tremblay, Alain, et al.) 12: 2407-2420

Quebec-geochronology

Archean: First U-Pb zircon ages of granitoid plutons from the La Grande greenstone belt, James Bay area, New Quebec (St. Seymour, Karen, et al.)

5: 1068-1073

Cambrian: Geochemistry and U-Pb zircon age of comenditic metafelsites of the Tibbit Hill Formation, Quebec Appalachians (Kumarapeli, P. Stephen, et al.)

7: 1374-1383

Pleistocene: Chronologie Th/U des concrétions calcaires des varves du lac glaciaire de Deschaillons (Wisconsinien inférieur) (Th/U dating of calcareous concretions from varves of glacial Lake Deschaillons, lower Wisconsinan)

(Hillaire-Marcel, Claude, et al.)

5: 1041-1052 Precambrian: U-Pb geochronology of reactivated Archean basement and of Hudsonian metamorphism in the northern Labrador Trough

(Machado, N., et al.) 1: 1-15

Quaternary: Palynostratigraphie chronologie du retrait glaciaire au Témiscamingue; évaluation des âges 14C et paléoenvironnementales implications (Palynostratigraphy and chronology of deglaciation in the Timiskaming region; C-14 ages and paleoenvironmental implications)

(Richard, Pierre J. H., et al.) 4: 627-641

Quebec-geomorphology frost action: Frost bursting; a violent expres-

sion of frost action in rock (Michaud, Yves, et al.) 10: 2075-2080

Quebec-geophysical surveys

heat flow: New heat flow density and radiogenic heat production data in the Canadian Shield and the Quebec Appalachians (Mareschal, J. C., et al.) 4: 845-852 Quebec-oceanography

continental margin: Crustal structure and surface zonation of the Canadian Appalachians; implications of deep seismic reflection data

(Marillier, François, et al.) 2: 305-321

Quebec-paleontology

Agnatha: Yvonaspis, nouveau genre d'Osteostraci (Vertebrata, Agnatha) du Dévonien (Emsien-Eifelien) des Grès de Gaspé (Québec, Canada) (Yvonaspis, a new Osteostracan (Vertebrata, Agnatha) genus from the Devonian (Emsian-Eifelian) Gaspe Sandstones, Quebec, Canada) 11: 2396-2401 (Belles-Isles, Michel) Ouebec-petrology

volcanism: Subaqueous phreatomagmatic explosion breccias at Buttercup Hill, Noranda, Quebec

(Gibson, H. L., et al.) Quebec-sedimentary petrology

clay mineralogy: Formation de phyllosilicates dans les roches carbonatées cristallines de La Mauricie, Québec (Formation of sheet silicates in crystalline carbonate rocks at La Mauricie, Quebec)

(de Kimpe, Christian) 7: 1463-1473 reefs: Diagenetic evolution of a Late Silurian reef platform, Gaspé Basin, Quebec, based on cathodoluminescence petrography

4: 791-806 (Savard, Martine, et al.) sedimentary rocks: Deposition and alteration of volcaniclastic strata in two large, early Proterozoic iron-formations in Canada (Hassler, Scott W., et al.) 8: 1574-1585

Quebec-seismology

elastic waves: Shear-wave splitting and anisotropy in the Charlevoix seismic zone, Quebec, in 1985 (Buchbinder, Goetz G. R.)

12: 2691-2696

Quebec-stratigraphy Archean: Sedimentology of an Archean submarine channel-fill deposit in the Abitibi greenstone belt of Canada (David, Jean, et al.) 7: 1453-1462

Ordovician: Stratigraphy of the Ordovician of the Lac Saint-Jean and Chicoutimi outliers, Quebec

(Desbiens, Sylvain, et al.) 6: 1185-1202 Quaternary: Contribution palynostratigraphique (dinokystes, pollen et spores) à la connaissance de la mer de Champlain; coupe de Saint-Césaire, Québec (Palynostratigraphy (dinoflagellate cysts, pollen and spores) of the Champlain Sea, Saint Cesaire section, Quebec)

(de Vernal, Anne, et al.) 12: 2450-2464 Silurian: Diagenetic evolution of a Late Silurian reef platform, Gaspé Basin, Quebec, based on cathodoluminescence pe-

trography

(Savard, Martine, et al.) - Chitinozoaires du Silurien inférieur dans la région de la Baie des Chaleurs en Gaspésie, Québec, Canada (Chitinozoans from the Lower Silurian of the Chaleur Bay region, Gaspe Peninsula, Quebec, Canada) 12: 2435-2449 (Asselin, E., et al.)

Quebec-structural geology

tectonics: Mise à l'évidence et cinématique de la faille de La Guadeloupe, Appalaches du sud du Québec (Kinematics of La Guadeloupe Fault, Appalachians of southern Quebec)

(Tremblay, Alain, et al.) 10: 1932-1943 - Failles de chevauchement acadiennes dans la région de Weedon, Estrie, Québec (Acadian thrust faults in the Weedon area, Estrie, Ouebec)

(Labbé, Jean-Yves, et al.) 11: 2268-2277 Acadian strike-slip tectonics in the Gaspé region, Quebec Appalachians (Malo, Michel, et al.) 9: 1764-1777

- Internal structure of the Cadillac tectonic zone southeast of Val d'Or, Abitibi greenstone belt, Quebec 12: 2661-2675 (Robert, François)

racemization see under geochronology radioactive dating see absolute age

radiocarbon dating see absolute age rare earths see also neodymium

rare earths-geochemistry

crystalline rocks: Offshore continuation of Meguma Terrane, southwestern Nova Scotia

(Pe-Piper, Georgia, et al.) 1: 176-191 cumulates: The Lac des Iles Complex, Ontario; petrology and platinum-group-elements mineralization in an Archean mafic intrusion

(Sutcliffe, Richard H., et al.)

7: 1408-1427

granites: Rb-Sr age and geochemical distinctions between the Carboniferous tin-bearing Davis Lake Complex and the Devonian South Mountain Batholith, Meguma Terrane, Nova Scotia (Richardson, Jean M., et al.)

10: 2044-2061 igneous rocks: Petrogenesis of mantlederived, LILE-enriched Archean monzodiorites and trachyandesites (sanukitoids) in southwestern Superior Province (Stern, Richard A., et al.) 9: 1688-1712

metabasalt: Geochemistry of Neohelikian Nauyat plateau basalts, Borden rift basin, northwestern Baffin Island, Canada (Dostal, J., et al.) 11: 2214-2223

metafelsite: Geochemistry and U-Pb zircon age of comenditic metafelsites of the Tibbit Hill Formation, Quebec Appalachians (Kumarapeli, P. Stephen, et al.)

7: 1374-1383

metasedimentary rocks: The early Archaean Nulliak (supracrustal) assemblage, northern Labrador (Nutman, A. P., et al.) 10: 2159-2168

 Auriferous chert, banded iron formation, and related volcanogenic hydrothermal alteration, Atik Lake, Manitoba

(Bernier, Louis R., et al.) 12: 2676-2690 metavolcanic rocks: The geology and geochemistry of an early Proterozoic volcanic-arc association at Cartwright Lake; Lynn Lake greenstone belt, northwestern Manitoba

(Peck, D. C., et al.) 4: 716-736 Tectonostratigraphic evolution of the early Proterozoic Wisconsin magmatic terranes of the Penokean Orogen

(Sims, P. K., et al.) 10: 2145-2158
— Quantitative trace-element modelling of the crystallization history of the Kinojévis and Blake River groups, Abitibi greenstone belt. Ontario

(Fowler, A. D., et al.) 7: 1356-1367 tholeitte: Cyclical variation in composition in continent tholeittes of East Greenland (Hogs, A. J., et al.) 3: 534-543

(Hogg, A. J., et al.) 3: 534-543 trondhjemite: Diapiric trondhjemites of the western Dharwar Craton, southern India (Rogers, John J. W., et al.) 2: 244-256

volcanic rocks: Geochemistry of Siluro-Devonian Tobique volcanic belt in northern and central New Brunswick (Canada); tectonic implications (Dostal, J., et al.) 6: 1282-1296

Petrology and age of volcanic-arc rocks from the continental margin of the Bering Sea; implications for early Eocene relocation of plate boundaries

(Davis, Alicé S., et al.) 7: 1474-1490

— Le Complexe d'Ascot des Appalaches du sud du Québec; pétrologie et géochimie (The Ascot Complex of the southern Quebec Appalachians; petrology and geochemistry)

(Tremblay, Alain, et al.) 12: 2407-2420

reefs see also under sedimentary petrology
under Ouebec

regional geology see areal geology under the appropriate area term

reptiles see also Reptilia

Reptilia—Captorhinomorpha

Permian: Taxonomic position and phylogenetic relationships of Colobomycter pholeter, a small reptile from the Lower Permian of Oklahoma (Laurin, Michel, et al.) 3: 544-550

Reptilia—Ichthyosauria

Triassic: Ichthyosaurs (Reptilia, Ichthyosauria) from the Lower and Middle Triassic Sulphur Mountain Formation, Wapiti Lake area, British Columbia, Canada (Callaway, Jack M., et al.) 7: 1491-1500

Reptilia-Pareiasauria

Permian: Pareiasaurs from the Upper Permian of North China
(Gao Keqin) 6: 1234-1240

Reptilia-Pelycosauria

Permian: New information on the pectoral girdle and vertebral column in Lupeosaurus (Reptilia, Pelycosauria) (Sumida, Stuart S.) 7: 1343-1349

Reptilia-Saurischia

Cretaceous: The first records of Elmisaurus (Saurischia, Theropoda) from North America (Currie, Philip J.) 6: 1319-1324

ring silicates see under minerals

Rocky Mountains see also the individual states and provinces Rocky Mountains-tectonophysics

crust: A geodynamic model for extension in the Shuswap core complex, southeastern Canadian Cordillera (Ranalli, G., et al.) 8: 1647-1653

Sahara see also the individual countries

Sahara—tectonophysics

heat flow: Mise en évidence d'importantes variations régionales du flux de chaleur en Algérie (Important regional variations of heat flow in Algeria)

(Takherist, D., et al.)

4:615-626

(Takherist, D., et al.) 4: 615-626 plate tectonics: Late Proterozoic arc-continent and continent-continent collision in the Pan-African Trans-Saharan Belt of Mali (Caby, Renaud, et al.) 6: 1136-1146

salt tectonics see also under structural geology under Northwest Territories

sandstone see also under clastic rocks under sedimentary rocks

Sardinia-petrology

inclusions: Exemples de mélange de magmas en contexte plutonique; les enclaves des tonalites-granodiorites du massif de Bono (Sardaigne septentrionale) (Examples of mixing of magmas in a plutonic context; xenoliths in the tonalites and granodiorites of the Bono Pluton, northern Sardinia) ((Cocirta, C., et al.) 6: 1264-1281

Saskatchewan-economic geology

uranium ores: Stable isotope constraints on the role of graphite in the genesis of unconformity-type uranium deposits (Kyser, T. K., et al.) 3: 490-498

Saskatchewan—geochronology

Proterozoic: Nd, Sr, and O isotopic constraints on the petrogenesis of mafic intrusions in the Proterozoic Trans-Hudson Orogen of central Canada (Hegner, E., et al.) 5: 1027-1035

Saskatchewan—paleontology

Aves: Cimolopteryx sp. (Aves, Charadriiformes) from the Frenchman Formation (Maastrichtian), Saskatchewan

(Tokaryk, Tim T., et al.) 12: 2729-2730

Mammalia: Extinct muskox and other additions to the late Pleistocene Riddell local fauna, Saskatoon, Canada
(Skwara, T., et al.) 5: 881-893

Saskatchewan-stratigraphy

Oligocene: The Cypress Hills Formation (upper Eocene to Miocene); a semi-arid braidplain deposit resulting from intrusive uplift

(Leckie, D. A., et al.) 10: 1918-1931 Pleistocene: Davis Creek Silt, an early Pleistocene or late Pliocene deposit in the Cypress Hills of Saskatchewan

(Vreeken, W. J., et al.) 1: 192-198

Pliocene: Davis Creek Silt, an early Pleistocene or late Pliocene deposit in the Cypress Hills of Saskatchewan

(Vreeken, W. L. et al.) 1: 192-198

(Vreeken, W. J., et al.) 1: 192-198 Proterozoic: Stratigraphic variations in carbon and oxygen isotopes in the dolostone of the Carswell Formation (Proterozoic) of northern Saskatchewan (Abell, P. I., et al.) 11: 2318-2326 sea-floor spreading see also continental drift; see also under tectonophysics under Atlantic Ocean

sedimentary rocks see also sedimentary structures; sedimentation; sediments

sedimentary rocks—carbonate rocks

diagenesis: Diagenetic evolution of a Late Silurian reef platform, Gaspé Basin, Quebec, based on cathodoluminescence petrography

(Savard, Martine, et al.) 4: 791-806 dolostone: Calcite rafts, peloids, and micrite in cave deposits from Cayman Brac, British West Indies (Jones, Brian) 4: 654-664

Stratigraphic variations in carbon and oxygen isotopes in the dolostone of the Carswell Formation (Proterozoic) of northern Saskatchewan

(Abell, P. I., et al.) 11: 2318-2326 environmental analysis: Sedimentology and diagenesis of Upper Mississippian to Lower Permian strata, Talbot Lake area, Jasper National Park, Alberta

(Ng, Kwok-Choi, et al.)
 2: 275-295
 Ella Bay Formation; Early Cambrian shelf differentiation in the Franklinian Basin, central eastern Ellesmere Island, Arctic Canada

(Long, D. G. F.) 12: 2621-2635 sedimentary rocks—chemically precipitated

rocks

anhydrite: Pattern of apparent total strain in the bedded anhydrite cap of a folded salt wall

(Schwerdtner, W. M., et al.) 5: 983-992 phosphate rocks: The Lower Jurassic phosphorites of southeastern British Columbia and terrane accretion to western North America

(Poulton, T. P., et al.) 8: 1612-1616

sedimentary rocks-clastic rocks

diagenesis: U-Pb, Pb-Pb, and K-Ar isotopic study and petrography of uraniferous phosphate-bearing rocks in the Thelon Formation, Dubawnt Group, Northwest Territories, Canada (Miller, A. R., et al.) 5: 867-880

environmental analysis: The Cypress Hills
Formation (upper Eocene to Miocene); a
semi-arid braidplain deposit resulting
from intrusive uplift
(Leckie, D. A., et al.) 10: 1918-1931

lithofacies: Submarine-fan characteristics and dual sediment provenance, Lower Carboniferous Bragdon Formation, eastern Klamath Terrane, California

(Miller, M. Meghan, et al.) 5: 927-940 sandstone: Provenance of post-Wapiabi sandstones and its implications for Campanian to Paleocene tectonic history of the southern Canadian Cordillera

(Mack, Greg H., et al.) 4: 665-676 volcanic breccia: Subaqueous phreatomagmatic explosion breccias at Buttercup Hill, Noranda, Ouebec

(Gibson, H. L., et al.) 7: 1428-1439
volcaniclastics: Revised stratigraphic
nomenclature and age determinations for
Mid-Cretaceous volcanic rocks in south-

western British Columbia

SI-24

(Thorkelson, Derek J., et al.) 10: 2016-2031

 Deposition and alteration of volcaniclastic strata in two large, early Proterozoic iron-formations in Canada

(Hassler, Scott W., et al.) 8: 1574-1585

sedimentary rocks—lithostratigraphy

Mesozoic: Jura-Cretaceous (Oxfordian to Cenomanian) stratigraphy of the northcentral Bowser Basin, northern British Columbia

 (Cookenboo, H. O., et al.) 5: 1001-1012
 The Alberta foreland basin; relationship between stratigraphy and Cordilleran ter-

rane-accretion events

(Cant, Douglas J., et al.) 10: 1964-1975 Mississippian: Stratigraphy and depositional environments of the Upper Mississippian Codroy Group; Port au Port Peninsula, western Newfoundland

(Dix, George R., et al.) 6: 1089-1100 Ordovician: Stratigraphy of the Ordovician of the Lac Saint-Jean and Chicoutimi outliers, Ouebec

(Desbiens, Sylvain, et al.) 6: 1185-1202

Southwest New World Island stratigraphy; new fossil data, new implications for the history of the Central Mobile Belt, Newfoundland
(Elliott, Colleen G., et al.)

10: 2062-2074

Proterozoic: Stratigraphy and sedimentology of the Hamill Group in the northern Selkirk Mountains, British Columbia; evidence for latest Proterozoic - Early Cambrian extensional tectonism

(Devlin, William J.) 3: 515-533

 Late Proterozoic stratigraphy, U-Pb zircon ages, and rift tectonics, Mackenzie Mountains, northwestern Canada

(Jefferson, C. W., et al.) 9: 1784-1801 sedimentary structures see also sedimentary rocks; sediments

sedimentary structures—biogenic structures

bioturbation: The role of microorganisms in phytokarst development on dolostones and limestones, Grand Cayman, British West Indies

(Jones, Brian) 11: 2204-2213
burrows: Deep burrowing in the early Palaeozoic deep sea; examples from the Cambrian(?)-Early Ordovician Meguma
Group of Nova Scotia

(Pickerill, Ron K., et al.) 5: 1061-1068 sedimentary structures—environmental analysis

cave environment: Calcite rafts, peloids, and micrite in cave deposits from Cayman Brac, British West Indies

(Jones, Brian) 4: 654-664 glaciofluvial environment: Late Quaternary stratigraphy, sedimentology, and history of the Jasper townsite area, Alberta, Canada

(Levson, V. M., et al.) 7: 1325-1342

sedimentary structures-secondary

structures

concretions: Chronologie Th/U des concrétions calcaires des varves du lac glaciaire de Deschaillons (Wisconsinien inférieur) (Th/U dating of calcareous concretions from varves of glacial Lake Deschaillons, lower Wisconsinan) (Hillaire-Marcel, Claude, et al.)

5: 1041-1052

sedimentary structures—turbidity current structures

graded bedding: Stratigraphy and sedimentology of the Hamill Group in the northern Selkirk Mountains, British Columbia; evidence for latest Proterozoic - Early Cambrian extensional tectonism (Devlin, William J.) 3: 515-533

 Deposition and alteration of volcaniclastic strata in two large, early Proterozoic iron-formations in Canada

(Hassler, Scott W., et al.) 8: 1574-1585

sedimentation—controls

tectonic controls: Stratigraphy and sedimentology of the Hamill Group in the northern Selkirk Mountains, British Columbia; evidence for latest Proterozoic - Early Cambrian extensional tectonism

(Devlin, William J.) 3: 515-533

— Provenance of post-Wapiabi sandstones and its implications for Campanian to Paleocene tectonic history of the southern

Canadian Cordillera

(Mack, Greg H., et al.) 4: 665-676

— The Alberta foreland basin; relationship between stratigraphy and Cordilleran terrane-accretion events

 (Cant, Douglas J., et al.) 10: 1964-1975
 Eocene sedimentation and volcanism in the Fig Lake Graben, southwestern British Columbia

(Thorkelson, Derek J.) 7: 1368-1373

sedimentation—cyclic processes

fluvial sedimentation: Early Permian fossil vertebrate footprints and their stratigraphic setting in megacyclic Sequence II red beds, Prim Point, Prince Edward Island

(Mossman, David J., et al.) 3: 591-605 nearshore sedimentation: Kennedy Channel Formation; key to the early history of the Franklinian continental margin, central eastern Ellesmere Island, Arctic Canada (Long, D. G. F.) 6: 1147-1159

 Late Quaternary seismic stratigraphy of the inner shelf seaward of the Tuktoyaktuk Peninsula, Canadian Beaufort Sea (Héquette, Arnaud, et al.)

10: 1990-2002

— Facies anatomy of an Upper Cambrian grand cycle; Bison Creek and Mistaya formations, southern Alberta

(Westrop, Stephen R.) 11: 2292-2304 terrestrial sedimentation: Late Quaternary events in the Lethbridge area, Alberta (Vreeken, Willem J.) 3: 551-560

transgression: Middle to Late Ordovician rocky bottoms and rocky shores from the Manitoulin Island area, Ontario (Johnson, Markes E., et al.) 4: 642-653 sedimentation-deposition

flocculation: Modelling of single-grain and floc settling (Lau, Y. L.) 12: 2523-2528

sedimentation-environment

cave environment: Calcite rafts, peloids, and micrite in cave deposits from Cayman Brac, British West Indies (Jones, Brian) 4: 654-664

deep-sea environment: Sedimentology of an Archean submarine channel-fill deposit in the Abitibi greenstone belt of Canada (David, Jean, et al.) 7: 1453-1462

(David, Jean, et al.) 7: 1453-1462 glaciofluvial environment: Late Quaternary stratigraphy, sedimentology, and history of the Jasper townsite area, Alberta, Canada

(Levson, V. M., et al.) 7: 1325-1342 glaciolacustrine environment: Lacustrine sedimentary record of ice-dammed Neoglacial Lake Alsek

(Schmok, Jeffrey P., et al.)

10: 2092-2105

glaciomarine environment: Latest Quaternary and Holocene paleoceanography of the eastern Baffin Island continental shelf, Canada; benthic foraminiferal evidence (Osterman, Lisa E., et al.)

11: 2236-2248
interglacial environment: Last interglacial
sediments of the Don Valley Brickyard,
Toronto, Canada, and their paleoenvironmental significance [discussion and reply]
(Karrow, P. F., et al.) 5: 1078-1086

lacustrine environment: Geology and paleoecology of early Holocene lacustrine deposits in the Columbia River valley near Fauquier, southern British Columbia

(Fulton, Robert J., et al.) 2: 257-265 marine environment: The Lower Jurassic phosphorites of southeastern British Columbia and terrane accretion to western North America

(Poulton, T. P., et al.) 8: 1612-1616 nearshore environment: Sedimentology and diagenesis of Upper Mississippian to Lower Permian strata, Talbot Lake area, Jasper National Park, Alberta

(Ng, Kwok-Choi, et al.)
 2: 275-295
 Stratigraphic variations in carbon and oxygen isotopes in the dolostone of the Carswell Formation (Proterozoic) of northern Saskatchewan

(Abell, P. I., et al.) 11: 2318-2326 shelf environment: Ella Bay Formation; Early Cambrian shelf differentiation in the Franklinian Basin, central eastern Ellesmere Island, Arctic Canada

(Long, D. G. F.) 12: 2621-2635

sedimentation—processes

estuarine sedimentation: Suspended-sediment concentration and calibre in relation to surface-flow structure in Squamish River estuary, southwestern British Columbia (Rood, Kenneth M., et al.)

— Bedforms, bed material, and bedload transport in a salt-wedge estuary; Fraser River, British Columbia (Kostaschuk, R. A., et al.) 7: 1440-1452 fluvial sedimentation: Regional clastic sediment vield in British Columbia

(Church, Michael, et al.) 1: 31-45 glacial sedimentation: Glacially redeposited pollen in tills of southern Ontario, Canada (Dreimanis, Aleksis, et al.) 9: 1667-1676 sedimentation-provenance

detritus: The Cypress Hills Formation (upper Eocene to Miocene); a semi-arid braidplain deposit resulting from intrusive uplift

(Leckie, D. A., et al.) 10: 1918-1931 drift: Reconstructed ice-flow patterns and ice limits using drift pebble lithology, outer Nachvak Fiord, northern Labrador (Bell, Trevor, et al.) 3: 577-590

lithofacies: Submarine-fan characteristics and dual sediment provenance, Lower Carboniferous Bragdon Formation, eastern Klamath Terrane, California (Miller, M. Meghan, et al.) 5: 927-940

sedimentation-transport

stream transport: Contemporary Squamish River sediment flux to Howe Sound, British Columbia

(Hickin, Edward J.) 10: 1953-1963 turbidity currents: Turbidity-current channels in Queen Inlet, Glacier Bay, Alaska (Carlson, Paul R., et al.) 4-807-820

- Deposition and alteration of volcaniclastic strata in two large, early Proterozoic iron-formations in Canada 8: 1574-1585

(Hassler, Scott W., et al.) - Sedimentary processes along Flemish Pass, offshore Eastern Canada; a GLORIA and high-resolution seismic reconnaissance 11: 2177-2185

(Jacobs, Colin L.) sediments see also sedimentary rocks; sedimentary structures; sedimentation

sediments-clastic sediments

cobbles: Discovery of Martin Frobisher's Baffin Island "ore" in Ireland (Hogarth, D. D., et al.) 5: 1053-1060

diamicton: Late Quaternary stratigraphy, sedimentology, and history of the Jasper townsite area, Alberta, Canada

7-1325-1342 (Levson, V. M., et al.) - A method of sampling clast-rich laminated diamictons for magnetic analyses

(Coyle, David A.) 8: 1654-1656 drift: Reconstructed ice-flow patterns and ice limits using drift pebble lithology, outer Nachvak Fiord, northern Labrador 3: 577-590 (Bell, Trevor, et al.)

environmental analysis: Last interglacial sediments of the Don Valley Brickyard, Toronto, Canada, and their paleoenvironmental significance [discussion and reply] (Karrow, P. F., et al.) 5: 1078-1086

lithostratigraphy: Davis Creek Silt, an early Pleistocene or late Pliocene deposit in the Cypress Hills of Saskatchewan

1: 192-198 (Vreeken, W. J., et al.) Paleosols: Late Quaternary events in the Lethbridge area, Alberta

(Vreeken, Willem J.) 3: 551-560 till: Laurentide glaciation in west-central Alberta; a single (late Wisconsinan) event (Liverman, David G. E., et al.)

2: 266-274

sediments-lithofacies

environmental analysis: Lacustrine sedimentary record of ice-dammed Neoglacial Lake Alsek (Schmok, Jeffrey P., et al.)

10: 2092-2105

sediments—lithostratigraphy

Holocene: Holocene sea-level change and delta growth; Fraser River delta, British Columbia (Williams, Harry F. L., et al.)

9: 1657-1666

sediments-marine sediments

distribution: Surficial geology of Hecate Strait, British Columbia continental shelf (Barrie, J. V., et al.) 6: 1241-1254

environmental analysis: Late Quaternary seismic stratigraphy of the inner shelf seaward of the Tuktoyaktuk Peninsula, Canadian Beaufort Sea (Héquette, Arnaud, et al.)

10: 1990-2002 - Latest Quaternary and Holocene paleoceanography of the eastern Baffin Island continental shelf, Canada; benthic foraminiferal evidence (Osterman, Lisa E., et al.)

11-2236-2248

seismic surveys see under geophysical surveys under Arctic Ocean; Atlantic Ocean; Canadian Shield; Pacific Ocean

seismology-elastic waves

propagation: Alberta bolide of June 1, 1982; interpretation of photographic and seismic

(Cumming, G. L.) 7: 1350-1355 S-waves: Shear-wave splitting and anisotropy in the Charlevoix seismic zone, Quebec, in 1985

(Buchbinder, Goetz G. R.)

12: 2691-2696

seismology-microearthquakes seismicity: A microseismicity study of the Queen Charlotte Islands region

(Bérubé, Joane, et al.) 12: 2556-2566 - Microearthquake survey of the Miramichi, New Brunswick, epicentral region, 1985

(Burke, Kenneth B. S., et al.)

12: 2567-2577

seismology-seismicity

seismotectonics: Tectonic implications of seismic activity recorded by the northern Ontario seismograph network (Wetmiller, R. J., et al.) 2: 376-386

Senegal—geophysical surveys

magnetotelluric surveys: Geologic sections across the onshore Senegal-Mauritania Basin derived from geoelectric studies 1: 65-73 (Ritz, M., et al.)

shore features see under geomorphology

sills see under intrusions

Silurian see also under stratigraphy under Newfoundland; Northwest Territories; Que-

slope stability see also geomorphology

sodium-geochemistry

metabasalt: Geochemistry of Neohelikian Nauvat plateau basalts, Borden rift basin. northwestern Baffin Island, Canada 11: 2214-2223 (Dostal, J., et al.)

Southern Hemisphere see also Atlantic Ocean; Pacific Ocean

Southwestern U.S. see also Oklahoma; Texas sponges-ecology

arctic environment: Siliceous sponge communities, biological zonation, and Recent sea-level change on the Arctic margin; Ice Island results (Van Wagoner, Nancy A., et al.)

11: 2341-2355

Spongiae see Porifera

springs see also ground water

strontium-isotopes Sr-87/Sr-86: Lead- and strontium-isotope geochemistry of Paleozoic Sicker Group and Jurassic Bonanza Group volcanic rocks and Island Intrusions, Vancouver Island, British Columbia

5-894-907 (Andrew, Anne, et al.) - Lead- and strontium-isotope geochemistry of the Karmutsen Formation, Vancouver Island, British Columbia

(Andrew, Anne, et al.) 5: 908-919 - Lead- and strontium-isotope geochemistry of the Tertiary Catface intrusions and related mineralization, Vancouver Island, British Columbia 5: 920-926

(Andrew, Anne, et al.) - Early Tertiary basalts from the Labrador Sea floor and Davis Strait region 5: 956-968

(Clarke, D. B., et al.) - Nd, Sr, and O isotopic constraints on the petrogenesis of mafic intrusions in the Proterozoic Trans-Hudson Orogen of central Canada

(Hegner, E., et al.) 5: 1027-1035 Rb-Sr age and geochemical distinctions between the Carboniferous tin-bearing Davis Lake Complex and the Devonian South Mountain Batholith, Meguma Terrane, Nova Scotia

(Richardson, Jean M., et al.)

10: 2044-2061 - New petrological and geochemical data on mid-Paleozoic island-arc volcanics of northern Sierra Nevada, California; evidence for a continent-based island arc (Rover, O., et al.) 12: 2465-2478

- Petrochemical and stratigraphic aspects of North Mountain Basalt from the north shore of the Bay of Fundy, Nova Scotia, Canada (Greenough, John D., et al.)

12: 2710-2717

structural analysis see also folds; foliation structural analysis-faults

fault zones: Internal structure of the Cadillac tectonic zone southeast of Val d'Or, Abitibi greenstone belt, Quebec 12: 2661-2675 (Robert, François)

structural analysis-folds

superposed folds: Paleomagnetism of the Lawrenceton Formation volcanic rocks, Silurian Botwood Group, Change Islands, Newfoundland (Gales, Julie E., et al.) 2: 296-304

structural analysis-fractures

dikes: The geochemistry and structural significance of a set of middle Precambrian diabase dikes from the Highland Range, southwestern Montana

(Johnson, Eric Lee, et al.) 1: 119-128 patterns: Statistical analysis of the geological-hydrogeological conditions within part of the Eye-Dashwa Pluton, Atikokan, northwestern Ontario

(Brown, P. A., et al.) 2: 345-356

 A comparison of fracture styles in two granite bodies of the Superior Province (Stone, D., et al.)
 2: 387-403

veins: Structural control of gold mineralization at the Bousquet Mine, Abitibi, Quebec

(Tourigny, Ghislain, et al.) 1: 157-175
 Erratum; Structural control of gold mineralization at the Bousquet Mine, Abitibi, Ouebec

(Tourigny, Ghislain, et al.) 5: 1 structural analysis—interpretation

batholiths: Geology and geophysics of the Underground Research Laboratory site, Lac du Bonnet Batholith, Manitoba (Brown, A., et al.) 2: 404-425

(Brown, A., et al.) 2: 404-425 petrofabrics: P-T history and kinematics of the Monashee Décollement near Revelstoke, British Columbia

(Lane, Larry S., et al.) 2: 231-243

 Failles de chevauchement acadiennes dans la région de Weedon, Estrie, Québec (Acadian thrust faults in the Weedon area, Estrie, Quebec)

(Labbé, Jean-Yves, et al.) 11: 2268-2277 polyphase processes: Deformational history of an Archean fold belt, eastern Point Lake area, Slave Structural Province, N.W.T.

(King, J. E., et al.) 1: 106-118

— Grenville orogenic affinities in the Red

Mountain area, Llano Uplift, Texas
(Carter, Karen E.) 6: 1124-1135

tectonic elements: Acadian strike-slip tectonics in the Gaspé region, Quebec Appalachians

(Malo, Michel, et al.) 9: 1764-1777 terranes: Evolution of an Archean subprovince boundary; a sedimentological and structural study of part of the Wabigoon-Quetico boundary in northern Ontario (Devaney, Jonathan R., et al.)

5: 1013-1026

structural analysis—preferred orientation fractures: Geology of the East Bull Lake gabbro-anorthosite pluton, Algoma Dis-

trict, Ontario
(McCrank, G. F. D., et al.) 2: 357-375
plagioclase: Determination of the finite-

plagioclase: Determination of the finitestrain ellipsoid from deformed porphyroblastic mineral aggregates and preferentially oriented feldspars in a mylonitized metamafic dyke

(Owen, J. Victor) 11: 2333-2340 quartz: Mise à l'évidence et cinématique de la faille de La Guadeloupe, Appalaches du sud du Québec (Kinematics of La Guadeloupe Fault, Appalachians of southern Quebec)

(Tremblay, Alain, et al.) 10: 1932-1943

structural petrology see structural analysis sulfur—isotopes

S-34/S-32: Sulphur isotopic composition of sulphides from the Beaver Dam and other Meguma-Group-hosted gold deposits, Nova Scotia; implications for genetic models

(Kontak, Daniel J., et al.) 8: 1617-1629

sulphur see sulfur

survey organizations see also associations

symposia-engineering geology

waste disposal: Results of geoscience research in the Canadian Nuclear Fuel Waste Management Program—Résultats de recherches géoscientifiques du Programme canadien de gestion des déchets de combustible nucléaire (Scott, J. S., et al.) 2: 339-425

symposia-stratigraphy

Quaternary: Late Quaternary paleohydrology of Canada—Paléohydrologie du Quaternaire supérieur au Canada

(Church, Michael, et al.) 9: 1807-1859

tectonics see also faults; folds; orogeny; structural analysis; see also under structural geology under Alberta; Appalachians; British Columbia; Canadian Shield; Manitoba; Montana; North America; Northwest Territories; Ontario; Quebec; Washington; Yukon Territory

tektites see also meteorites

tephrochronology see under geochronology terrestrial crust see crust

Tertiary see also under stratigraphy under Alberta

Tetrapoda—occurrence

Pennsylvanian: A tetrapod lower jaw from the Pennsylvanian (Westphalian A) of Nova Scotia (Godfrey, Stephen J., et al.)

5: 1036-1040

Texas-paleontology

Reptilia: New information on the pectoral girdle and vertebral column in Lupeosaurus (Reptilia, Pelycosauria) (Sumida, Stuart S.) 7: 1343-1349

Texas-structural geology

structural analysis: Grenville orogenic affinities in the Red Mountain area, Llano Uplift, Texas (Carter, Karen E.) 6: 1124-1135

theoretical studies see under heat flow; hydrogeology

thermal waters see also under hydrogeology under British Columbia

thrust faults see under displacements under faults

tin ores see also under economic geology under Nova Scotia; Yukon Territory

tourmaline see under ring silicates under minerals

trace elements see under geochemistry under British Columbia; California; Canadian Shield; Greenland; igneous rocks; India; Labrador; lava; magmas; Manitoba; metamorphic rocks; metasomatic rocks; New Brunswick; Newfoundland; Northwest Territories; Nova Scotia; Ontario; Quebec; Wisconsin tracks see under occurrence under ichnofossils tracks and trails see ichnofossils

Trilobita-Phacopida

Ordovician: Ceraurus and related trilobites from the Middle Ordovician Bobcaygeon Formation of south-central Ontario, Canada (Hessin, William A.) 6: 1203-1219

trilobites-biostratigraphy

Cambrian: Kennedy Channel Formation; key to the early history of the Franklinian continental margin, central eastern Ellesmere Island, Arctic Canada (Long, D. G. F.) 6: 1147-1159

Ordovician: Stratigraphy of the Ordovician of the Lac Saint-Jean and Chicoutimi outliers. Ouebec

(Desbiens, Sylvain, et al.) 6: 1185-1202

tritium see also deuterium; hydrogen tungsten ores see also under economic geology under Yukon Territory

Tunisia-economic geology

geothermal energy: Preliminary heat-flow density data from Tunisia and the Pelagian Sea

(Lucazeau, Francis, et al.) 5: 993-1000 turbidity current structures see under sedimentary structures

turbidity currents see under transport under sedimentation

underground water see ground water

United States see also Alaska; California; Montana; Oklahoma; Texas; Washington; Wisconsin

uranium ores see also under economic geology under Canadian Shield; Saskatchewan

Vertebrata see also Agnatha; Aves; ichnofossils; Mammalia; Pisces; problematic fossils; Reptilia

vertebrates see also mammals

volcanic features see under geomorphology volcanic rocks see under igneous rocks

volcanism see under volcanology

volcanoes see under volcanology

volcanology-volcanism

absolute age: U-Pb zircon ages for the Rice Lake area, southeastern Manitoba (Turek, A., et al.) 1: 23-30

— First U-Pb zircon ages of granitoid plutons from the La Grande greenstone belt, James Bay area, New Quebec (St. Seymour, Karen, et al.)

5: 1068-1073

eruptions: Neogene Chilcotin basalts in south-central British Columbia; geology, ages, and geomorphic history (Mathews, W. H.) 5: 969-982

 Eccene sedimentation and volcanism in the Fig Lake Graben, southwestern British Columbia

(Thorkelson, Derek J.) 7: 1368-1373 evolution: Tectonostratigraphic evolution of the early Proterozoic Wisconsin magmatic terranes of the Penokean Orogen

(Sims, P. K., et al.) 10: 2145-2158
— Stratigraphy and tectonic significance of Cretaceous volcanism in the Queen Elizabeth Islands, Canadian Arctic Archipelago [discussion and reply]

(Sobczak, L. W., et al.) 12: 2736-2741

explosive eruptions: Subaqueous phreatomagmatic explosion breccias at Buttercup Hill, Noranda, Quebec

(Gibson, H. L., et al.) 7: 1428-1439

island arcs: The geology and geochemistry of an early Proterozoic volcanic-arc association at Cartwright Lake; Lynn Lake greenstone belt, northwestern Manitoba (Peck, D. C., et al.) 4: 716-736

- Petrology and age of volcanic-arc rocks from the continental margin of the Bering Sea; implications for early Eocene relocation of plate boundaries

7: 1474-1490 (Davis, Alicé S., et al.)

- New petrological and geochemical data on mid-Paleozoic island-arc volcanics of northern Sierra Nevada, California; evidence for a continent-based island arc (Rover, O., et al.) 12: 2465-2478

periodicity: Cyclical variation in composition in continent tholeiites of East Greenland

(Hogg, A. J., et al.) 3-534-543

rifting: Geochemistry of Siluro-Devonian Tobique volcanic belt in northern and central New Brunswick (Canada); tectonic implications

(Dostal, J., et al.) 6: 1282-1296

- Geochemistry and U-Pb zircon age of comenditic metafelsites of the Tibbit Hill Formation, Quebec Appalachians (Kumarapeli, P. Stephen, et al.)

7: 1374-1383

- The age, chemistry, and tectonic setting of the middle Proterozoic Moyie sills, Purcell Supergroup, southeastern British Columbia (Hoy, Trygve) 11: 2305-2317

tephrochronology: Late Quaternary volcanic ash in the peatlands of central Alberta (Zoltai, S. C.) 2: 207-214

volcanology-volcanoes

Mount Edziza: Geochemistry and isotope hydrogeology of the Mount Edziza-Mess Creek geothermal area (Clark, Ian D., et al.) 6: 1160-1171 Washington-structural geology

tectonics: Structural geometry and kinematic evolution of the eastern Cascades foldbelt, Washington and British Columbia (McGroder, Michael F.) 8: 1586-1602

waste disposal see also under engineering geology under Canada; Canadian Shield; Manitoba; Ontario; symposia

water see also ground water; hydrogeology; hydrology

weathering-mechanical weathering

frost action: Frost bursting; a violent expression of frost action in rock 10: 2075-2080 (Michaud, Yves, et al.)

weathering-sedimentary rocks

dolostone: The role of microorganisms in phytokarst development on dolostones and limestones, Grand Cayman, British West Indies (Jones, Brian) 11: 2204-2213

well-logging-seismic logging

applications: Geology and geophysics of the Underground Research Laboratory site, Lac du Bonnet Batholith, Manitoba (Brown, A., et al.)

well-logging-temperature logging interpretation: Preliminary heat-flow density data from Tunisia and the Pelagian Sea (Lucazeau, Francis, et al.) 5-993-1000

Western Hemisphere see also Atlantic Ocean; North America; Pacific Ocean

Western U.S. see also Alaska; California; Montana; Washington

Wisconsin—geochemistry

trace elements: Tectonostratigraphic evolution of the early Proterozoic Wisconsin magmatic terranes of the Penokean Oro-(Sims, P. K., et al.) 10: 2145-2158

xenoliths see under inclusions

Yukon Territory-economic geology

tin ores: Hydrothermal alteration, veining, and fluid-inclusion characteristics of the Kalzas wolframite deposit, Yukon

(Lynch, J. V. Gregory) 10: 2106-2115 tungsten ores: Hydrothermal alteration, veining, and fluid-inclusion characteristics of the Kalzas wolframite deposit, Yukon (Lynch, J. V. Gregory) 10: 2106-2115

Yukon Territory-geochronology

absolute age: U-Pb, Rb-Sr, and K-Ar isotopic constraints for ductile deformation and related metamorphism in the Teslin suture zone, Yukon-Tanana Terrane, south-central Yukon

(Hansen, Vicki L., et al.) 11: 2224-2235

Yukon Territory—geomorphology glacial geology: Lacustrine sedimentary record of ice-dammed Neoglacial Lake Al-

(Schmok, Jeffrey P., et al.)

10: 2092-2105

Yukon Territory-stratigraphy

Paleozoic: Graptolites as indicators of regional maturity in lower Paleozoic sediments, Selwyn Basin, Yukon and Northwest Territories, Canada 10: 2003-2015 (Riediger, C., et al.)

Pleistocene: New geomagnetic paleosecularvariation results from the Old Crow Basin, Yukon Territory, and their use in stratigraphic correlation

(Gillen, K. P., et al.) 12: 2507-2511 Quaternary: Paleoecological implications of late Pleistocene and Holocene microtine rodents from the Bluefish Caves, northern Yukon Territory (Morlan, Richard E.) 1: 149-156

Yukon Territory-structural geology

tectonics: Évènements tectoniques d'origine compressive dans le Protérozoïque du nord de la Cordillère canadienne (montagnes Ogilvie, Yukon) (Proterozoic compressive tectonic events in the northern Canadian Cordillera; Ogilvie Mountains, Yukon Territory) (Mercier, Éric) 1: 199-205

Yukon Territory-tectonophysics

heat flow: Graptolites as indicators of regional maturity in lower Paleozoic sediments, Selwyn Basin, Yukon and Northwest Territories, Canada 10-2003-2015 (Riediger, C., et al.)

zine ores see also under economic geology under Quebec

zoogeography see biogeography